

AJAX

(Asynchronous Javascript & XML)


What is AJAX?

- AJAX is the art of exchanging data with a server, and updating parts of a web page - without reloading the whole page.
- With AJAX, we can:
 - Read data from a web server - after the page has loaded
 - Update a web page without reloading the page
 - Send data to a web server - in the background
- Examples of applications using AJAX: Gmail, Google Maps, Youtube, and Facebook tabs.

Why AJAX and jQuery?

- jQuery provides several methods for AJAX functionality.
- Writing regular AJAX code can be a bit tricky, because different browsers have different syntax for AJAX implementation.
- Using jQuery, we can write AJAX functionality with only one single line of code.

How AJAX Works



jQuery load() Method

- The jQuery load() method is a simple, but powerful AJAX method.
- The load() method loads data from a server and puts the returned data into the selected element.
- Syntax: **\$(selector).load(URL,data,callback);**

jQuery load() example

```
$ (document) .ready (function () {  
    $ ("button") .click (function () {  
        $ ("#div1") .load ("demo_test.txt") ;  
    }) ;  
}) ;
```

```
<div id="div1">  
    <h2>Let jQuery AJAX Change This Text</h2>  
</div>  
  
<button>Get External Content</button>
```

Using \$.ajax()

- The ajax() method is used to perform an AJAX (asynchronous HTTP) request
- Syntax: **\$.ajax({name:value, name:value, ... })**

```
$ ("button").click(function () {  
    $.ajax({  
        url: "demo_test.txt",  
        success: function (result) {  
            $("#div1").html (result) ;  
        }  
    });  
});
```