

ICPSR 4360

**Uniform Crime Reporting
Program Data [United States]:
County-Level Detailed Arrest and
Offense Data, 2003**

*United States Department of Justice.
Federal Bureau of Investigation*

Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

Bibliographic Citation: Publications based on ICPSR data collections should acknowledge those sources by means of bibliographic citations. To ensure that such source attributions are captured for social science bibliographic utilities, citations must appear in footnotes or in the reference section of publications. The bibliographic citation for this data collection is:

U.S. Dept. of Justice, Federal Bureau of Investigation. UNIFORM CRIME REPORTING PROGRAM DATA [UNITED STATES]: COUNTY-LEVEL DETAILED ARREST AND OFFENSE DATA, 2003 [Computer file]. ICPSR04360-v1. Ann Arbor, MI: Inter-university Consortium for Political and Social Research [producer and distributor], 2005-11-11.

Request for Information on Use of ICPSR Resources: To provide funding agencies with essential information about use of archival resources and to facilitate the exchange of information about ICPSR participants' research activities, users of ICPSR data are requested to send to ICPSR bibliographic citations for each completed manuscript or thesis abstract. Visit the ICPSR Web site for more information on submitting citations.

Data Disclaimer: The original collector of the data, ICPSR, and the relevant funding agency bear no responsibility for uses of this collection or for interpretations or inferences based upon such uses.

Responsible Use Statement: In preparing data for public release, ICPSR performs a number of procedures to ensure that the identity of research subjects cannot be disclosed. Any intentional identification or disclosure of a person or establishment violates the assurances of confidentiality given to the providers of the information. Therefore, users of data obtained from the ICPSR archive and/or any of its special topic archives agree:

- To use these datasets solely for statistical analysis and reporting of aggregated information, and not for investigation of specific individuals or organizations, except when identification is authorized in writing by ICPSR
- To make no use of the identity of any person or establishment discovered inadvertently, and to advise ICPSR of any such discovery
- To produce no links among ICPSR datasets or among ICPSR data and other datasets that could identify individuals or organizations

Redistribution: ICPSR data may not be redistributed or sold to other individuals, institutions, or organizations without the written agreement of ICPSR.

Bibliographic Description

ICPSR Study No.: 4360

Title: Uniform Crime Reporting Program Data [United States]: County-Level Detailed Arrest and Offense Data, 2003

Principal Investigator(s): United States Department of Justice. Federal Bureau of Investigation

Series: Uniform Crime Reporting Program Data [United States] Series

Bibliographic Citation: U.S. Dept. of Justice, Federal Bureau of Investigation. UNIFORM CRIME REPORTING PROGRAM DATA [UNITED STATES]: COUNTY-LEVEL DETAILED ARREST AND OFFENSE DATA, 2003 [Computer file]. ICPSR04360-v1. Ann Arbor, MI: Inter-university Consortium for Political and Social Research [producer and distributor], 2005-11-11.

Scope of Study

Summary: This data collection contains county-level counts of arrests and offenses for Part I offenses (murder, rape, robbery, aggravated assault, burglary, larceny, auto theft, and arson) and counts of arrests for Part II offenses (forgery, fraud, embezzlement, vandalism, weapons violations, sex offenses, drug and alcohol abuse violations, gambling, vagrancy, curfew violations, and runaways).

Subject Term(s): aggravated assault, alcohol, arrests, arson, assault, auto theft, burglary, counties, crime rates, crime reporting, crime statistics, drug abuse, embezzlement, forgery, fraud, illegal gambling, larceny, law enforcement, murder, offenses, rape, robbery, sex offenses, Uniform Crime Reports, vagrancy, vandalism, weapons offenses

Geographic Coverage: United States

Time Period: 2003

Date(s) of Collection: 2003

Universe: County law enforcement agencies in the United States.

Data Type: aggregate data

Data Collection Notes: (1) Two major changes to the Uniform Crime Reports (UCR)

county-level files were implemented beginning with the 1994 data. A new imputation algorithm to adjust for incomplete reporting by individual law enforcement jurisdictions was adopted. Within each county, data from agencies reporting 3 to 11 months of information were weighted to yield 12-month equivalents. Data for agencies reporting less than 3 months of data were replaced with data estimated by rates calculated from agencies reporting 12 months of data located in the agency's geographic stratum within its state. Secondly, a new Coverage Indicator was created to provide users with a diagnostic measure of aggregated data quality in a particular county. Data from agencies reporting only statewide figures were allocated to the counties in the state in proportion to each county's share of the state population. (2) In the arrest files (Parts 1-3 and 5-7), data were estimated for agencies reporting zero months based on the procedures mentioned above. However, due to the structure of the data received from the FBI, estimations could not be produced for agencies reporting zero months in the crimes reported files (Parts 4 and 8). Offense data for agencies reporting one or two months are estimated using the above procedures. Users are encouraged to refer to the codebook for more information. (3) No arrest data were provided for Florida. Limited arrest data were available for Illinois. Limited offense data were available for Illinois, Kentucky, Mississippi, Montana, and South Dakota. (4) UCR program staff at the Federal Bureau of Investigation (FBI) were consulted in developing the new adjustment procedures. However, these UCR county-level files are not official FBI UCR releases and are being provided for research purposes only. Users with questions regarding these UCR county-level data files can contact the National Archive of Criminal Justice Data at ICPSR.

Methodology

Mode of Data Collection:	self-enumerated questionnaire
Extent of Processing:	CDBK.ICPSR/ DDEF.ICPSR/ MDATA.ICPSR/ RECODE/ UNDOCCHK.ICPSR

Access and Availability

Extent of Collection:	8 data files + machine-readable documentation (PDF) + SAS setup files + SPSS setup files
Data Format:	Logical Record Length with SAS and SPSS setup files
Original ICPSR Release:	2005-11-11

Note: Detailed file-level information (such as LRECL, case count, and variable count) may be found in the file manifest.

- Dataset(s):
- DS1: Arrests, All Ages
 - DS2: Arrests, Adult
 - DS3: Arrests, Juveniles
 - DS4: Crimes Reported
 - DS5: Allocated Statewide Data for Arrests, All Ages
 - DS6: Allocated Statewide Data for Arrests, Adults
 - DS7: Allocated Statewide Data for Arrests, Juveniles
 - DS8: Allocated Statewide Data for Crimes Reported

TABLE OF CONTENTS

	no.
INTRODUCTION	
ICPSR Data Collection Description	i
ICPSR Codebook Note	
Parts 1-3: Codebook for UCR County-Level Arrests Data	1
Parts 5-7: Codebook for Allocated Statewide Data for Arrests	5
Part 4: Codebook for UCR County-Level Crimes Reported Data	9
Part 8: Codebook for Allocated Statewide Data for Crimes Reported	11
APPENDIX	
FIPS Codes for UCR County-Level Data	13

ICPSR DATA COLLECTION DESCRIPTION

The UNIFORM CRIME REPORTING PROGRAM DATA [UNITED STATES]: COUNTY-LEVEL DETAILED ARREST AND OFFENSE DATA, 2003 reports counts of arrests and offenses for the Uniform Crime Reports (UCR) index (Part I) crimes: murder, rape, robbery, aggravated assault, burglary, larceny, auto theft, and arson. The UCR County-level Arrest files also report arrests for additional (Part II) crimes such as forgery, fraud, vice offenses, and drug possession or sale. The data were originally collected by the Federal Bureau of Investigation (FBI) from reports submitted by agencies and states participating in the UCR Program. Each agency or jurisdiction is uniquely identified in the collection by the UCR Originating Agency Identifier (ORI). In describing this data collection the terms agency, jurisdiction, and ORI are used synonymously. Detailed discussions of reporting procedures are found in the UNIFORM CRIME REPORTING HANDBOOK (Washington, DC: U.S. Government Printing Office, 1980), and in the codebooks for the ICPSR's Agency-level UCR data collections (see ICPSR 9028).

It should be emphasized that, while UCR staff were consulted in developing the new adjustment procedures, these UCR county-level files are not official FBI UCR releases and are being provided for research purposes only. Users with questions regarding these UCR county-level data files can contact the National Archive of Criminal Justice Data at the ICPSR.

BREAK IN SERIES

Two major changes to the UCR county-level files were implemented with the 1994 release data and are continued with the 2003 data. A new imputation algorithm to adjust for incomplete reporting by individual law enforcement jurisdictions has been adopted. Also, a new Coverage Indicator has been created to provide users with a diagnostic measure of aggregated data quality in a particular county. These developments are described in greater detail below. The changes were instituted in response to comments from a number of users and after almost a year of discussions by UCR file users, the Uniform Crime Reports Unit of the Federal Bureau of Investigation, the Bureau of Justice Statistics, and the Inter-university Consortium for Political and Social Research.

These changes will result in a break in series from previous UCR county-level files. Data from earlier year files should not be compared to data from 1994 and subsequent years. Changes in procedures used to adjust for incomplete reporting at the ORI or jurisdiction level may be expected to have an impact on aggregates for counties in which some ORIs have not reported for all 12 months. However, the new adjustment procedures should result in county-level data that are less sensitive to changes between years in the extent of reporting by ORIs within a county. Consequently, data from 1994 forward should be more accurate estimates for longitudinal analysis.

CHANGES IN IMPUTATION PROCEDURES FOR INCOMPLETE REPORTING

IMPUTATION PROCEDURES USED FOR 1977-1993 UCR COUNTY-LEVEL FILES: The data for any ORI reporting 12 months were used for county aggregation as submitted. Data for an ORI reporting six to 11 months were increased by a weight of [12/months reported]. Data for any ORI reporting less than 6 months were deleted from the county total, and the population served by that ORI was deleted from the county population total to help control for differential data quality across counties.

The aim of this procedure was to produce comparable data cross-sectionally across all counties. However, if there were major changes in the ORIs that reported in a county across years, artifactual changes in the longitudinal data for a county could be introduced because of potential variation in the type of ORIs used to compute imputed county totals and rates each year.

IMPUTATION PROCEDURES USED FOR 1994 UCR COUNTY-LEVEL FILES AND ONWARD: The data for any ORI reporting 12 months were used for county aggregation as submitted. Data for an ORI reporting 3 to 11 months were increased by a weight of [12/months reported]. For ORIs reporting 0 to 2 months in the arrest files or 1 to 2 months in the crimes reported files, data for these ORIs were set to zero and then data were estimated using rates calculated from ORIs reporting 12 months of data located in the ORI's geographic stratum based on UCR Population Groups within their state. UCR Population Groups are defined as follows:

Population Group

- 1) Cities 250,000 and over
- 2) Cities 100,000 - 249,999
- 3) Cities 50,000 - 99,999
- 4) Cities 25,000 - 49,999
- 5) Cities 10,000 - 24,999
- 6) Cities 2,500 - 9,999
- 7) Cities under 2,500
- 8) Non-MSA counties and non-MSA State Police
- 9) MSA counties and MSA State Police

There is an important distinction in estimation procedures for the arrest versus the crimes reported files. For the arrest files (Parts 1-3 and 5-7), data were estimated for agencies reporting 0-2 months based on the procedures mentioned above. However, due to the structure of the original data received from the FBI, ICPSR was only able to estimate data for agencies reporting 1-2 months in the crimes reported files (Parts 4 and 8). No estimations are provided for agencies reporting 0 months. To assist users, the county population figures and number of agencies reporting for both the arrest and crimes reported data files were added to the crimes reported files. These variables provide users with information that can be used to

determine the proportion of the population or agencies not included in the crime reported files due to the absence of records for agencies reporting 0 months. Users should keep in mind these differences when doing their analyses.

COVERAGE INDICATOR

For releases of UCR county-level files before 1994, data from jurisdictions reporting less than 6 months of data were not included in county totals in an effort to ensure cross-sectional data comparability and quality. With the new procedures to adjust for incomplete reporting, data will be provided for each active ORI that reports less than 12 months of data, whether through weighting of partial year data or substitution of a value based on population group and state. Instead of exercising an a priori judgment that 6 months of data is the minimum threshold for acceptable data quality, a new Coverage Indicator variable has been created that will allow users to set their own threshold for acceptable data quality and to include or exclude data based on the standards they set themselves. The Coverage Indicator variable represents the proportion of county data that is not imputed for a given year. The indicator ranges from 100, indicating that all ORIs in the county reported for 12 months in the year, to 0, indicating that all data in the county are based on estimates (as described above), not reported data. The Coverage Indicator is calculated as follows:

$$CI = (1 - (\sum_i ((ORI \text{ pop} / \text{county pop}) * ((12 - \text{months reported} / 12)))) * 100$$

where CI = Coverage Indicator
 x = county
 i = ORI within county

Some ORIs do not have a population associated with their jurisdiction. These ORIs report for jurisdictions such as national parks, colleges and universities, toll bridges and tunnels, and most state police departments. As the coverage indicator is based on months of reporting and the population of each agency, this variable will not show estimation that did occur for statewide ORIs and for ORIs as listed above that do not have a population but reported 3 to 11 months of data. Conversely, the coverage indicator will indicate that estimation has occurred for ORIs with a population that reported 3 to 11 months of data even if the ORIs actually reported no crimes or arrests. Similarly, the coverage indicator will indicate that estimation had occurred for ORIs with a population that reported 0 to 2 months of arrest data and 1 to 2 months of crimes reported data, even though no rate was calculated to estimate data because of the lack of ORIs in the agency's geographic stratum reporting 12 months of data. Finally, since data for ORIs that reported 0 to 2 months of arrest and 1 to 2 months of crime are set to zero, users should be aware that no estimation of data was possible for ORIs in these categories without a population. In the crimes reported files, no estimation was possible for agencies

reporting 0 months because population figures for these agencies were not provided in the original files from the FBI.

COMPARING "CRIME IN THE UNITED STATES 2003" TO ICPSR 4360

"Crime in the United States 2003" is a publication prepared by the Federal Bureau of Investigation and provides estimations of national reported crime activity and arrest statistics from law enforcement agencies in the UCR Program. Users of this data collection prepared by ICPSR may not be able to match the statistics presented in "Crime in the United States 2003" due to several factors:

- (1) The UCR staff continue to update agency records when additions or corrections are received by the UCR Program. The FBI statistics presented in "Crime in the United States 2003" are based on the data that the FBI has received prior to their established publication deadlines. The data used by ICPSR to prepare the data in ICPSR 4360 may contain additions or corrections to the data submitted to the FBI after their publication deadline for producing "Crime in the United States 2003."
- (2) The new imputation algorithm that ICPSR implemented in 1994 approximates the estimation procedures that the FBI uses to adjust for incomplete or unreported data from individual law enforcement jurisdictions. Limited or no crime or arrest data were available for some states in 2003. For some tables in "Crime in the United States 2003" (for example, Section II, Table 2: Total Crime Counts in the United States, and Section IV, Table 29: Estimated Arrests), the FBI provided estimated crime counts and arrest totals for some of these states (see Appendix I -- Methodology for the FBI's estimation methods). The ICPSR algorithm estimates data for agencies reporting less than three months of data by calculating rates from agencies reporting 12 months of data located in the agency's geographic stratum within that state. Since data for these states were very limited or not present in the original data, estimates for the entire state could not be produced by ICPSR.
- (3) Some tables in "Crime in the United States 2003" were prepared using data only from agencies submitting complete reports for the 12 months for 2003 prior to the publication deadline (for example, Section IV, Table 69: Arrests by State). For this ICPSR data collection, all law enforcement agency records present in the original FBI data were used in the aggregation to the county level. County records with a coverage indicator value of 100 contain only 12-month reporting agencies (see last paragraph of the Coverage Indicator section in the Introduction for possible exceptions). Agencies reporting 12 months of data within a county with a coverage indicator value less than 100 cannot be separately identified in this dataset aggregated at the county level.

IDENTIFYING MISSING DATA

In this data collection, zeroes may represent both true zeroes or missing data, and it is possible to distinguish between the two. In the arrest files (Parts 1-3 and 5-7), the coverage indicator alone does not indicate whether or not zeroes are true or missing values. A county can have a coverage indicator of zero, but still contain arrest data. ICPSR can estimate arrest data for a county that did not report any arrests based on data for other counties of comparable population size in the same state that did report 12 months of data.

In order to distinguish true zeroes from missing values, the user has to look at the coverage indicator for a county in conjunction with the arrest variables. If an arrest variable for a particular county has a value of zero and the coverage indicator is greater than zero, then the arrest variable contains a true zero. This true zero is not necessarily a reported zero as it may have been estimated. If an arrest variable for a particular county has a value of zero and the coverage indicator for that county is zero, then the user must check the values of ALL of the arrest variables. If some arrest variables contain zeroes and some contain other values, then the zeroes for this county are true. If ALL arrest variables and the coverage indicator for the county in question contain zeroes, then these indicate missing data.

In the crimes reported file (Part 4), data can not be estimated for non-reporting agencies. Therefore, counties with no population for reporting agencies will also have a coverage indicator of zero and all crime variables will have a value of zero. These zeroes indicate missing data. If a county has one or more offense variables with a value of zero, but has a value of greater than zero for the population and coverage indicator variables, then the zeroes for these particular offense variables should be considered true zeroes for the purposes of analysis.

SUMMARY OF HOW TO IDENTIFY MISSING DATA

	ARREST FILES	CRIMES REPORTED
TRUE ZERO	Coverage indicator > 0 or Coverage indicator = 0 AND at least one arrest count variable > 0	Coverage indicator > 0
MISSING DATA	Coverage indicator = 0 AND all arrest count variables = 0	Coverage indicator = 0 AND all other crime count variables will necessarily = 0

NOTES ON FIPS CODES

Cities designated by the Census Bureau as independent cities are reported separately and have their own "county" codes (see Appendix). Some jurisdictions, such as state parks and some state police, provide data only on a statewide basis. In these cases, data are allocated to counties proportionate to their share of the total state population. Parts 5 to 8 contain the amount of statewide data allocated to each county. To obtain the county total without the statewide allocation, the statewide values can be subtracted from the county data.

State Police data for Vermont were not reported within a county and the State Police data for Alaska and Connecticut are not allocated to the counties. These three State Police records are identified by the county code 999. In the 1997 data and onward another 999 county code was added to these data files. The New York/New Jersey Port Authority reported data in 1997 through two agencies, one in New York and one in New Jersey. The FBI included the New York Port Authority agency as part of New York county. However, the FBI did not assign a UCR county code for the New Jersey Port Authority and did not provide a population figure for the area covered by this jurisdiction. Therefore, the New Jersey/New York Port Authority (NJNYPOA) is a separate record in the data files from 1997 onward with a county code of 999. This change increases the number of counties in this data collection to 3,147.

ICPSR uses FIPS Publication 6-4 "Counties and Equivalent Entities of the United States, Its Possessions, and Associated Areas" from the National Institute of Standards and Technology (NIST), U.S. Department of Commerce, as a reference for assigning FIPS codes for the counties in this data collection. ICPSR consults this publication annually to note changes in FIPS codes that may affect this collection.

The borough of Denali, Alaska (FIPS code 02068) was created from part of the Yukon-Koyukuk Census Area (FIPS code 02290) and unpopulated part of the Southeast Fairbanks Census Area (FIPS code 02240) effective December 7, 1990. The Denali Borough is NOT a record in the data. However, since no agency record from Denali was present in the original FBI data for either the arrest or crimes reported files, no data are missing from the ICPSR data.

In May 1995, NIST announced that the independent city of South Boston, Virginia reverted to town status and became part of Halifax County as of June 30, 1995. The Virginia FIPS county code of 780 no longer exists and South Boston is included in FIPS county code 083. ICPSR did not adjust this data collection to reflect this change so that the data files would remain consistent with earlier years. Users who wish to use the current FIPS codes can combine the data from South Boston with Halifax County.

In July 1999, NIST announced that Yellowstone National Park, which had been treated as a county equivalent, is legally part of Gallatin County and Park County, Montana. Yellowstone National Park was left as

a county equivalent in this data collection to remain consistent with earlier years.

In July 1999, NIST announced that as of November 13, 1993 Dade County, Florida officially changed its name to Miami-Dade County. The county was assigned a new FIPS code (086) to maintain the alphanumeric sequence of counties. In the 1997 data collection and onward, ICPSR also changed the Miami-Dade county code from 025 to 086 to match the change in the FIPS publication. However, the 1993-1996 UCR county-level data collections still used the old name and FIPS county code.

In July 2001, NIST announced that the independent city (county-equivalent) of Clifton Forge, Virginia, had reverted to town status, effective midnight, July 1, 2001. Clifton Forge is now an incorporated place within Alleghany County, rather than a separate county-equivalent surrounded by Alleghany County. This action will reduce the number of Virginia independent cities to 39 and the number of United States counties and equivalent areas to 3,141. The action reduces the total number of independent cities in the United States to 42. The FIPS county code of 560 for Clifton Forge, Virginia, is deleted. The FIPS-55 class code will change from C7 to C1. The census place code of 0285 and FIPS-55 code of 17440 are unaffected. The FIPS county code of 005 for Alleghany County remains unchanged. ICPSR did not adjust this data collection to reflect this change so that the data files would remain consistent with earlier years. Users who wish to use the current FIPS codes can combine the data from Clifton Forge with Alleghany County.

In January 2002, NIST announced that Broomfield County, Colorado, had been created from parts of Adams (001), Boulder (013), Jefferson (059), and Weld (123) counties effective November 15, 2001. The boundaries of Broomfield County reflect the boundaries of Broomfield city legally in effect on November 15, 2001. To maintain the alphanumeric sequence of counties, Broomfield County will have a code of 014 for FIPS 6-4, Counties and Equivalent Entities of the United States, Its Possessions and Associated Areas. ICPSR created county code 014 for Broomfield County to match the change in the FIPS publication.

ADDITIONAL NOTES

In the UCR county-level arrest files, the population and data for jurisdictions located in multiple counties are provided only in the county containing the largest population component of the jurisdiction. Counties containing smaller population components of multiple-county jurisdictions will contain no population or arrest data for these jurisdictions. Data in counties affected by one or more multiple-county jurisdictions are indicated by a multi-county jurisdiction flag variable. In the county-level crimes reported files, the population and crime data for jurisdictions located in multiple counties are provided by the UCR proportioned to each county (maximum of three) in which the jurisdiction is located.

Drunkenness (FBI offense code 23) is not considered a crime in some states. States that do not consider drunkenness a crime, but which report data through the NIBRS system, such as North Dakota, may show arrest data for the offense in this data collection. This is because drunkenness may be listed as an incident in the NIBRS reporting system, even though there was technically no arrest in these states. Agencies in states where drunkenness is not a crime may use their own discretion in reporting drunkenness as an incident. Users should exercise caution when analyzing this variable because of these differences in reporting.

The original data from the FBI contain one record for New York City. Data from New York City are allocated into New York City's five counties on the basis of the proportion of the population in each county. For example, the population for Queens county is divided by the total population of New York City and the resulting proportion is multiplied with data from each of New York City's arrest and offense categories to apportion data to Queens county. Population estimates for July 1, 2003 from the U.S. Census Bureau were used to calculate these proportions. The population of Goodlettsville City, Tennessee is proportioned to both Davidson County and Sumner Couty. Population estimates for July 1, 2002 from the U.S. Census Bureau were used to calculate the population breakdown of Goodlettsville, Tennessee.

Five dummy records were created for the arrest data files and 274 dummy records were created for the crimes reported data files for counties not represented in the original FBI file. These county records provide only the state and county FIPS codes with the rest of the variables following county FIPS in the data file filled with zeros. No arrest data were provided for Florida. Limited arrest data were available for Illinois. Limited crimes reported data were available for Illinois, Kentucky, Mississippi, Montana, and South Dakota.

One SPSS data definition statement file and one SAS data definition statement file are provided for the one arrest data file (all ages) and one SPSS data definition statement file and one SAS data definition statement file are provided for the crimes reported data file (crimes reported). One SPSS data definition statement file and one SAS data definition statement file are provided for the one allocated statewide data for arrests files and one SPSS data definition statement file and one SAS data definition statement file are provided for the allocated statewide data for crimes reported file. The arrest data file has 56 variables, the crimes reported data file has 21 variables, the allocated statewide data for arrests file has 57 variables and the allocated statewide data for crimes reported file has 22 variables. All data files contain 3,147 cases.

ICPSR Codebook Note

The 2003 Data for Connecticut State Police are incomplete according to the data producer. Users can identify the record by codes FIPS_ST=09 and FIPS_CTY=999.

CODEBOOK FOR UCR COUNTY-LEVEL ARRESTS DATA 2003
(ICPSR 4360, Parts 1-3)

Var #	Variable	FBI Offense Code	Columns	Width
STUDYNO	ICPSR STUDY NUMBER-4360		1-4	4
EDITION	ICPSR EDITION NUMBER 1st ed, November 2005		5	1
PART	ICPSR PART NUMBER Part 1: Arrest Data, All Ages Part 2: Arrest Data, Adults Part 3: Arrest Data, Juveniles		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
CPOPARST	TOTAL COUNTY POPULATION OF AGENCIES REPORTING ARRESTS See Additional Notes in Introduction.		16-23	8
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		24-26	3
JURFLAG	MULTI-COUNTY JURISDICTION FLAG 0=Data not affected by multi-county jurisdiction 1=Data affected by multi-county jurisdiction		27	1
COVIND	COVERAGE INDICATOR see Introduction		28-35	8.4
GRNDTOT	GRAND TOTAL Total number of arrests. Includes non-index crimes such as fraud, gambling, forgery, prostitution.		36-41	6
P1TOT	PART 1-TOTAL Total number of Part I (index) crimes. This is the sum of variables MURDER through ARSON.		42-47	6
P1VLNT	PART 1-VIOLENT CRIMES Sum of variables MURDER through AGASSLT.		48-52	5

Var #	Variable	FBI Offense Code	Columns	Width
P1PRPTY	PART 1-PROPERTY CRIMES Sum of variables BURGLRY through ARSON.		53-57	5
MURDER	MURDERS	011	58-61	4
RAPE	RAPES	02	62-65	4
ROBBERY	ROBBERIES	03	66-70	5
AGASSLT	AGGRAVATED ASSAULTS	04	71-75	5
BURGLRY	BURGLARIES	05	76-80	5
LARCENY	LARCENIES	06	81-85	5
MVTHEFT	MOTOR VEHICLE THEFTS	07	86-90	5
ARSON	ARSONS	09	91-93	3
OTHASLT	OTHER ASSAULTS	08	94-98	5
FRGYCNT	FORGERY/COUNTERFEITING	10	99-102	4
FRAUD	FRAUD	11	103-107	5
EMBEZL	EMBEZZLEMENT	12	108-110	3
STLNPRP	HAVE STOLEN PROPERTY Buying, receiving, possessing	13	111-114	4
VANDLSM	VANDALISM	14	115-119	5
WEAPONS	WEAPONS VIOLATIONS Carrying, possessing, etc.	15	120-124	5
COMVICE	PROSTITUTION/COMM VICE Prostitution and commercialized vice.	16	125-128	4
SEXOFF	SEX OFFENSES Not including forcible rape and prostitution.	17	129-132	4
DRUGTOT	DRUG ABUSE VIOLATIONS-TOTAL Violations of narcotic drug laws. The sum of variables DRGSALE and DRGPOSS.	18	133-137	5

Var #	Variable	FBI Offense Code	Columns	Width
DRGSALE	DRUG ABUSE SALE/MANUFACTURE The sale and/or manufacture of narcotics. The sum of variables COCSALE through OTHSALE.	180	138-142	5
COCSALE	OPIUM/COCAINE-SALE/MANUFACTURE Sale and/or manufacture of opium or cocaine and their derivatives (morphine, heroin, codeine)	18A	143-147	5
MJSALE	MARIJUANA-SALE/MANUFACTURE Sale and/or manufacture of marijuana	18B	148-151	4
SYNSALE	SYNTHETIC-DRUG SALE/MANUFACTURE Synthetic narcotics: manufactured narcotics which can cause true drug addiction (Demerol, methadones)	18C	152-155	4
OTHSALE	OTHER:DANG NON-NARCOTICS Dangerous non-narcotic drugs (barbiturates, benzedrine)	18D	156-160	4
DRGPOSS	DRUG POSSESSION-SUBTOTAL The sum of variables COCPOSS through OTHPOSS.	185	161-165	5
COCPOSS	OPIUM/COCAINE-POSSESSION Possession of opium or cocaine and their derivatives (morphine, heroin, codeine)	18E	166-170	5
MJPOSS	MARIJUANA-POSSESSION	18F	171-175	5
SYNPOSS	SYNTHETIC NARCOTICS-POSSESSION Synthetic narcotics possession: manufactured narcotics which can cause true drug addiction (demerol, methadones)	18G	176-179	4
OTHPOSS	OTHER DRUG-POSSESSION Other dangerous non-narcotic drugs (barbiturates, benzedrine)	18H	180-184	5
GAMBLE	GAMBLING-TOTAL Gambling offenses, Sum of variables BOOKMKG through OTGAMBL.	19	185-188	4
BOOKMKG	BOOKMAKING (HORSE-SPORT)	19A	189-191	3

Var #	Variable	FBI Offense Code	Columns	Width
NUMBERS	NUMBERS & LOTTERY	19B	192-194	3
OTGAMBL	GAMBLING-ALL OTHER	19C	195-198	4
OFAGFAM	OFFENSES AGAINST FAMILY & CHILD Offenses against the family and children.	20	199-202	4
DUI	DRIVING UNDER INFLUENCE	21	203-207	5
LIQUOR	LIQUOR LAW VIOLATIONS	22	208-212	5
DRUNK	DRUNKENNESS	23	213-217	5
DISORDR	DISORDERLY CONDUCT	24	218-222	5
VAGRANT	VAGRANCY	25	223-226	4
ALLOTHR	ALL OTHER OFF EXCEPT TRAFFIC	26	227-232	6
SUSPICN	SUSPICION	27	233-236	4
CURFEW	CURFEW, LOITERING LAWS Juveniles only.	28	237-241	5
RUNAWAY	RUNAWAYS Juveniles only.	29	242-246	5

CODEBOOK FOR ALLOCATED STATEWIDE DATA FOR ARRESTS 2003
(ICPSR 4360, Parts 5-7)

Var #	Variable	FBI Offense Code	Columns	Width
STUDYNO	ICPSR STUDY NUMBER-4360		1-4	4
EDITION	ICPSR EDITION NUMBER 1st ed, November 2005		5	1
PART	ICPSR PART NUMBER Part 5: Statewide Arrest Data, All Ages Part 6: Statewide Arrest Data, Adults Part 7: Statewide Arrest Data, Juveniles		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
SPOPARST	STATE POPULATION		16-23	8
CPOPARST	TOTAL COUNTY POPULATION OF AGENCIES REPORTING ARRESTS See Additional Notes in Introduction.		24-31	8
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		32-34	3
JURFLAG	MULTI-COUNTY JURISDICTION FLAG 0=Data not affected by multi-county jurisdiction 1=Data affected by multi-county jurisdiction		35	1
SCOVIND	COVERAGE INDICATOR see Introduction		36-43	8.4
SGRNDTOT	GRAND TOTAL Total number of arrests. Includes non-index crimes such as fraud, gambling, forgery, prostitution.		44-49	6
SP1TOT	PART 1-TOTAL Total number of Part I (index) crimes. This is the sum of variables SMURDER through SARSON.		50-55	6

Var #	Variable	FBI Offense Code	Columns	Width
SP1VLNT	PART 1-VIOLENT CRIMES Sum of variables SMURDER through SAGASSLT.		56-60	5
SP1PRPTY	PART 1-PROPERTY CRIMES Sum of variables SBURGLRY through SARSON.		61-65	5
SMURDER	MURDERS	011	66-69	4
SRAPE	RAPES	02	70-73	4
SROBBERY	ROBBERIES	03	74-78	5
SAGASSLT	AGGRAVATED ASSAULTS	04	79-83	5
SBURGLRY	BURGLARIES	05	84-88	5
SLARCENY	LARCENIES	06	89-93	5
SMVTHEFT	MOTOR VEHICLE THEFTS	07	94-98	5
SARSON	ARSONS	09	99-101	3
SOTHASLT	OTHER ASSAULTS	08	102-106	5
SFRGYCNT	FORGERY/COUNTERFEITING	10	107-110	4
SFRAUD	FRAUD	11	111-115	5
SEMBEZL	EMBEZZLEMENT	12	116-118	3
SSTLNPRP	HAVE STOLEN PROPERTY Buying, receiving, possessing	13	119-122	4
SVANDLSM	VANDALISM	14	123-127	5
SWEAPONS	WEAPONS VIOLATIONS Carrying, possessing, etc.	15	128-132	5
SCOMVICE	PROSTITUTION/COMM VICE Prostitution and commercialized vice.	16	133-136	4
SSEXOFF	SEX OFFENSES Not including forcible rape and prostitution.	17	137-140	4

Var #	Variable	FBI Offense Code	Columns	Width
SDRUGTOT	DRUG ABUSE VIOLATIONS-TOTAL Violations of narcotic drug laws. The sum of variables SDRGSALE and SDRGPOSS.	18	141-145	5
SDRGSALE	DRUG ABUSE SALE/MANUFACTURE The sale and/or manufacture of narcotics. The sum of variables SCOCSALE through OTHSALE.	180	146-150	5
SCOCSALE	OPIUM/COCAINE-SALE/MANUFACTURE Sale and/or manufacture of opium or cocaine and their derivatives (morphine, heroin, codeine)	18A	151-155	5
SMJSALE	MARIJUANA-SALE/MANUFACTURE Sale and/or manufacture of marijuana	18B	156-159	4
SSYNSALE	SYNTHETIC-DRUG SALE/MANUFACTURE Synthetic narcotics: manufactured narcotics which can cause true drug addiction (Demerol, methadones)	18C	160-163	4
SOTHSALE	OTHER:DANG NON-NARCOTICS Dangerous non-narcotic drugs (barbiturates, benzedrine)	18D	164-167	4
SDRGPOSS	DRUG POSSESSION-SUBTOTAL The sum of variables SCOCPOSS and SOTHPOSS.	185	168-172	5
SCOCPOSS	OPIUM/COCAINE-POSSESSION Possession of opium or cocaine and their derivatives (morphine, heroin, codeine)	18E	173-177	5
SMJPOSS	MARIJUANA-POSSESSION	18F	178-181	4
SSYNPOSS	SYNTHETIC NARCOTICS-POSSESSION Synthetic narcotics possession: manufactured narcotics which can cause true drug addiction (demerol, methadones)	18G	182-184	3
SOTHPOSS	OTHER DRUG-POSSESSION Other dangerous non-narcotic drugs (barbiturates, benzedrine)	18H	185-189	5

Var #	Variable	FBI Offense Code	Columns	Width
SGAMBLE	GAMBLING-TOTAL Gambling offenses, Sum of variables SBOOKMKG through SOTGAMBL.	19	190-193	4
SBOOKMKG	BOOKMAKING (HORSE-SPORT)	19A	194-196	3
SNUMBERS	NUMBERS & LOTTERY	19B	197-199	3
SOTGAMBL	GAMBLING-ALL OTHER	19C	200-203	4
SOFAGFAM	OFFENSES AGAINST FAMILY & CHILD Offenses against the family and children.	20	204-207	4
SDUI	DRIVING UNDER INFLUENCE	21	208-212	5
SLIQUOR	LIQUOR LAW VIOLATIONS	22	213-217	5
SDRUNK	DRUNKENNESS	23	218-222	5
SDISORDR	DISORDERLY CONDUCT	24	223-227	5
SVAGRANT	VAGRANCY	25	228-231	4
SALLOTHR	ALL OTHER OFF EXCEPT TRAFFIC	26	232-237	6
SSUSPICN	SUSPICION	27	238-241	4
SCURFEW	CURFEW, LOITERING LAWS Juveniles only.	28	242-245	4
SRUNAWAY	RUNAWAYS Juveniles only.	29	246-250	5

CODEBOOK FOR UCR COUNTY-LEVEL CRIMES REPORTED DATA 2003
(ICPSR 4360, Part 4)

Var #	Variable	FBI Offense Code	Columns	Width
STUDYNO	ICPSR STUDY NUMBER-4360		1-4	4
EDITION	ICPSR EDITION NUMBER 1st ed, November 2005		5	1
PART	ICPSR PART NUMBER-4		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
CPOPARST	TOTAL COUNTY POPULATION OF AGENCIES REPORTING ARRESTS See Additional Notes in Introduction.		16-23	8
CPOPCRIM	COUNTY POPULATION OF AGENCIES REPORTING CRIMES See Additional Notes in Introduction.		24-31	8
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		32-34	3
AG_OFF	NUMBER OF AGENCIES IN COUNTY REPORTING CRIMES See Additional Notes in Introduction.		35-37	3
COVIND	COVERAGE INDICATOR see Introduction		38-45	8.4
INDEX	INDEX Total number of UCR Index crimes, excluding arson. The sum of variables MURDER through MVTHEFT.		46-51	6
MODINDEX	MODIFIED INDEX Total number of UCR Index crimes, including arson. The sum of variables MURDER through ARSON.		52-57	6
MURDER	MURDERS	011	58-61	4
RAPE	FORCIBLE RAPES	02	62-65	4
ROBBERY	ROBBERIES	03	66-70	5

Var #	Variable	FBI Offense Code	Columns	Width
AGASLT	AGGRAVATED ASSAULTS	04	71-75	5
BURGLRY	BURGLARIES	05	76-81	6
LARCENY	LARCENIES	06	82-87	6
MVTHEFT	MOTOR VEHICLE THEFTS	07	88-93	6
ARSON	ARSONS	09	94-97	4

CODEBOOK FOR ALLOCATED STATEWIDE DATA FOR CRIMES REPORTED 2003
(ICPSR 4360, Part 8)

Var #	Variable	FBI Offense Code	Columns	Width
STUDYNO	ICPSR STUDY NUMBER-4360		1-4	4
EDITION	ICPSR EDITION NUMBER 1st ed, November 2005		5	1
PART	ICPSR PART NUMBER-8		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
SPOPARST	STATE POPULATION OF AGENCIES REPORTING ARRESTS		16-23	8
SPOPCRIM	STATE POPULATION OF AGENCIES REPORTING CRIMES		24-31	8
CPOPCRIM	COUNTY POPULATION OF AGENCIES REPORTING CRIMES See Additional Notes in Introduction.		32-38	7
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		39-41	3
AG_OFF	NUMBER OF AGENCIES IN COUNTY REPORTING CRIMES See Additional Notes in Introduction.		42-44	3
COVIND	COVERAGE INDICATOR see Introduction		45-52	8.4
SINDEX	INDEX Total number of UCR Index crimes, excluding arson. The sum of variables SMURDER through SMVTHEFT.		53-58	6
SMODINDX	MODIFIED INDEX Total number of UCR Index crimes, including arson. The sum of variables SMURDER through SARSON.		59-64	6
SMURDER	MURDERS	011	65-68	4
SRAPE	FORCIBLE RAPES	02	69-72	4

Var #	Variable	FBI Offense Code	Columns	Width
SROBBERY	ROBBERIES	03	73-77	5
SAGASLT	AGGRAVATED ASSAULTS	04	78-82	5
SBURGLRY	BURGLARIES	05	83-88	6
SLARCENY	LARCENIES	06	89-94	6
SMVTHEFT	MOTOR VEHICLE THEFTS	07	95-100	6
SARSON	ARSONS	09	101-104	4

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

01	Alabama	01099	Monroe
-----		01101	Montgomery
01001	Autauga	01103	Morgan
01003	Baldwin	01105	Perry
01005	Barbour	01107	Pickens
01007	Bibb	01109	Pike
01009	Blount	01111	Randolph
01011	Bullock	01113	Russell
01013	Butler	01115	St Clair
01015	Calhoun	01117	Shelby
01017	Chambers	01119	Sumter
01019	Cherokee	01121	Talladega
01021	Chilton	01123	Tallapoosa
01023	Choctaw	01125	Tuscaloosa
01025	Clarke	01127	Walker
01027	Clay	01129	Washington
01029	Cleburne	01131	Wilcox
01031	Coffee	01133	Winston
01033	Colbert	02	Alaska
01035	Conecuh	-----	
01037	Coosa	02013	Aleutians East
01039	Covington	02016	Aleutians West
01041	Crenshaw	02020	Anchorage
01043	Cullman	02050	Bethel
01045	Dale	02060	Bristol Bay
01047	Dallas	02070	Dillingham
01049	De Kalb	02090	Fairbanks North Star
01051	Elmore	02100	Haines
01053	Escambia	02110	Juneau
01055	Etowah	02122	Kenai Peninsula
01057	Fayette	02130	Ketchikan Gateway
01059	Franklin	02150	Kodiak Island
01061	Geneva	02164	Lake and Peninsula
01063	Greene	02170	Matanuska-Susitna
01065	Hale	02180	Nome
01067	Henry	02185	North Slope
01069	Houston	02188	Northwest Arctic
01071	Jackson	02201	Prince of Wales-Outer Ketchikan
01073	Jefferson	02220	Sitka
01075	Lamar	02232	Skagway-Hoonah-Angoon
01077	Lauderdale	02240	Southeast Fairbanks
01079	Lawrence	02261	Valdez-Cordova
01081	Lee	02270	Wade Hampton
01083	Limestone	02280	Wrangell-Petersburg
01085	Lowndes	02282	Yakutat
01087	Macon	02290	Yukon-Koyukuk
01089	Madison		
01091	Marengo		
01093	Marion	04	Arizona
01095	Marshall	-----	
01097	Mobile	04001	Apache

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

04003 Cochise	05071 Johnson
04005 Coconino	05073 Lafayette
04007 Gila	05075 Lawrence
04009 Graham	05077 Lee
04011 Greenlee	05079 Lincoln
04012 La Paz	05081 Little River
04013 Maricopa	05083 Logan
04015 Mohave	05085 Lonoke
04017 Navajo	05087 Madison
04019 Pima	05089 Marion
04021 Pinal	05091 Miller
04023 Santa Cruz	05093 Mississippi
04025 Yavapai	05095 Monroe
04027 Yuma	05097 Montgomery
05 Arkansas	05099 Nevada
-----	05101 Newton
05001 Arkansas	05103 Ouachita
05003 Ashley	05105 Perry
05005 Baxter	05107 Phillips
05007 Benton	05109 Pike
05009 Boone	05111 Poinsett
05011 Bradley	05113 Polk
05013 Calhoun	05115 Pope
05015 Carroll	05117 Prairie
05017 Chicot	05119 Pulaski
05019 Clark	05121 Randolph
05021 Clay	05123 St Francis
05023 Cleburne	05125 Saline
05025 Cleveland	05127 Scott
05027 Columbia	05129 Searcy
05029 Conway	05131 Sebastian
05031 Craighead	05133 Sevier
05033 Crawford	05135 Sharp
05035 Crittenden	05137 Stone
05037 Cross	05139 Union
05039 Dallas	05141 Van Buren
05041 Desha	05143 Washington
05043 Drew	05145 White
05045 Faulkner	05147 Woodruff
05047 Franklin	05149 Yell
05049 Fulton	06 California
05051 Garland	-----
05053 Grant	06001 Alameda
05055 Greene	06003 Alpine
05057 Hempstead	06005 Amador
05059 Hot Spring	06007 Butte
05061 Howard	06009 Calaveras
05063 Independence	06011 Colusa
05065 Izaard	06013 Contra Costa
05067 Jackson	06015 Del Norte
05069 Jefferson	06017 El Dorado

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

06019	Fresno		
06021	Glenn		
06023	Humboldt		
06025	Imperial	08	Colorado
06027	Inyo	-----	
06029	Kern	08001	Adams
06031	Kings	08003	Alamosa
06033	Lake	08005	Arapahoe
06035	Lassen	08007	Archuleta
06037	Los Angeles	08009	Baca
06039	Madera	08011	Bent
06041	Marin	08013	Boulder
06043	Mariposa	08015	Chaffee
06045	Mendocino	08017	Cheyenne
06047	Merced	08019	Clear Creek
06049	Modoc	08021	Conejos
06051	Mono	08023	Costilla
06053	Monterey	08025	Crowley
06055	Napa	08027	Custer
06057	Nevada	08029	Delta
06059	Orange	08031	Denver
06061	Placer	08033	Dolores
06063	Plumas	08035	Douglas
06065	Riverside	08037	Eagle
06067	Sacramento	08039	Elbert
06069	San Benito	08041	El Paso
06071	San Bernardino	08043	Fremont
06073	San Diego	08045	Garfield
06075	San Francisco	08047	Gilpin
06077	San Joaquin	08049	Grand
06079	San Luis Obispo	08051	Gunnison
06081	San Mateo	08053	Hinsdale
06083	Santa Barbara	08055	Huerfano
06085	Santa Clara	08057	Jackson
06087	Santa Cruz	08059	Jefferson
06089	Shasta	08061	Kiowa
06091	Sierra	08063	Kit Carson
06093	Siskiyou	08065	Lake
06095	Solano	08067	La Plata
06097	Sonoma	08069	Larimer
06099	Stanislaus	08071	Las Animas
06101	Sutter	08073	Lincoln
06103	Tehama	08075	Logan
06105	Trinity	08077	Mesa
06107	Tulare	08079	Mineral
06109	Tuolumne	08081	Moffat
06111	Ventura	08083	Montezuma
06113	Yolo	08085	Montrose
06115	Yuba	08087	Morgan

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

08089	Otero	12027	De Soto
08091	Ouray	12029	Dixie
08093	Park	12031	Duval
08095	Phillips	12033	Escambia
08097	Pitkin	12035	Flagler
08099	Prowers	12037	Franklin
08101	Pueblo	12039	Gadsden
08103	Rio Blanco	12041	Gilchrist
08105	Rio Grande	12043	Glades
08107	Routt	12045	Gulf
08109	Saguache	12047	Hamilton
08111	San Juan	12049	Hardee
08113	San Miguel	12051	Hendry
08115	Sedgwick	12053	Hernando
08117	Summit	12055	Highlands
08119	Teller	12057	Hillsborough
08121	Washington	12059	Holmes
08123	Weld	12061	Indian River
08125	Yuma	12063	Jackson
09	Connecticut	12065	Jefferson
-----		12067	Lafayette
09001	Fairfield	12069	Lake
09003	Hartford	12071	Lee
09005	Litchfield	12073	Leon
09007	Middlesex	12075	Levy
09009	New Haven	12077	Liberty
09011	New London	12079	Madison
09013	Tolland	12081	Manatee
09015	Windham	12083	Marion
10	Delaware	12085	Martin
-----		12086	Miami-Dade
10001	Kent	12087	Monroe
10003	New Castle	12089	Nassau
10005	Sussex	12091	Okaloosa
11	District of Columbia	12093	Okeechobee
-----		12095	Orange
11001	District of Columbia	12097	Osceola
12	Florida	12099	Palm Beach
-----		12101	Pasco
12001	Alachua	12103	Pinellas
12003	Baker	12105	Polk
12005	Bay	12107	Putnam
12007	Bradford	12109	St Johns
12009	Brevard	12111	St Lucie
12011	Broward	12113	Santa Rosa
12013	Calhoun	12115	Sarasota
12015	Charlotte	12117	Seminole
12017	Citrus	12119	Sumter
12019	Clay	12121	Suwannee
12021	Collier	12123	Taylor
12023	Columbia	12125	Union

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

12127 Volusia	13091 Dodge
12129 Wakulla	13093 Dooly
12131 Walton	13095 Dougherty
12133 Washington	13097 Douglas
13 Georgia	13099 Early
-----	13101 Echols
13001 Appling	13103 Effingham
13003 Atkinson	13105 Elbert
13005 Bacon	13107 Emanuel
13007 Baker	13109 Evans
13009 Baldwin	13111 Fannin
13011 Banks	13113 Fayette
13013 Barrow	13115 Floyd
13015 Bartow	13117 Forsyth
13017 Ben Hill	13119 Franklin
13019 Berrien	13121 Fulton
13021 Bibb	13123 Gilmer
13023 Bleckley	13125 Glascock
13025 Brantley	13127 Glynn
13027 Brooks	13129 Gordon
13029 Bryan	13131 Grady
13031 Bulloch	13133 Greene
13033 Burke	13135 Gwinnett
13035 Butts	13137 Habersham
13037 Calhoun	13139 Hall
13039 Camden	13141 Hancock
13043 Candler	13143 Haralson
13045 Carroll	13145 Harris
13047 Catoosa	13147 Hart
13049 Charlton	13149 Heard
13051 Chatham	13151 Henry
13053 Chattahoochee	13153 Houston
13055 Chattooga	13155 Irwin
13057 Cherokee	13157 Jackson
13059 Clarke	13159 Jasper
13061 Clay	13161 Jeff Davis
13063 Clayton	13163 Jefferson
13065 Clinch	13165 Jenkins
13067 Cobb	13721 Johnson
13069 Coffee	13169 Jones
13071 Colquitt	13171 Lamar
13073 Columbia	13173 Lanier
13075 Cook	13175 Laurens
13077 Coweta	13177 Lee
13079 Crawford	13179 Liberty
13081 Crisp	13181 Lincoln
13083 Dade	13183 Long
13085 Dawson	13185 Lowndes
13087 Decatur	13187 Lumpkin
13089 De Kalb	13189 McDuffie

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

13191 McIntosh	13295 Walker
13193 Macon	13297 Walton
13195 Madison	13299 Ware
13197 Marion	13301 Warren
13199 Meriwether	13303 Washington
13201 Miller	13305 Wayne
13205 Mitchell	13307 Webster
13207 Monroe	13309 Wheeler
13209 Montgomery	13311 White
13211 Morgan	13313 Whitfield
13213 Murray	13315 Wilcox
13215 Muscogee	13317 Wilkes
13217 Newton	13319 Wilkinson
13219 Oconee	13321 Worth
13221 Oglethorpe	15 Hawaii
13223 Paulding	-----
13225 Peach	15001 Hawaii
13227 Pickens	15003 Honolulu
13229 Pierce	15005 Kalawao
13231 Pike	15007 Kauai
13233 Polk	15009 Maui
13235 Pulaski	16 Idaho
13237 Putnam	-----
13239 Quitman	16001 Ada
13241 Rabun	16003 Adams
13243 Randolph	16005 Bannock
13245 Richmond	16007 Bear Lake
13247 Rockdale	16009 Benewah
13249 Schley	16011 Bingham
13251 Screven	16013 Blaine
13253 Seminole	16015 Boise
13255 Spalding	16017 Bonner
13257 Stephens	16019 Bonneville
13259 Stewart	16021 Boundary
13261 Sumter	16023 Butte
13263 Talbot	16025 Camas
13265 Taliaferro	16027 Canyon
13267 Tattnall	16029 Caribou
13269 Taylor	16031 Cassia
13271 Telfair	16033 Clark
13273 Terrell	16035 Clearwater
13275 Thomas	16037 Custer
13277 Tift	16039 Elmore
13279 Toombs	16041 Franklin
13281 Towns	16043 Fremont
13283 Treutlen	16045 Gem
13285 Troup	16047 Gooding
13287 Turner	16049 Idaho
13289 Twiggs	16051 Jefferson
13291 Union	16053 Jerome
13293 Upson	16055 Kootenai

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

16057 Latah	17065 Hamilton
16059 Lemhi	17067 Hancock
16061 Lewis	17069 Hardin
16063 Lincoln	17071 Henderson
16065 Madison	17073 Henry
16067 Minidoka	17075 Iroquois
16069 Nez Perce	17077 Jackson
16071 Oneida	17079 Jasper
16073 Owyhee	17081 Jefferson
16075 Payette	17083 Jersey
16077 Power	17085 Jo Daviess
16079 Shoshone	17087 Johnson
16081 Teton	17089 Kane
16083 Twin Falls	17091 Kankakee
16085 Valley	17093 Kendall
16087 Washington	17095 Knox
17 Illinois	17097 Lake
-----	17099 La Salle
17001 Adams	17101 Lawrence
17003 Alexander	17103 Lee
17005 Bond	17105 Livingston
17007 Boone	17107 Logan
17009 Brown	17109 McDonough
17011 Bureau	17111 McHenry
17013 Calhoun	17113 McLean
17015 Carroll	17115 Macon
17017 Cass	17117 Macoupin
17019 Champaign	17119 Madison
17021 Christian	17121 Marion
17023 Clark	17123 Marshall
17025 Clay	17125 Mason
17027 Clinton	17127 Massac
17029 Coles	17129 Menard
17031 Cook	17131 Mercer
17033 Crawford	17133 Monroe
17035 Cumberland	17135 Montgomery
17037 De Kalb	17137 Morgan
17039 De Witt	17139 Moultrie
17041 Douglas	17141 Ogle
17043 Du Page	17143 Peoria
17045 Edgar	17145 Perry
17047 Edwards	17147 Piatt
17049 Effingham	17149 Pike
17051 Fayette	17151 Pope
17053 Ford	17153 Pulaski
17055 Franklin	17155 Putnam
17057 Fulton	17157 Randolph
17059 Gallatin	17159 Richland
17061 Greene	17161 Rock Island
17063 Grundy	17163 St Clair

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

17165 Saline	18057 Hamilton
17167 Sangamon	18059 Hancock
17169 Schuyler	18061 Harrison
17171 Scott	18063 Hendricks
17173 Shelby	18065 Henry
17175 Stark	18067 Howard
17177 Stephenson	18069 Huntington
17179 Tazewell	18071 Jackson
17181 Union	18073 Jasper
17183 Vermilion	18075 Jay
17185 Wabash	18077 Jefferson
17187 Warren	18079 Jennings
17189 Washington	18081 Johnson
17191 Wayne	18083 Knox
17193 White	18085 Kosciusko
17195 Whiteside	18087 Lagrange
17197 Will	18089 Lake
17199 Williamson	18091 La Porte
17201 Winnebago	18093 Lawrence
17203 Woodford	18095 Madison
18 Indiana	18097 Marion
-----	18099 Marshall
18001 Adams	18101 Martin
18003 Allen	18103 Miami
18005 Bartholomew	18105 Monroe
18007 Benton	18107 Montgomery
18009 Blackford	18109 Morgan
18011 Boone	18111 Newton
18013 Brown	18113 Noble
18015 Carroll	18115 Ohio
18017 Cass	18117 Orange
18019 Clark	18119 Owen
18021 Clay	18121 Parke
18023 Clinton	18123 Perry
18025 Crawford	18125 Pike
18027 Daviess	18127 Porter
18029 Dearborn	18129 Posey
18031 Decatur	18131 Pulaski
18033 De Kalb	18133 Putnam
18035 Delaware	18135 Randolph
18037 Dubois	18137 Ripley
18039 Elkhart	18139 Rush
18041 Fayette	18141 St Joseph
18043 Floyd	18143 Scott
18045 Fountain	18145 Shelby
18047 Franklin	18147 Spencer
18049 Fulton	18149 Starke
18051 Gibson	18151 Steuben
18053 Grant	18153 Sullivan
18055 Greene	18155 Switzerland

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

18157 Tippecanoe	19069 Franklin
18159 Tipton	19071 Fremont
18161 Union	19073 Greene
18163 Vanderburgh	19075 Grundy
18165 Vermillion	19077 Guthrie
18167 Vigo	19079 Hamilton
18169 Wabash	19081 Hancock
18171 Warren	19083 Hardin
18173 Warrick	19085 Harrison
18175 Washington	19087 Henry
18177 Wayne	19089 Howard
18179 Wells	19091 Humboldt
18181 White	19093 Ida
18183 Whitley	19095 Iowa
19 Iowa	19097 Jackson
-----	19099 Jasper
19001 Adair	19101 Jefferson
19003 Adams	19103 Johnson
19005 Allamakee	19105 Jones
19007 Appanoose	19107 Keokuk
19009 Audubon	19109 Kossuth
19011 Benton	19111 Lee
19013 Black Hawk	19113 Linn
19015 Boone	19115 Louisa
19017 Bremer	19117 Lucas
19019 Buchanan	19119 Lyon
19021 Buena Vista	19121 Madison
19023 Butler	19123 Mahaska
19025 Calhoun	19125 Marion
19027 Carroll	19127 Marshall
19029 Cass	19129 Mills
19031 Cedar	19131 Mitchell
19033 Cerro Gordo	19133 Monona
19035 Cherokee	19135 Monroe
19037 Chickasaw	19137 Montgomery
19039 Clarke	19139 Muscatine
19041 Clay	19141 O'Brien
19043 Clayton	19143 Osceola
19045 Clinton	19145 Page
19047 Crawford	19147 Palo Alto
19049 Dallas	19149 Plymouth
19051 Davis	19151 Pocahontas
19053 Decatur	19153 Polk
19055 Delaware	19155 Pottawattamie
19057 Des Moines	19157 Poweshiek
19059 Dickinson	19159 Ringgold
19061 Dubuque	19161 Sac
19063 Emmet	19163 Scott
19065 Fayette	19165 Shelby
19067 Floyd	19167 Sioux

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

19169 Story	20067 Grant
19171 Tama	20069 Gray
19173 Taylor	20071 Greeley
19175 Union	20073 Greenwood
19177 Van Buren	20075 Hamilton
19179 Wapello	20077 Harper
19181 Warren	20079 Harvey
19183 Washington	20081 Haskell
19185 Wayne	20083 Hodgeman
19187 Webster	20085 Jackson
19189 Winnebago	20087 Jefferson
19191 Winneshiek	20089 Jewell
19193 Woodbury	20091 Johnson
19195 Worth	20093 Kearny
19197 Wright	20095 Kingman
20 Kansas	20097 Kiowa
-----	20099 Labette
20001 Allen	20101 Lane
20003 Anderson	20103 Leavenworth
20005 Atchison	20105 Lincoln
20007 Barber	20107 Linn
20009 Barton	20109 Logan
20011 Bourbon	20111 Lyon
20013 Brown	20113 McPherson
20015 Butler	20115 Marion
20017 Chase	20117 Marshall
20019 Chautauqua	20119 Meade
20021 Cherokee	20121 Miami
20023 Cheyenne	20123 Mitchell
20025 Clark	20125 Montgomery
20027 Clay	20127 Morris
20029 Cloud	20129 Morton
20031 Coffey	20131 Nemaha
20033 Comanche	20133 Neosho
20035 Cowley	20135 Ness
20037 Crawford	20137 Norton
20039 Decatur	20139 Osage
20041 Dickinson	20141 Osborne
20043 Doniphan	20143 Ottawa
20045 Douglas	20145 Pawnee
20047 Edwards	20147 Phillips
20049 Elk	20149 Pottawatomie
20051 Ellis	20151 Pratt
20053 Ellsworth	20153 Rawlins
20055 Finney	20155 Reno
20057 Ford	20157 Republic
20059 Franklin	20159 Rice
20061 Geary	20161 Riley
20063 Gove	20163 Rooks
20065 Graham	20165 Rush

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

20167 Russell	21053 Clinton
20169 Saline	21055 Crittenden
20171 Scott	21057 Cumberland
20173 Sedgwick	21059 Daviess
20175 Seward	21061 Edmonson
20177 Shawnee	21063 Elliott
20179 Sheridan	21065 Estill
20181 Sherman	21067 Fayette
20183 Smith	21069 Fleming
20185 Stafford	21071 Floyd
20187 Stanton	21073 Franklin
20189 Stevens	21075 Fulton
20191 Sumner	21077 Gallatin
20193 Thomas	21079 Garrard
20195 Trego	21081 Grant
20197 Wabaunsee	21083 Graves
20199 Wallace	21085 Grayson
20201 Washington	21087 Green
20203 Wichita	21089 Greenup
20205 Wilson	21091 Hancock
20207 Woodson	21093 Hardin
20209 Wyandotte	21095 Harlan
21 Kentucky	21097 Harrison
-----	21099 Hart
21001 Adair	21101 Henderson
21003 Allen	21103 Henry
21005 Anderson	21105 Hickman
21007 Ballard	21107 Hopkins
21009 Barren	21109 Jackson
21011 Bath	21111 Jefferson
21013 Bell	21113 Jessamine
21015 Boone	21115 Johnson
21017 Bourbon	21117 Kenton
21019 Boyd	21119 Knott
21021 Boyle	21121 Knox
21023 Bracken	21123 Larue
21025 Breathitt	21125 Laurel
21027 Breckinridge	21127 Lawrence
21029 Bullitt	21129 Lee
21031 Butler	21131 Leslie
21033 Caldwell	21133 Letcher
21035 Calloway	21135 Lewis
21037 Campbell	21137 Lincoln
21039 Carlisle	21139 Livingston
21041 Carroll	21141 Logan
21043 Carter	21143 Lyon
21045 Casey	21145 McCracken
21047 Christian	21147 McCreary
21049 Clark	21149 McLean
21051 Clay	21151 Madison

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

21153	Magoffin	22009	Avoyelles
21155	Marion	22011	Beauregard
21157	Marshall	22013	Bienville
21159	Martin	22015	Bossier
21161	Mason	22017	Caddo
21163	Meade	22019	Calcasieu
21165	Menifee	22021	Caldwell
21167	Mercer	22023	Cameron
21169	Metcalf	22025	Catahoula
21171	Monroe	22027	Claiborne
21173	Montgomery	22029	Concordia
21175	Morgan	22031	De Soto
21177	Muhlenberg	22033	East Baton Rouge
21179	Nelson	22035	East Carroll
21181	Nicholas	22037	East Feliciana
21183	Ohio	22039	Evangeline
21185	Oldham	22041	Franklin
21187	Owen	22043	Grant
21189	Owsley	22045	Iberia
21191	Pendleton	22047	Iberville
21193	Perry	22049	Jackson
21195	Pike	22051	Jefferson
21197	Powell	22053	Jefferson Davis
21199	Pulaski	22055	Lafayette
21201	Robertson	22057	Lafourche
21203	Rockcastle	22059	La Salle
21205	Rowan	22061	Lincoln
21207	Russell	22063	Livingston
21209	Scott	22065	Madison
21211	Shelby	22067	Morehouse
21213	Simpson	22069	Natchitoches
21215	Spencer	22071	Orleans
21217	Taylor	22073	Ouachita
21219	Todd	22075	Plaquemines
21221	Trigg	22077	Pointe Coupee
21223	Trimble	22079	Rapides
21225	Union	22081	Red River
21227	Warren	22083	Richland
21229	Washington	22085	Sabine
21231	Wayne	22087	St Bernard
21233	Webster	22089	St Charles
21235	Whitley	22091	St Helena
21237	Wolfe	22093	St James
21239	Woodford	22095	St John The Baptist
22	Louisiana (Parishes)	22097	St Landry
-----		22099	St Martin
22001	Acadia	22101	St Mary
22003	Allen	22103	St Tammany
22005	Ascension	22105	Tangipahoa
22007	Assumption	22107	Tensas

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

22109 Terrebonne	24043 Washington
22111 Union	24045 Wicomico
22113 Vermilion	24047 Worcester
22115 Vernon	24510 Baltimore city
22117 Washington	25 Massachusetts
22119 Webster	-----
22121 West Baton Rouge	25001 Barnstable
22123 West Carroll	25003 Berkshire
22125 West Feliciana	25005 Bristol
22127 Winn	25007 Dukes
23 Maine	25009 Essex
-----	25011 Franklin
23001 Androscoggin	25013 Hampden
23003 Aroostook	25015 Hampshire
23005 Cumberland	25017 Middlesex
23007 Franklin	25019 Nantucket
23009 Hancock	25021 Norfolk
23011 Kennebec	25023 Plymouth
23013 Knox	25025 Suffolk
23015 Lincoln	25027 Worcester
23017 Oxford	26 Michigan
23019 Penobscot	-----
23021 Piscataquis	26001 Alcona
23023 Sagadahoc	26003 Alger
23025 Somerset	26005 Allegan
23027 Waldo	26007 Alpena
23029 Washington	26009 Antrim
23031 York	26011 Arenac
24 Maryland	26013 Baraga
-----	26015 Barry
24001 Allegany	26017 Bay
24003 Anne Arundel	26019 Benzie
24005 Baltimore	26021 Berrien
24009 Calvert	26023 Branch
24011 Caroline	26025 Calhoun
24013 Carroll	26027 Cass
24015 Cecil	26029 Charlevoix
24017 Charles	26031 Cheboygan
24019 Dorchester	26033 Chippewa
24021 Frederick	26035 Clare
24023 Garrett	26037 Clinton
24025 Harford	26039 Crawford
24027 Howard	26041 Delta
24029 Kent	26043 Dickinson
24031 Montgomery	26045 Eaton
24033 Prince George's	26047 Emmet
24035 Queen Anne's	26049 Genesee
24037 St Mary's	26051 Gladwin
24039 Somerset	26053 Gogebic
24041 Talbot	26055 Grand Traverse

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

26057	Gratiot	26157	Tuscola
26059	Hillsdale	26159	Van Buren
26061	Houghton	26161	Washtenaw
26063	Huron	26163	Wayne
26065	Ingham	26165	Wexford
26067	Ionia	27	Minnesota
26069	Iosco	-----	
26071	Iron	27001	Aitkin
26073	Isabella	27003	Anoka
26075	Jackson	27005	Becker
26077	Kalamazoo	27007	Beltrami
26079	Kalkaska	27009	Benton
26081	Kent	27011	Big Stone
26083	Keweenaw	27013	Blue Earth
26085	Lake	27015	Brown
26087	Lapeer	27017	Carlton
26089	Leelanau	27019	Carver
26091	Lenawee	27021	Cass
26093	Livingston	27023	Chippewa
26095	Luce	27025	Chisago
26097	Mackinac	27027	Clay
26099	Macomb	27029	Clearwater
26101	Manistee	27031	Cook
26103	Marquette	27033	Cottonwood
26105	Mason	27035	Crow Wing
26107	Mecosta	27037	Dakota
26109	Menominee	27039	Dodge
26111	Midland	27041	Douglas
26113	Missaukee	27043	Faribault
26115	Monroe	27045	Fillmore
26117	Montcalm	27047	Freeborn
26119	Montmorency	27049	Goodhue
26121	Muskegon	27051	Grant
26123	Newaygo	27053	Hennepin
26125	Oakland	27055	Houston
26127	Oceana	27057	Hubbard
26129	Ogemaw	27059	Isanti
26131	Ontonagon	27061	Itasca
26133	Osceola	27063	Jackson
26135	Oscoda	27065	Kanabec
26137	Otsego	27067	Kandiyohi
26139	Ottawa	27069	Kittson
26141	Presque Isle	27071	Koochiching
26143	Roscommon	27073	Lac qui Parle
26145	Saginaw	27075	Lake
26147	St Clair	27077	Lake Of The Woods
26149	St Joseph	27079	Le Sueur
26151	Sanilac	27081	Lincoln
26153	Schoolcraft	27083	Lyon
26155	Shiawassee	27085	McLeod

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

27087 Mahanomen	28009 Benton
27089 Marshall	28011 Bolivar
27091 Martin	28013 Calhoun
27093 Meeker	28015 Carroll
27095 Mille Lacs	28017 Chickasaw
27097 Morrison	28019 Choctaw
27099 Mower	28021 Claiborne
27101 Murray	28023 Clarke
27103 Nicollet	28025 Clay
27105 Nobles	28027 Coahoma
27107 Norman	28029 Copiah
27109 Olmsted	28031 Covington
27111 Otter Tail	28033 De Soto
27113 Pennington	28035 Forrest
27115 Pine	28037 Franklin
27117 Pipestone	28039 George
27119 Polk	28041 Greene
27121 Pope	28043 Grenada
27123 Ramsey	28045 Hancock
27125 Red Lake	28047 Harrison
27127 Redwood	28049 Hinds
27129 Renville	28051 Holmes
27131 Rice	28053 Humphreys
27133 Rock	28055 Issaquena
27135 Roseau	28057 Itawamba
27137 St Louis	28059 Jackson
27139 Scott	28061 Jasper
27141 Sherburne	28063 Jefferson
27143 Sibley	28065 Jefferson Davis
27145 Stearns	28067 Jones
27147 Steele	28069 Kemper
27149 Stevens	28071 Lafayette
27151 Swift	28073 Lamar
27153 Todd	28075 Lauderdale
27155 Traverse	28077 Lawrence
27157 Wabasha	28079 Leake
27159 Wadena	28081 Lee
27161 Waseca	28083 Leflore
27163 Washington	28085 Lincoln
27165 Watonwan	28087 Lowndes
27167 Wilkin	28089 Madison
27169 Winona	28091 Marion
27171 Wright	28093 Marshall
27173 Yellow Medicine	28095 Monroe
28 Mississippi	28097 Montgomery
-----	28099 Neshoba
28001 Adams	28101 Newton
28003 Alcorn	28103 Noxubee
28005 Amite	28105 Oktibbeha
28007 Attala	28107 Panola

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

28109	Pearl River	29041	Chariton
28111	Perry	29043	Christian
28113	Pike	29045	Clark
28115	Pontotoc	29047	Clay
28117	Prentiss	29049	Clinton
28119	Quitman	29051	Cole
28121	Rankin	29053	Cooper
28123	Scott	29055	Crawford
28125	Sharkey	29057	Dade
28127	Simpson	29059	Dallas
28129	Smith	29061	Daviess
28131	Stone	29063	De Kalb
28133	Sunflower	29065	Dent
28135	Tallahatchie	29067	Douglas
28137	Tate	29069	Dunklin
28139	Tippah	29071	Franklin
28141	Tishomingo	29073	Gasconade
28143	Tunica	29075	Gentry
28145	Union	29077	Greene
28147	Walthall	29079	Grundy
28149	Warren	29081	Harrison
28151	Washington	29083	Henry
28153	Wayne	29085	Hickory
28155	Webster	29087	Holt
28157	Wilkinson	29089	Howard
28159	Winston	29091	Howell
28161	Yalobusha	29093	Iron
28163	Yazoo	29095	Jackson
29	Missouri	29097	Jasper
-----		29099	Jefferson
29001	Adair	29101	Johnson
29003	Andrew	29103	Knox
29005	Atchison	29105	Laclede
29007	Audrain	29107	Lafayette
29009	Barry	29109	Lawrence
29011	Barton	29111	Lewis
29013	Bates	29113	Lincoln
29015	Benton	29115	Linn
29017	Bollinger	29117	Livingston
29019	Boone	29119	McDonald
29021	Buchanan	29121	Macon
29023	Butler	29123	Madison
29025	Caldwell	29125	Maries
29027	Callaway	29127	Marion
29029	Camden	29129	Mercer
29031	Cape Girardeau	29131	Miller
29033	Carroll	29133	Mississippi
29035	Carter	29135	Moniteau
29037	Cass	29137	Monroe
29039	Cedar	29139	Montgomery

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

29141 Morgan	30007 Broadwater
29143 New Madrid	30009 Carbon
29145 Newton	30011 Carter
29147 Nodaway	30013 Cascade
29149 Oregon	30015 Chouteau
29151 Osage	30017 Custer
29153 Ozark	30019 Daniels
29155 Pemiscot	30021 Dawson
29157 Perry	30023 Deer Lodge
29159 Pettis	30025 Fallon
29161 Phelps	30027 Fergus
29163 Pike	30029 Flathead
29165 Platte	30031 Gallatin
29167 Polk	30033 Garfield
29169 Pulaski	30035 Glacier
29171 Putnam	30037 Golden Valley
29173 Ralls	30039 Granite
29175 Randolph	30041 Hill
29177 Ray	30043 Jefferson
29179 Reynolds	30045 Judith Basin
29181 Ripley	30047 Lake
29183 St Charles	30049 Lewis and Clark
29185 St Clair	30051 Liberty
29186 Ste Genevieve	30053 Lincoln
29187 St Francois	30055 McCone
29189 St Louis	30057 Madison
29195 Saline	30059 Meagher
29197 Schuyler	30061 Mineral
29199 Scotland	30063 Missoula
29201 Scott	30065 Musselshell
29203 Shannon	30067 Park
29205 Shelby	30069 Petroleum
29207 Stoddard	30071 Phillips
29209 Stone	30073 Pondera
29211 Sullivan	30075 Powder River
29213 Taney	30077 Powell
29215 Texas	30079 Prairie
29217 Vernon	30081 Ravalli
29219 Warren	30083 Richland
29221 Washington	30085 Roosevelt
29223 Wayne	30087 Rosebud
29225 Webster	30089 Sanders
29227 Worth	30091 Sheridan
29229 Wright	30093 Silver Bow
29510 St Louis city	30095 Stillwater
30 Montana	30097 Sweet Grass
-----	30099 Teton
30001 Beaverhead	30101 Toole
30003 Big Horn	30103 Treasure
30005 Blaine	30105 Valley

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

30107	Wheatland	31091	Hooker
30109	Wibaux	31093	Howard
30111	Yellowstone	31095	Jefferson
30113	Yellowstone National Park	31097	Johnson
31	Nebraska	31099	Kearney
-----		31101	Keith
31001	Adams	31103	Keya Paha
31003	Antelope	31105	Kimball
31005	Arthur	31107	Knox
31007	Banner	31109	Lancaster
31009	Blaine	31111	Lincoln
31011	Boone	31113	Logan
31013	Box Butte	31115	Loup
31015	Boyd	31117	McPherson
31017	Brown	31119	Madison
31019	Buffalo	31121	Merrick
31021	Burt	31123	Morrill
31023	Butler	31125	Nance
31025	Cass	31127	Nemaha
31027	Cedar	31129	Nuckolls
31029	Chase	31131	Otoe
31031	Cherry	31133	Pawnee
31033	Cheyenne	31135	Perkins
31035	Clay	31137	Phelps
31037	Colfax	31139	Pierce
31039	Cuming	31141	Platte
31041	Custer	31143	Polk
31043	Dakota	31145	Red Willow
31045	Dawes	31147	Richardson
31047	Dawson	31149	Rock
31049	Deuel	31151	Saline
31051	Dixon	31153	Sarpy
31053	Dodge	31155	Saunders
31055	Douglas	31157	Scotts Bluff
31057	Dundy	31159	Seward
31059	Fillmore	31161	Sheridan
31061	Franklin	31163	Sherman
31063	Frontier	31165	Sioux
31065	Furnas	31167	Stanton
31067	Gage	31169	Thayer
31069	Garden	31171	Thomas
31071	Garfield	31173	Thurston
31073	Gosper	31175	Valley
31075	Grant	31177	Washington
31077	Greeley	31179	Wayne
31079	Hall	31181	Webster
31081	Hamilton	31183	Wheeler
31083	Harlan	31185	York
31085	Hayes	32	Nevada
31087	Hitchcock	-----	
31089	Holt	32001	Churchill

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

32003 Clark	35 New Mexico
32005 Douglas	-----
32007 Elko	35001 Bernalillo
32009 Esmeralda	35003 Catron
32011 Eureka	35005 Chaves
32013 Humboldt	35006 Cibola
32015 Lander	35007 Colfax
32017 Lincoln	35009 Curry
32019 Lyon	35011 De Baca
32021 Mineral	35013 Dona Ana
32023 Nye	35015 Eddy
32027 Pershing	35017 Grant
32029 Storey	35019 Guadalupe
32031 Washoe	35021 Harding
32033 White Pine	35023 Hidalgo
32510 Carson City	35025 Lea
33 New Hampshire	35027 Lincoln
-----	35028 Los Alamos
33001 Belknap	35029 Luna
33003 Carroll	35031 McKinley
33005 Cheshire	35033 Mora
33007 Coos	35035 Otero
33009 Grafton	35037 Quay
33011 Hillsborough	35039 Rio Arriba
33013 Merrimack	35041 Roosevelt
33015 Rockingham	35043 Sandoval
33017 Strafford	35045 San Juan
33019 Sullivan	35047 San Miguel
34 New Jersey	35049 Santa Fe
-----	35051 Sierra
34001 Atlantic	35053 Socorro
34003 Bergen	35055 Taos
34005 Burlington	35057 Torrance
34007 Camden	35059 Union
34009 Cape May	35061 Valencia
34011 Cumberland	36 New York
34013 Essex	-----
34015 Gloucester	36001 Albany
34017 Hudson	36003 Allegany
34019 Hunterdon	36005 Bronx
34021 Mercer	36007 Broome
34023 Middlesex	36009 Cattaraugus
34025 Monmouth	36011 Cayuga
34027 Morris	36013 Chautauqua
34029 Ocean	36015 Chemung
34031 Passaic	36017 Chenango
34033 Salem	36019 Clinton
34035 Somerset	36021 Columbia
34037 Sussex	36023 Cortland
34039 Union	36025 Delaware
34041 Warren	36027 Dutchess

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

36029 Erie	37001 Alamance
36031 Essex	37003 Alexander
36033 Franklin	37005 Alleghany
36035 Fulton	37007 Anson
36037 Genesee	37009 Ashe
36039 Greene	37011 Avery
36041 Hamilton	37013 Beaufort
36043 Herkimer	37015 Bertie
36045 Jefferson	37017 Bladen
36047 Kings	37019 Brunswick
36049 Lewis	37021 Buncombe
36051 Livingston	37023 Burke
36053 Madison	37025 Cabarrus
36055 Monroe	37027 Caldwell
36057 Montgomery	37029 Camden
36059 Nassau	37031 Carteret
36061 New York	37033 Caswell
36063 Niagara	37035 Catawba
36065 Oneida	37037 Chatham
36067 Onondaga	37039 Cherokee
36069 Ontario	37041 Chowan
36071 Orange	37043 Clay
36073 Orleans	37045 Cleveland
36075 Oswego	37047 Columbus
36077 Otsego	37049 Craven
36079 Putnam	37051 Cumberland
36081 Queens	37053 Currituck
36083 Rensselaer	37055 Dare
36085 Richmond	37057 Davidson
36087 Rockland	37059 Davie
36089 St Lawrence	37061 Duplin
36091 Saratoga	37063 Durham
36093 Schenectady	37065 Edgecombe
36095 Schoharie	37067 Forsyth
36097 Schuyler	37069 Franklin
36099 Seneca	37071 Gaston
36101 Steuben	37073 Gates
36103 Suffolk	37075 Graham
36105 Sullivan	37077 Granville
36107 Tioga	37079 Greene
36109 Tompkins	37081 Guilford
36111 Ulster	37083 Halifax
36113 Warren	37085 Harnett
36115 Washington	37087 Haywood
36117 Wayne	37089 Henderson
36119 Westchester	37091 Hertford
36121 Wyoming	37093 Hoke
36123 Yates	37095 Hyde
37 North Carolina	37097 Iredell
-----	37099 Jackson

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

37101 Johnston	38 North Dakota
37103 Jones	-----
37105 Lee	38001 Adams
37107 Lenoir	38003 Barnes
37109 Lincoln	38005 Benson
37111 McDowell	38007 Billings
37113 Macon	38009 Bottineau
37115 Madison	38011 Bowman
37117 Martin	38013 Burke
37119 Mecklenburg	38015 Burleigh
37121 Mitchell	38017 Cass
37123 Montgomery	38019 Cavalier
37125 Moore	38021 Dickey
37127 Nash	38023 Divide
37129 New Hanover	38025 Dunn
37131 Northampton	38027 Eddy
37133 Onslow	38029 Emmons
37135 Orange	38031 Foster
37137 Pamlico	38033 Golden Valley
37139 Pasquotank	38035 Grand Forks
37141 Pender	38037 Grant
37143 Perquimans	38039 Griggs
37145 Person	38041 Hettinger
37147 Pitt	38043 Kidder
37149 Polk	38045 La Moure
37151 Randolph	38047 Logan
37153 Richmond	38049 McHenry
37155 Robeson	38051 McIntosh
37157 Rockingham	38053 McKenzie
37159 Rowan	38055 McLean
37161 Rutherford	38057 Mercer
37163 Sampson	38059 Morton
37165 Scotland	38061 Mountrail
37167 Stanly	38063 Nelson
37169 Stokes	38065 Oliver
37171 Surry	38067 Pembina
37173 Swain	38069 Pierce
37175 Transylvania	38071 Ramsey
37177 Tyrrell	38073 Ransom
37179 Union	38075 Renville
37181 Vance	38077 Richland
37183 Wake	38079 Rolette
37185 Warren	38081 Sargent
37187 Washington	38083 Sheridan
37189 Watauga	38085 Sioux
37191 Wayne	38087 Slope
37193 Wilkes	38089 Stark
37195 Wilson	38091 Steele
37197 Yadkin	38093 Stutsman
37199 Yancey	38095 Towner

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

38097 Traill	39087 Lawrence
38099 Walsh	39089 Licking
38101 Ward	39091 Logan
38103 Wells	39093 Lorain
38105 Williams	39095 Lucas
39 Ohio	39097 Madison
-----	39099 Mahoning
39001 Adams	39101 Marion
39003 Allen	39103 Medina
39005 Ashland	39105 Meigs
39007 Ashtabula	39107 Mercer
39009 Athens	39109 Miami
39011 Auglaize	39111 Monroe
39013 Belmont	39113 Montgomery
39015 Brown	39115 Morgan
39017 Butler	39117 Morrow
39019 Carroll	39119 Muskingum
39021 Champaign	39121 Noble
39023 Clark	39123 Ottawa
39025 Clermont	39125 Paulding
39027 Clinton	39127 Perry
39029 Columbiana	39129 Pickaway
39031 Coshocton	39131 Pike
39033 Crawford	39133 Portage
39035 Cuyahoga	39135 Preble
39037 Darke	39137 Putnam
39039 Defiance	39139 Richland
39041 Delaware	39141 Ross
39043 Erie	39143 Sandusky
39045 Fairfield	39145 Scioto
39047 Fayette	39147 Seneca
39049 Franklin	39149 Shelby
39051 Fulton	39151 Stark
39053 Gallia	39153 Summit
39055 Geauga	39155 Trumbull
39057 Greene	39157 Tuscarawas
39059 Guernsey	39159 Union
39061 Hamilton	39161 Van Wert
39063 Hancock	39163 Vinton
39065 Hardin	39165 Warren
39067 Harrison	39167 Washington
39069 Henry	39169 Wayne
39071 Highland	39171 Williams
39073 Hocking	39173 Wood
39075 Holmes	39175 Wyandot
39077 Huron	40 Oklahoma
39079 Jackson	-----
39081 Jefferson	40001 Adair
39083 Knox	40003 Alfalfa
39085 Lake	40005 Atoka

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

40007	Beaver	40107	Okfuskee
40009	Beckham	40109	Oklahoma
40011	Blaine	40111	Okmulgee
40013	Bryan	40113	Osage
40015	Caddo	40115	Ottawa
40017	Canadian	40117	Pawnee
40019	Carter	40119	Payne
40021	Cherokee	40121	Pittsburg
40023	Choctaw	40123	Pontotoc
40025	Cimarron	40125	Pottawatomie
40027	Cleveland	40127	Pushmataha
40029	Coal	40129	Roger Mills
40031	Comanche	40131	Rogers
40033	Cotton	40133	Seminole
40035	Craig	40135	Sequoyah
40037	Creek	40137	Stephens
40039	Custer	40139	Texas
40041	Delaware	40141	Tillman
40043	Dewey	40143	Tulsa
40045	Ellis	40145	Wagoner
40047	Garfield	40147	Washington
40049	Garvin	40149	Washita
40051	Grady	40151	Woods
40053	Grant	40153	Woodward
40055	Greer	41	Oregon
40057	Harmon	-----	
40059	Harper	41001	Baker
40061	Haskell	41003	Benton
40063	Hughes	41005	Clackamas
40065	Jackson	41007	Clatsop
40067	Jefferson	41009	Columbia
40069	Johnston	41011	Coos
40071	Kay	41013	Crook
40073	Kingfisher	41015	Curry
40075	Kiowa	41017	Deschutes
40077	Latimer	41019	Douglas
40079	Le Flore	41021	Gilliam
40081	Lincoln	41023	Grant
40083	Logan	41025	Harney
40085	Love	41027	Hood River
40087	McClain	41029	Jackson
40089	McCurtain	41031	Jefferson
40091	McIntosh	41033	Josephine
40093	Major	41035	Klamath
40095	Marshall	41037	Lake
40097	Mayes	41039	Lane
40099	Murray	41041	Lincoln
40101	Muskogee	41043	Linn
40103	Noble	41045	Malheur
40105	Nowata	41047	Marion

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

41049	Morrow	42073	Lawrence
41051	Multnomah	42075	Lebanon
41053	Polk	42077	Lehigh
41055	Sherman	42079	Luzerne
41057	Tillamook	42081	Lycoming
41059	Umatilla	42083	McKean
41061	Union	42085	Mercer
41063	Wallowa	42087	Mifflin
41065	Wasco	42089	Monroe
41067	Washington	42091	Montgomery
41069	Wheeler	42093	Montour
41071	Yamhill	42095	Northampton
42	Pennsylvania	42097	Northumberland
-----		42099	Perry
42001	Adams	42101	Philadelphia
42003	Allegheny	42103	Pike
42005	Armstrong	42105	Potter
42007	Beaver	42107	Schuylkill
42009	Bedford	42109	Snyder
42011	Berks	42111	Somerset
42013	Blair	42113	Sullivan
42015	Bradford	42115	Susquehanna
42017	Bucks	42117	Tioga
42019	Butler	42119	Union
42021	Cambria	42121	Venango
42023	Cameron	42123	Warren
42025	Carbon	42125	Washington
42027	Centre	42127	Wayne
42029	Chester	42129	Westmoreland
42031	Clarion	42131	Wyoming
42033	Clearfield	42133	York
42035	Clinton	44	Rhode Island
42037	Columbia	-----	
42039	Crawford	44001	Bristol
42041	Cumberland	44003	Kent
42043	Dauphin	44005	Newport
42045	Delaware	44007	Providence
42047	Elk	44009	Washington
42049	Erie	45	South Carolina
42051	Fayette	-----	
42053	Forest	45001	Abbeville
42055	Franklin	45003	Aiken
42057	Fulton	45005	Allendale
42059	Greene	45007	Anderson
42061	Huntingdon	45009	Bamberg
42063	Indiana	45011	Barnwell
42065	Jefferson	45013	Beaufort
42067	Juniata	45015	Berkeley
42069	Lackawanna	45017	Calhoun
42071	Lancaster	45019	Charleston

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

45021 Cherokee	46027 Clay
45023 Chester	46029 Codrington
45025 Chesterfield	46031 Corson
45027 Clarendon	46033 Custer
45029 Colleton	46035 Davison
45031 Darlington	46037 Day
45033 Dillon	46039 Deuel
45035 Dorchester	46041 Dewey
45037 Edgefield	46043 Douglas
45039 Fairfield	46045 Edmunds
45041 Florence	46047 Fall River
45043 Georgetown	46049 Faulk
45045 Greenville	46051 Grant
45047 Greenwood	46053 Gregory
45049 Hampton	46055 Haakon
45051 Horry	46057 Hamlin
45053 Jasper	46059 Hand
45055 Kershaw	46061 Hanson
45057 Lancaster	46063 Harding
45059 Laurens	46065 Hughes
45061 Lee	46067 Hutchinson
45063 Lexington	46069 Hyde
45065 McCormick	46071 Jackson
45067 Marion	46073 Jerauld
45069 Marlboro	46075 Jones
45071 Newberry	46077 Kingsbury
45073 Oconee	46079 Lake
45075 Orangeburg	46081 Lawrence
45077 Pickens	46083 Lincoln
45079 Richland	46085 Lyman
45081 Saluda	46087 McCook
45083 Spartanburg	46089 McPherson
45085 Sumter	46091 Marshall
45087 Union	46093 Meade
45089 Williamsburg	46095 Mellette
45091 York	46097 Miner
46 South Dakota	46099 Minnehaha
-----	46101 Moody
46003 Aurora	46103 Pennington
46005 Beadle	46105 Perkins
46007 Bennett	46107 Potter
46009 Bon Homme	46109 Roberts
46011 Brookings	46111 Sanborn
46013 Brown	46113 Shannon
46015 Brule	46115 Spink
46017 Buffalo	46117 Stanley
46019 Butte	46119 Sully
46021 Campbell	46121 Todd
46023 Charles Mix	46123 Tripp
46025 Clark	46125 Turner

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

46127 Union	47089 Jefferson
46129 Walworth	47091 Johnson
46135 Yankton	47093 Knox
46137 Ziebach	47095 Lake
47 Tennessee	47097 Lauderdale
-----	47099 Lawrence
47001 Anderson	47101 Lewis
47003 Bedford	47103 Lincoln
47005 Benton	47105 Loudon
47007 Bledsoe	47107 McMinn
47009 Blount	47109 McNairy
47011 Bradley	47111 Macon
47013 Campbell	47113 Madison
47015 Cannon	47115 Marion
47017 Carroll	47117 Marshall
47019 Carter	47119 Maury
47021 Cheatham	47121 Meigs
47023 Chester	47123 Monroe
47025 Claiborne	47125 Montgomery
47027 Clay	47127 Moore
47029 Cocke	47129 Morgan
47031 Coffee	47131 Obion
47033 Crockett	47133 Overton
47035 Cumberland	47135 Perry
47037 Davidson	47137 Pickett
47039 Decatur	47139 Polk
47041 De Kalb	47141 Putnam
47043 Dickson	47143 Rhea
47045 Dyer	47145 Roane
47047 Fayette	47147 Robertson
47049 Fentress	47149 Rutherford
47051 Franklin	47151 Scott
47053 Gibson	47153 Sequatchie
47055 Giles	47155 Sevier
47057 Grainger	47157 Shelby
47059 Greene	47159 Smith
47061 Grundy	47161 Stewart
47063 Hamblen	47163 Sullivan
47065 Hamilton	47165 Sumner
47067 Hancock	47167 Tipton
47069 Hardeman	47169 Trousdale
47071 Hardin	47171 Unicoi
47073 Hawkins	47173 Union
47075 Haywood	47175 Van Buren
47077 Henderson	47177 Warren
47079 Henry	47179 Washington
47081 Hickman	47181 Wayne
47083 Houston	47183 Weakley
47085 Humphreys	47185 White
47087 Jackson	47187 Williamson

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

47189 Wilson	48095 Concho
48 Texas	48097 Cooke
-----	48099 Coryell
48001 Anderson	48101 Cottle
48003 Andrews	48103 Crane
48005 Angelina	48105 Crockett
48007 Aransas	48107 Crosby
48009 Archer	48109 Culberson
48011 Armstrong	48111 Dallam
48013 Atascosa	48113 Dallas
48015 Austin	48115 Dawson
48017 Bailey	48117 Deaf Smith
48019 Bandera	48119 Delta
48021 Bastrop	48121 Denton
48023 Baylor	48123 De Witt
48025 Bee	48125 Dickens
48027 Bell	48127 Dimmit
48029 Bexar	48129 Donley
48031 Blanco	48131 Duval
48033 Borden	48133 Eastland
48035 Bosque	48135 Ector
48037 Bowie	48137 Edwards
48039 Brazoria	48139 Ellis
48041 Brazos	48141 El Paso
48043 Brewster	48143 Erath
48045 Briscoe	48145 Falls
48047 Brooks	48147 Fannin
48049 Brown	48149 Fayette
48051 Burleson	48151 Fisher
48053 Burnet	48153 Floyd
48055 Caldwell	48155 Foard
48057 Calhoun	48157 Fort Bend
48059 Callahan	48159 Franklin
48061 Cameron	48161 Freestone
48063 Camp	48163 Frio
48065 Carson	48165 Gaines
48067 Cass	48167 Galveston
48069 Castro	48169 Garza
48071 Chambers	48171 Gillespie
48073 Cherokee	48173 Glasscock
48075 Childress	48175 Goliad
48077 Clay	48177 Gonzales
48079 Cochran	48179 Gray
48081 Coke	48181 Grayson
48083 Coleman	48183 Gregg
48085 Collin	48185 Grimes
48087 Collingsworth	48187 Guadalupe
48089 Colorado	48189 Hale
48091 Comal	48191 Hall
48093 Comanche	48193 Hamilton

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

48195 Hansford	48295 Lipscomb
48197 Hardeman	48297 Live Oak
48199 Hardin	48299 Llano
48201 Harris	48301 Loving
48203 Harrison	48303 Lubbock
48205 Hartley	48305 Lynn
48207 Haskell	48307 McCulloch
48209 Hays	48309 McLennan
48211 Hemphill	48311 McMullen
48213 Henderson	48313 Madison
48215 Hidalgo	48315 Marion
48217 Hill	48317 Martin
48219 Hockley	48319 Mason
48221 Hood	48321 Matagorda
48223 Hopkins	48323 Maverick
48225 Houston	48325 Medina
48227 Howard	48327 Menard
48229 Hudspeth	48329 Midland
48231 Hunt	48331 Milam
48233 Hutchinson	48333 Mills
48235 Irion	48335 Mitchell
48237 Jack	48337 Montague
48239 Jackson	48339 Montgomery
48241 Jasper	48341 Moore
48243 Jeff Davis	48343 Morris
48245 Jefferson	48345 Motley
48247 Jim Hogg	48347 Nacogdoches
48249 Jim Wells	48349 Navarro
48251 Johnson	48351 Newton
48253 Jones	48353 Nolan
48255 Karnes	48355 Nueces
48257 Kaufman	48357 Ochiltree
48259 Kendall	48359 Oldham
48261 Kenedy	48361 Orange
48263 Kent	48363 Palo Pinto
48265 Kerr	48365 Panola
48267 Kimble	48367 Parker
48269 King	48369 Parmer
48271 Kinney	48371 Pecos
48273 Kleberg	48373 Polk
48275 Knox	48375 Potter
48277 Lamar	48377 Presidio
48279 Lamb	48379 Rains
48281 Lampasas	48381 Randall
48283 La Salle	48383 Reagan
48285 Lavaca	48385 Real
48287 Lee	48387 Red River
48289 Leon	48389 Reeves
48291 Liberty	48391 Refugio
48293 Limestone	48393 Roberts

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

48395	Robertson	48495	Winkler
48397	Rockwall	48497	Wise
48399	Runnels	48499	Wood
48401	Rusk	48501	Yoakum
48403	Sabine	48503	Young
48405	San Augustine	48505	Zapata
48407	San Jacinto	48507	Zavala
48409	San Patricio	49	Utah
48411	San Saba	-----	
48413	Schleicher	49001	Beaver
48415	Scurry	49003	Box Elder
48417	Shackelford	49005	Cache
48419	Shelby	49007	Carbon
48421	Sherman	49009	Daggett
48423	Smith	49011	Davis
48425	Somervell	49013	Duchesne
48427	Starr	49015	Emery
48429	Stephens	49017	Garfield
48431	Sterling	49019	Grand
48433	Stonewall	49021	Iron
48435	Sutton	49023	Juab
48437	Swisher	49025	Kane
48439	Tarrant	49027	Millard
48441	Taylor	49029	Morgan
48443	Terrell	49031	Piute
48445	Terry	49033	Rich
48447	Throckmorton	49035	Salt Lake
48449	Titus	49037	San Juan
48451	Tom Green	49039	Sanpete
48453	Travis	49041	Sevier
48455	Trinity	49043	Summit
48457	Tyler	49045	Tooele
48459	Upshur	49047	Uintah
48461	Upton	49049	Utah
48463	Uvalde	49051	Wasatch
48465	Val Verde	49053	Washington
48467	Van Zandt	49055	Wayne
48469	Victoria	49057	Weber
48471	Walker	50	Vermont
48473	Waller	-----	
48475	Ward	50001	Addison
48477	Washington	50003	Bennington
48479	Webb	50005	Caledonia
48481	Wharton	50007	Chittenden
48483	Wheeler	50009	Essex
48485	Wichita	50011	Franklin
48487	Wilbarger	50013	Grand Isle
48489	Willacy	50015	Lamoille
48491	Williamson	50017	Orange
48493	Wilson	50019	Orleans

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

50021 Rutland	51091 Highland
50023 Washington	51093 Isle Of Wight
50025 Windham	51095 James City
50027 Windsor	51097 King and Queen
51 Virginia	51099 King George
-----	51101 King William
51001 Accomack	51103 Lancaster
51003 Albemarle	51105 Lee
51005 Alleghany	51107 Loudoun
51007 Amelia	51109 Louisa
51009 Amherst	51111 Lunenburg
51011 Appomattox	51113 Madison
51013 Arlington	51115 Mathews
51015 Augusta	51117 Mecklenburg
51017 Bath	51119 Middlesex
51019 Bedford	51121 Montgomery
51021 Bland	51125 Nelson
51023 Botetourt	51127 New Kent
51025 Brunswick	51131 Northampton
51027 Buchanan	51133 Northumberland
51029 Buckingham	51135 Nottoway
51031 Campbell	51137 Orange
51033 Caroline	51139 Page
51035 Carroll	51141 Patrick
51036 Charles City	51143 Pittsylvania
51037 Charlotte	51145 Powhatan
51041 Chesterfield	51147 Prince Edward
51043 Clarke	51149 Prince George
51045 Craig	51153 Prince William
51047 Culpeper	51155 Pulaski
51049 Cumberland	51157 Rappahannock
51051 Dickenson	51159 Richmond
51053 Dinwiddie	51161 Roanoke
51057 Essex	51163 Rockbridge
51059 Fairfax	51165 Rockingham
51061 Fauquier	51167 Russell
51063 Floyd	51169 Scott
51065 Fluvanna	51171 Shenandoah
51067 Franklin	51173 Smyth
51069 Frederick	51175 Southampton
51071 Giles	51177 Spotsylvania
51073 Gloucester	51179 Stafford
51075 Goochland	51181 Surry
51077 Grayson	51183 Sussex
51079 Greene	51185 Tazewell
51081 Greensville	51187 Warren
51083 Halifax	51191 Washington
51085 Hanover	51193 Westmoreland
51087 Henrico	51195 Wise
51089 Henry	51197 Wythe

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

51199 York	53013 Columbia
51510 Alexandria city	53015 Cowlitz
51515 Bedford city	53017 Douglas
51520 Bristol city	53019 Ferry
51530 Buena Vista city	53021 Franklin
51540 Charlottesville city	53023 Garfield
51550 Chesapeake city	53025 Grant
51560 Clifton Forge city	53027 Grays Harbor
51570 Colonial Heights city	53029 Island
51580 Covington city	53031 Jefferson
51590 Danville city	53033 King
51595 Emporia city	53035 Kitsap
51600 Fairfax city	53037 Kittitas
51610 Falls Church city	53039 Klickitat
51620 Franklin city	53041 Lewis
51630 Fredericksburg city	53043 Lincoln
51640 Galax city	53045 Mason
51650 Hampton city	53047 Okanogan
51660 Harrisonburg city	53049 Pacific
51670 Hopewell city	53051 Pend Oreille
51678 Lexington city	53053 Pierce
51680 Lynchburg city	53055 San Juan
51683 Manassas city	53057 Skagit
51685 Manassas Park city	53059 Skamania
51690 Martinsville city	53061 Snohomish
51700 Newport News city	53063 Spokane
51710 Norfolk city	53065 Stevens
51720 Norton city	53067 Thurston
51730 Petersburg city	53069 Wahkiakum
51735 Poquoson city	53071 Walla Walla
51740 Portsmouth city	53073 Whatcom
51750 Radford city	53075 Whitman
51760 Richmond city	53077 Yakima
51770 Roanoke city	54 West Virginia
51775 Salem city	-----
51780 South Boston city	54001 Barbour
51790 Staunton city	54003 Berkeley
51800 Suffolk city	54005 Boone
51810 Virginia Beach city	54007 Braxton
51820 Waynesboro city	54009 Brooke
51830 Williamsburg city	54011 Cabell
51840 Winchester city	54013 Calhoun
53 Washington	54015 Clay
-----	54017 Doddridge
53001 Adams	54019 Fayette
53003 Asotin	54021 Gilmer
53005 Benton	54023 Grant
53007 Chelan	54025 Greenbrier
53009 Clallam	54027 Hampshire
53011 Clark	54029 Hancock

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

54031 Hardy	55017 Chippewa
54033 Harrison	55019 Clark
54035 Jackson	55021 Columbia
54037 Jefferson	55023 Crawford
54039 Kanawha	55025 Dane
54041 Lewis	55027 Dodge
54043 Lincoln	55029 Door
54045 Logan	55031 Douglas
54047 McDowell	55033 Dunn
54049 Marion	55035 Eau Claire
54051 Marshall	55037 Florence
54053 Mason	55039 Fond du Lac
54055 Mercer	55041 Forest
54057 Mineral	55043 Grant
54059 Mingo	55045 Green
54061 Monongalia	55047 Green Lake
54063 Monroe	55049 Iowa
54065 Morgan	55051 Iron
54067 Nicholas	55053 Jackson
54069 Ohio	55055 Jefferson
54071 Pendleton	55057 Juneau
54073 Pleasants	55059 Kenosha
54075 Pocahontas	55061 Kewaunee
54077 Preston	55063 La Crosse
54079 Putnam	55065 Lafayette
54081 Raleigh	55067 Langlade
54083 Randolph	55069 Lincoln
54085 Ritchie	55071 Manitowoc
54087 Roane	55073 Marathon
54089 Summers	55075 Marinette
54091 Taylor	55077 Marquette
54093 Tucker	55078 Menominee
54095 Tyler	55079 Milwaukee
54097 Upshur	55081 Monroe
54099 Wayne	55083 Oconto
54101 Webster	55085 Oneida
54103 Wetzel	55087 Outagamie
54105 Wirt	55089 Ozaukee
54107 Wood	55091 Pepin
54109 Wyoming	55093 Pierce
55 Wisconsin	55095 Polk
-----	55097 Portage
55001 Adams	55099 Price
55003 Ashland	55101 Racine
55005 Barron	55103 Richland
55007 Bayfield	55105 Rock
55009 Brown	55107 Rusk
55011 Buffalo	55109 St Croix
55013 Burnett	55111 Sauk
55015 Calumet	55113 Sawyer

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

55115 Shawano
55117 Sheboygan
55119 Taylor
55121 Trempealeau
55123 Vernon
55125 Vilas
55127 Walworth
55129 Washburn
55131 Washington
55133 Waukesha
55135 Waupaca
55137 Waushara
55139 Winnebago
55141 Wood
56 Wyoming

56001 Albany
56003 Big Horn
56005 Campbell
56007 Carbon
56009 Converse
56011 Crook
56013 Fremont
56015 Goshen
56017 Hot Springs
56019 Johnson
56021 Laramie
56023 Lincoln
56025 Natrona
56027 Niobrara
56029 Park
56031 Platte
56033 Sheridan
56035 Sublette
56037 Sweetwater
56039 Teton
56041 Uinta
56043 Washakie
56045 Weston