C++ Lab'2 Assignment

Name: Muhammad Mughees Ajmal Date: 9/10/2026

Roll No: 42 BSCS Section A

LAB Task-1

A: Input cpp

```
#include <iostream>
using namespace std;
int main() {
  char letter;
  letter = 'A';
  cout << letter << "\n";
  letter = 'B';
  cout << letter << "\n";
  cin >> letter;
  return 0;
}
```

Output

```
A
B
```

B: Input cpp

```
#include <iostream>
using namespace std;
int main() {
  char letter;
  letter = 65;
  cout << letter << "\n";
  letter = 66;
  cout << letter << "\n";
  cin >> letter;
  return 0;
}
```

Output

```
65
66
```

Task 2:-

Source Code (Cpp)

```
# include <iostream>
using namespace std;
int main(){
char letter;
letter = 'A';
cout << letter << '\n';
letter = 'B';
cout << letter << '\n';
cin >> letter;
return 0;
}
```

Task 3:-

Source Code (cpp)

```
# include <iostream>
using namespace std;
int main(){
int val1;
int val2;
int val3;
cout << "Please enter your 3numbers";
cin >>val1 >> val2 >> val3;
cout<<val1 << "\n" << val2 <<"\n" <<val3 <<"\n";
cout<<val3 << "\n" <<val2 <<"\n" <<val1 <<"\n";
return 0;
}
```

Task 4:

Source Code (cpp)

```
#include <iostream>
#include <cmath>
using namespace std;
int main() {
double x1, y1, x2, y2;
cin >> x1 >> y1 >> x2 >> y2;
double d = sqrt(pow(x2-x1, 2) + (pow(y2-y1));
cout << d;
return 0;
}
```

Task-5

Input cpp

```
#include <iostream>
using namespace std;
int main() {
double r,l,w,b, h;
double PI = 3.14159;
cout << "Enter the radius of circle:";
cin >> r;
cout << "Area of circle = " << PI*r*r<<endl;
cout << "Enter length and with of
rectangle:";
cin >>l >> w;
cout << "Area of rectangle = " << l*w<<endl;
cout << "Enter the base and height
of triangle:";
cin >> b >> h;
cout << "Enter Area of Triangle = " << b*h*0.5
<<endl;
return 0;
}
```

Task-6:-

Source Code (cpp)

```
#include <iostream>
using namespace std;
int main( ) {
double p1 = 12.95, p2=24.95, p3=6.95, p4=14.95, p5=3.95;
double subtotal = p1+p2 +p3 +p4+p5;
double tax = subtotal x0.06;
double total= subtotal + tax;
cout << "price of item 1 = $" <<p1 <<endl;
cout << "price of item 2=$" <<p2<< endl;
cout <<"price of item 3=$" <<p3<<endl;
cout << "price of item 4=$ << p4 <<endl;
cout << "price of item 5=$" << p5 <<endl;
cout<< "In subtotal=$" << subtotal<<endl;
cout << "sales tax (6%.) =$" << tax <<endl;
cout << "Total=$" << total << endl;
return 0;
}
```

Output

```
Price of item 1 = $12.95
Price of item 2 = $24.95
Price of item 3 = $ 6.95
Price of item 4 = $ 14.95
Price of item 5 = $ 3.95
    Subtotal = $63.75
Sales tax (6%.) = $3.825
Total = $67.575
```

Bonus Task

Source Code (cpp)

```
#include <iostream>
using namespace std;
int main () {
cout << "Enter a five digit Integer: ";
cin >> num;
int d1 = num/10000 ;
int d2 = (num/1000) % 10;
int d3 = (num/100) % 10;
int d4 = (num/10) % 10;
int d5= (num%10);
cout <<d1 << " " <<d2 << " " <<d3 << " "
<<d4<< " " <<d5 <<endl;
return 0;
}
```