

ISHTAR v5.0

AI Web Penetration Testing Framework

By Malik Alqudah | Powered by Groq + LLaMA 3.3

Executive Summary

Field	Value
Target	http://opencaching.de
Scan Date	2026-06-27 17:21:42
Stages Run	10
Param URLs	0
XSS Found	0
SQLi Found	0
Total Findings	8
AI Model	llama-3.3-70b-versatile
Framework	Ishtar v5.0 by Malik Alqudah

Key Findings

- Open ports: 80, 443
- PHP detected
- Server: Apache
- Subdomains found: 54
- Interesting: test.opencaching.de
- Interesting: develforum.opencaching.de
- ■ CRITICAL: .git exposed!
- ■ Sensitive: http://opencaching.de/robots.txt

Stage Results

Stage 1: Port Scan (nmap)

Command: nmap -sV -sC -T4 --top-ports 1000 opencaching.de

Duration: 130.3s

```
Starting Nmap 7.98 ( https://nmap.org ) at 2026-06-27 17:12 -0400
Nmap scan report for opencaching.de (87.230.95.54)
Host is up (0.072s latency).
rDNS record for 87.230.95.54: oc0002.opencaching.de
Not shown: 996 filtered tcp ports (no-response), 2 filtered tcp ports (host-prohibited)
PORT      STATE SERVICE  VERSION
80/tcp    open  http     Apache/2
|_http-server-header: Apache/2
|_http-title: Did not follow redirect to https://opencaching.de/
| fingerprint-strings:
|   FourOhFourRequest:
|     HTTP/1.1 404 Not Found
```

```

|   Date: Sat, 27 Jun 2026 21:12:35 GMT
|   Server: Apache/2
|   Content-Length: 225
|   Connection: close
|   Content-Type: text/html; charset=iso-8859-1
|   <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
|   <html><head>
|   <title>404 Not Found</title>
|   </head><body>
|   <h1>Not Found</h1>
|   <p>The requested URL /nice ports,/Trinity.txt.bak was not found on this server.</p>
|   </body></html>
|   GetRequest:
|   HTTP/1.1 200 OK
|   Date: Sat, 27 Jun 2026 21:12:29 GMT
|   Server: Apache/2
|   Last-Modified: Sun, 06 Dec 2015 18:38:59 GMT
|   ETag: "8-5263f0dc33b4e"
|   Accept-Ranges: bytes
|   Content-Length: 8
|   Connection: close
|   Content-Type: text/html; charset=UTF-8
|   default
|   HTTPOptions, RTSPRequest:
|   HTTP/1.1 200 OK
|   Date: Sat, 27 Jun 2026 21:12:30 GMT
|   Server: Apache/2
|   Allow: POST,OPTIONS,GET,HEAD,TRACE
|   Content-Length: 0
|   Connection: close
|   Content-Type: text/html; charset=UTF-8
|   Help:
|   <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
|   <html><head>
|   <title>501 Not Implemented</title>
|   </head><body>
|   <h1>Not Implemented</h1>
|   <p>HELP to /index.html not supported.<br />
|   </p>
|   </body></html>
|   SSLSessionReq:
|   HTTP/1.1 400 Bad Request
|   Date: Sat, 27 Jun 2026 21:12:55 GMT
|   Server: Apache/2
|   Content-Length: 226
|   Connection: close
|   Content-Type: text/html; charset=iso-885

```

Stage 2: Tech Fingerprinting (whatweb)

Command: whatweb -v 2 http://opencaching.de

Duration: 12.4s

```

WhatWeb report for [1m][34mhttp://opencaching.de[0m
Status      : 301 Moved Permanently
Title       : [1m][33m301 Moved Permanently[0m
IP          : 87.230.95.54
Country     : [1m][31mGERMANY, DE[0m

```

Summary : ■[1mApache■[0m■[1m■[32m2■[0m], ■[1mHTTPServer■[0m■[1m■[36mApache/2■[0m], ■[1mRedirectLocation■[0m]

Detected Plugins:

[■[1mApache■[0m]

■The Apache HTTP Server Project is an effort to develop and
■maintain an open-source HTTP server for modern operating
■systems including UNIX and Windows NT. The goal of this
■project is to provide a secure, efficient and extensible
■server that provides HTTP services in sync with the current
■HTTP standards.

■Version : ■[1m■[32m2■[0m (from HTTP Server Header)

■Google Dorks: (3)

■Website : http://httpd.apache.org/

[■[1mHTTPServer■[0m]

■HTTP server header string. This plugin also attempts to
■identify the operating system from the server header.

■String : ■[1m■[36mApache/2■[0m (from server string)

[■[1mRedirectLocation■[0m]

■HTTP Server string location. used with http-status 301 and
■302

■String : ■[1m■[36mhttps://opencaching.de/■[0m (from location)

HTTP Headers:

■HTTP/1.1 301 Moved Permanently

■Date: Sat, 27 Jun 2026 21:14:28 GMT

■Server: Apache/2

■Location: https://opencaching.de/

■Content-Length: 231

■Connection: close

■Content-Type: text/html; charset=iso-8859-1

■

WhatWeb report for ■[1m■[34mhttps://opencaching.de/■[0m

Status : 301 Moved Permanently

Title : ■[1m■[33m301 Moved Permanently■[0m

IP : 87.230.95.54

Country : ■[1m■[31mGERMANY, DE■[0m

Summary : ■[1mApache■[0m■[1m■[32m2■[0m], ■[1mHTTPServer■[0m■[1m■[36mApache/2■[0m], ■[1mRedirectLocation■[0m]

Detected Plugins:

[■[1mApache■[0m]

■The Apache HTTP Server Project is an effort to develop and
■maintain an open-source HTTP server for modern operating
■systems inc

Stage 3: WAF Detection (wafw00f)

Command: wafw00f http://opencaching.de

Duration: 12.2s

```
? ,. ( . ) . "
      ?? (" ) )' ,' ) . ( ` ' `
(__( )'`; ??? .; ) ' (( " ) ;(, (( ( ;) " )")
```

$\frac{f}{g} = \frac{f'}{g'}$

~ WAFW00F : v2.4.2 ~

~ Sniffing Web Application Firewalls since 2009 ~

```
[*] Checking http://opencaching.de
[+] Generic Detection results:
[-] No WAF detected by the generic detection
[~] Number of requests: 7
```

Stage 4: Subdomain Discovery (subfinder)

Command: subfinder -d opencaching.de -silent

Duration: 15.7s

forum.opencaching.de
oc0004.opencaching.de
rwd.opencaching.de
teamwiki.opencaching.de
www.wiki.opencaching.de
centos7.opencaching.de
extremelarge.opencaching.de
local.opencaching.de
phpbb.opencaching.de
oc002.opencaching.de
oc003.opencaching.de
blog.opencaching.de
idifix.opencaching.de
media.forum.opencaching.de
news.forum.opencaching.de
oc0003.opencaching.de
small.opencaching.de
test.opencaching.de
ts.opencaching.de
cms.opencaching.de
develforum.opencaching.de
ticket.opencaching.de
www.opencaching.de
www.blog.opencaching.de
zammad.opencaching.de
backup.opencaching.de
maps.opencaching.de
download.opencaching.de
meeting.opencaching.de
nano.opencaching.de
wiki.opencaching.de
blubber.opencaching.de
www2.opencaching.de
local5.opencaching.de
store.forum.opencaching.de
talk.opencaching.de
try.opencaching.de
try.test.opencaching.de
web.opencaching.de
db2.opencaching.de
gw.opencaching.de
large.opencaching.de

```
micro.opencaching.de
mx.opencaching.de
oc0002.opencaching.de
office.opencaching.de
redmine.opencaching.de
oc0001.opencaching.de
staging.opencaching.de
testblog.opencaching.de
unknown.opencaching.de
ww.opencaching.de
cloud.opencaching.de
devel.opencaching.de
```

Stage 5: Spider & URL Discovery (katana)

Command: `katana http://opencaching.de -silent -jc -d 3`

Duration: 0.7s

$\frac{1}{\sqrt{\pi}} \int_0^x \frac{f(t)}{\sqrt{x-t}} dt$

■■projectdiscovery.io

```
[■[34mINF■[0m] Current katana version v1.6.1 (■[92mlatest■[0m)
```

```
[31mERR[0m] could not create runner: cause="no inputs specified for crawler" chain="could not validate optio
```

Stage 6: Directory Discovery (ffuf)

Command: ffuf -w /usr/share/wordlists/dirb/common.txt -u http://opencaching.de/FUZZ -e .php,.html -t 50

Duration: 25.2s

```
■[2K.passwd.php [Status: 301, Size: 242, Words: 14, Lines: 8, Duration: 68ms]■[0m
```

■[2K.html [Status: 301, Size: 236, Words: 14, Lines: 8, Duration: 75ms]■[0m

```
■[2K.listing [Status: 301, Size: 239, Words: 14, Lines: 8, Duration: 75ms]■[0m
```

```
■[2K.bash_history.php [Status: 301, Size: 248, Words: 14, Lines: 8, Duration: 75ms]■[0m
```

```
■[2K [Status: 301, Size: 231, Words: 14, Lines: 8, Duration: 100ms]■[0m
```

```
■[2K.passwd.html [Status: 301, Size: 243, Words: 14, Lines: 8, Duration: 68ms]■[0m
```

```
■[2K.perf [Status: 301, Size: 236, Words: 14, Lines: 8, Duration: 67ms]■[0m
```

```
■[2K.perf.html [Status: 301, Size: 241, Words: 14, Lines: 8, Duration: 67ms]■[0m
```

■[2K.perf.php [Status: 301, Size: 240, Words: 14, Lines: 8, Duration: 67ms]■[0m

■[2K.profile [Status: 301, Size: 239, Words: 14, Lines: 8, Duration: 65ms]■[0m

```
■[2K.profile.php [Status: 301, Size: 243, Words: 14, Lines: 8, Duration: 66ms]■[0m
```

■[2K.profile.html [Status: 301, Size: 244, Words: 14, Lines: 8, Duration: 65ms]■[0m

```
■[2K.rhosts [Status: 301, Size: 238, Words: 14, Lines: 8, Duration: 66ms]■[0m
```

```

■[2K.rhosts.php           [Status: 301, Size: 242, Words: 14, Lines: 8, Duration: 66ms]■[0m
■[2K.rhosts.html          [Status: 301, Size: 243, Words: 14, Lines: 8, Duration: 66ms]■[0m
■[2K.sh_history           [Status: 301, Size: 242, Words: 14, Lines: 8, Duration: 70ms]■[0m
■[2K.sh_history.php       [Status: 301, Size: 246, Words: 14, Lines: 8, Duration: 65ms]■[0m
■[2K.sh_history.html      [Status: 301, Size: 247, Words: 14, Lines: 8, Duration: 67ms]■[0m
■[2K.ssh                  [Status: 301, Size: 235, Words: 14, Lines: 8, Duration: 68ms]■[0m
■[2K.ssh.php              [Status: 301, Size: 239, Words: 14, Lines: 8, Duration: 66ms]■[0m
■[2K.subversion           [Status: 301, Size: 242, Words: 14, Lines: 8, Duration: 67ms]■[0m
■[2K

```

Stage 7: CVE & Exposure Scan (nuclei)

Command: nuclei -u http://opencaching.de -t /home/kali/.local/nuclei-templates/http/exposures/ -s medium,high -c 30 -timeout 5

Duration: 15.3s

```

—      —
  ____ _  ____/ /_  ( )
 / _  \ / / / / _  \ /
 / / / / _ / / / _  \ /
 / / / _ \ / \ / \ /   v3.8.0

```

■■projectdiscovery.io

```

[■[34mINF■[0m] Current nuclei version: v3.8.0 (■[91moutdated■[0m])
[■[34mINF■[0m] Current nuclei-templates version: v10.4.5 (■[92mlatest■[0m])
[■[34mINF■[0m] New templates added in latest release: 86
[■[34mINF■[0m] Templates loaded for current scan: 227
[■[34mINF■[0m] Executing 227 signed templates from projectdiscovery/nuclei-templates
[■[34mINF■[0m] Targets loaded for current scan: 1
[■[34mINF■[0m] Templates clustered: 8 (Reduced 6 Requests)
[■[34mINF■[0m] Scan completed in 14.700211359s. No results found.

```

Stage 8: XSS Testing (dalfox)

Command: dalfox url http://opencaching.de --timeout 20 --silence

Duration: 197.8s

Stage 9: SQL Injection (sqlmap)

Command: sqlmap -u http://opencaching.de --batch --level 3 --risk 2 --timeout 10 --retries 1 --forms

Duration: 20.7s

```

—
  _H_
  _["]_____ {1.10.5#stable}
|_ -| . [']    | .' | . |
|_|_|_ ( )_|_|_|_|_|_|_|_|

```

```
|_|V...      |_| https://sqlmap.org
```

```
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the
```

```
[*] starting @ 17:19:09 /2026-06-27/
```

```
[17:19:09] [INFO] testing connection to the target URL
```

```
[17:19:19] [CRITICAL] connection timed out to the target URL. sqlmap is going to retry the request(s)
```

```
[17:19:19] [WARNING] if the problem persists please check that the provided target URL is reachable. In case th
```

```
[17:19:29] [CRITICAL] connection timed out to the target URL
```

```
[*] ending @ 17:19:29 /2026-06-27/
```

Stage 10: Parameter Discovery (arjun)

Command: arjun -u http://opencaching.de -d 2 -m GET

Duration: 18.9s

```
■[92m      _
    /_| _ '
  (  | / /(//) v2.2.7
    _/      ■[0m
```

```
■[1;97m[*]■[0m Scanning 0/1: http://opencaching.de
```

```
■[1;97m[*]■[0m Probing the target for stability
```

Traceback (most recent call last):

```
File "/home/kali/.local/bin/arjun", line 6, in <module>
    sys.exit(main())
~~~~^^
```

```
File "/home/kali/.local/lib/python3.13/site-packages/arjun/__main__.py", line 204, in main
    these_params = initialize(request, wordlist, single_url=is_single)
```

```
File "/home/kali/.local/lib/python3.13/site-packages/arjun/__main__.py", line 133, in initialize
    mem.var['healthy_url'] = response_1.status_code not in (400, 413, 418, 429, 503)
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

AttributeError: 'str' object has no attribute 'status_code'