

Практика 2.2

В ходе выполнения практической работы была настроена базовая инфраструктура проекта с использованием системы контроля версий Git и удалённого репозитория GitHub.

Сначала был выполнен переход в локальный репозиторий проекта, после чего проверено текущее состояние репозитория и список существующих веток с помощью команд `git status` и `git branch`.

Далее был выполнен переход на основную рабочую ветку разработки `dev` с помощью команды `git checkout dev`.

После этого была создана новая ветка от ветки `dev` для внесения изменений с использованием команды `git checkout -b feature/fix-report`.

В рамках работы в новой ветке был создан файл `README.md`, после чего выполнена проверка состояния репозитория, где было отображено наличие неотслеживаемого файла.

Затем файл был добавлен в индекс с помощью команды `git add README.md`, и выполнен коммит изменений с использованием команды `git commit -m "Add README for report"`.

После фиксации изменений ветка была отправлена на удалённый репозиторий GitHub с помощью команды `git push -u github feature/fix-report`.

Далее для демонстрации работы CI/CD была создана дополнительная ветка `feature/test-ci`, в которой были внесены незначительные изменения в файл проекта, выполнен коммит и отправка изменений на удалённый репозиторий.

```
Malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (new_branch)
$ git status
On branch new_branch
nothing to commit, working tree clean

Malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (new_branch)
$ git branch
dev
* new_branch

Malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (new_branch)
$ git checkout dev
Switched to branch 'dev'

Malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (dev)
$ git checkout -b feature/fix-report
Switched to a new branch 'feature/fix-report'

Malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (feature/fix-report)
$ echo "update for report" >> README.md

Malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (feature/fix-report)
$ git status
On branch feature/fix-report
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    README.md

nothing added to commit but untracked files present (use "git add" to track)

Malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (feature/fix-report)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it

Malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (feature/fix-report)
$ git status
On branch feature/fix-report
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   README.md

Malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (feature/fix-report)
$ git commit -m "Add README for report"
[feature/fix-report c165d1d] Add README for report
1 file changed, 1 insertion(+)
create mode 100644 README.md
```

```

malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (feature/fix-report)
$ git push -u github feature/fix-report
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 338 bytes | 338.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/fix-report' on GitHub by visiting:
remote:   https://github.com/malikathestar-beep/unimalika/pull/new/feature/fix-report
remote:
To https://github.com/malikathestar-beep/unimalika.git
 * [new branch]      feature/fix-report -> feature/fix-report
branch 'feature/fix-report' set up to track 'github/feature/fix-report'.

malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (feature/fix-report)
$ git checkout dev
Switched to branch 'dev'

malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (dev)
$ git pull github dev
remote: Enumerating objects: 17, done.
remote: Counting objects: 100% (13/13), done.
remote: Compressing objects: 100% (7/7), done.
remote: Total 8 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (8/8), 3.02 KiB | 171.00 KiB/s, done.
From https://github.com/malikathestar-beep/unimalika
 * branch            dev              -> FETCH_HEAD
   00538a8..ff71465  dev              -> github/dev
Updating 00538a8..ff71465
Fast-forward
 .github/workflows/ci.yml | 16 ++++++
 1fail.txt                |  2 +-
 README.md                |  1 +
 3 files changed, 18 insertions(+), 1 deletion(-)
 create mode 100644 .github/workflows/ci.yml
 create mode 100644 README.md

malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (dev)
$ git checkout -b feature/test-ci
Switched to a new branch 'feature/test-ci'

malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (feature/test-ci)
$ echo "test c1" >> 1fail.txt

malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (feature/test-ci)
$ git add 1fail.txt
warning: in the working copy of '1fail.txt', LF will be replaced by CRLF the next time Git touches it

malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (feature/test-ci)
$ git commit -m "Test c1 pipeline"
[feature/test-ci c620bae] Test c1 pipeline
1 file changed, 1 insertion(+)




malika@DESKTOP-G8DNM07 MINGW64 ~/Desktop/репозиторий (feature/test-ci)
$ git push -u github feature/test-ci
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 330 bytes | 330.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/test-ci' on GitHub by visiting:
remote:   https://github.com/malikathestar-beep/unimalika/pull/new/feature/test-ci
remote:
To https://github.com/malikathestar-beep/unimalika.git
 * [new branch]      feature/test-ci -> feature/test-ci
branch 'feature/test-ci' set up to track 'github/feature/test-ci'.


```

После отправки изменений на GitHub была создана новая ветка с изменениями и оформлен Pull Request в ветку dev. После проверки изменений Pull Request был успешно принят и объединён с основной веткой.

Далее был добавлен файл конфигурации GitHub Actions (.github/workflows/ci.yml), который обеспечивает автоматический запуск pipeline при создании Pull Request.

После этого был создан дополнительный Pull Request, при котором автоматически запустился pipeline. По результатам выполнения был получен статус успешного завершения проверки (check passed), после чего изменения были объединены с веткой dev.





The screenshot shows a GitHub Pull Request (PR) page. At the top, the repository is 'unimalika' by user 'maikathtar-beep'. The PR title is 'Test c1 pipeline #6'. It is marked as 'Merged' and was merged by 'maikathtar-beep' 9 minutes ago. The PR description is empty. Below the description, there are tabs for 'Conversation', 'Commits', 'Checks', and 'Files changed'. The 'Checks' tab is selected, showing a single check named 'Test c1 pipeline' with a status of 'c520bae'. The check details show two jobs: '.github/workflows/django.yml' (on: push) and 'c1' (on: pull_request), both with a status of '1'. The right sidebar is empty, with a message 'Select a check to view from the sidebar'.

maikathestar-beep / unimalika

Code

Issues

Pull requests

Actions

Projects

Wiki

Security and quality

Insights

Settings

Test c1 pipeline #1

Re-run all jobs

Summary

All jobs

build

Run details

Usage

Workflow file

Triggered via pull request 10 minutes ago

Status

Total duration

Artifacts

maikathestar-beep opened #6 [feature/test-c1](#)

Success

8s

—

c1.yml

on: pull_request

build

3s

Annotations

1 warning

build

Node.js 20 actions are deprecated. The following actions are running on Node.js 20 and may not work as expected: actions/checkout@v4. Actions will be forced to run with Node.js 24 by default starting June 2nd, 2026. Node.js 20 will be removed from the default workflow run.

Show more