FTP Manager Release Notes

Version 7.6 released 08/30/2018

1823. Changed copyright to Vision Solutions

1822. An FTMAUTO command for an SSH sFTP Auto Scan failed on a call to the AN0108 program. This is corrected.

1821. The FTP_RETRY job was not creating the ALLFTM100W library if it does not exist. That is corrected.

1820. The upgrade process was trying to decrypt Twilio credentials when the fields were blank. This is corrected.

1819. EULA updated with Syncsort EULA.

1818. The ATC5709 message related to a failed SSH sFTP transfer had a severity of 00. The severity has been changed to 70 for error handling.

1817. Changed the default for the SSH sFTP LS file check when adding an FTP Definition. '4' for force is now the default.

1816. Regular FTP sessions were not recognizing an error during a GET session when the file could not be created in the local directory. This is corrected.

1815. If the path to OpenSSH is blank in the global configuration, of if the path is no longer valid, SSH sFTP sessions will now automatically find the most recent version of OpenSSH on the system and use that.

Version 7.05.001 released 05/17/2018

1814. The PGPKEYVIEW command now has an option to list the details of one specific key instead of listing all the keys.

1812. When copying an IFS file to a library in a Directory Scan, the IFS path and file name is now added to the text of the physical file if the scan has to create that file.

Version 7.04.001 released 03/26/2018

1808. The FTMUNZIP command fails with the .zip extension is in uppercase, this is corrected.

1807. SSL FTPS Auto Scans did not have an option for ASCII transfers, all transfers defaulted to binary. An option has been added.

1806. SSH sFTP Auto Scans were not substituting date or user variables in the listing session, this is corrected.

1804. When enrolling a host key from a remote server for SSH sFTP transfers, users now have the ability to enroll the

host key in the OpenSSH known host file, allowing all users to use the host key in SSH sFTP transfers. Users will need to reinstall SSH utilities in order to use this function if SSH utilities were installed in version 7.03.001 or earlier.

1803. Added additional info to SSH sFTP logs: FTP Definition, script, script library/file, and path to password program.

1802. A shared lock was left on library files during a Library Scan, even if the "Lock during processing" option was turned off. This is corrected.

1801. Error conditions can cause the DIST_SPLF job to not end with the FTMENDSBS command. This is corrected.

1800. An option has been added to the FTP history option which allows users to view the logs in order of the name of the session (FTP Definition).

1799. Directory Scans performing PGPCL9 encryption, when defined in the scan itself, were not creating a PGP log. This is corrected.

Version 7.03.001 released 02/01/2018

1798. When the "Remote file or *FILE" option in FTP Definitions was not set to *FILE, the remote variable passed to FTMSFTPD or FTMSFTPEXC was changed to this value. This could affect programs using these commands and the name of the archived file in scans. This is corrected.

1797. The FTMENDSBS command has been created. This gives the ability to end the ALLFTM100 subsystem gracefully. Jobs are checked that they are not processing files before they are ended.

1796. The AN9015C maintenance program was not clearing SSH work files from the IFS and the ALLFTM100W library.

1793. The 'Last used date' in most Auto Scans were noting the date the scan started, not the last date the scan attempted to retrieve files. This is corrected.

1791. The FTMEXECI API was not properly substituting the local file name passed to it when 'LOCAL' was indicated in the FTP Definition. This is corrected.

1790. Directory Scans now have the ability to run as their own job outside the SCAN_DIRS job. If the option is enabled in the scan definition, a job with the same name as the scan will start as its own job.

1789. The 'override' and 'force' options for the SSH sFTP LS file check option were showing as part of the SSH sFTP password option when viewing FTP Definitions. This is corrected.

Version 7.02.001 released 12/14/2017

1787. The user ID and password in SSL FTPS Auto Scans have been increased from 16 bytes to 32 bytes.

1786. If a file is in use during a Directory Scan, the file is still being archived when "Skip when in use" is indicated. The file is now left in the directory.

1785. When adding an SSL FTPS Auto Scan, the option to receive to a directory only allowed for 20 bytes, but changing an Auto Scan allowed for 64 bytes. They are now both 64 bytes. \

1784. The FTMSTRSPLF command has been created to allow users to start the DIST_SPLF job under the ALLFTM100 subsystem without having to stop and restart the subsystem.

1783. The FTMSTRLIB command has been created to allow users to start the SCAN_LIBR job under the ALLFTM100 subsystem without having to stop and restart the subsystem.

1782. When pushing F1 for help in the email logging option, the wrong program was called. This is corrected.

1781. The FTMSTRDIR command has been created to allow users to start the SCAN_DIRS job under the ALLFTM100 subsystem without having to stop and restart the subsystem.

1780. The SSL FTPS session will not send a 'passive' command in a Directory Scan if the File Action starts with or has a wildcard (*) in the middle. This is corrected.

Version 7.01.001 released 11/08/2017

1779. The restore of AES256 during an upgrade can cause a failure. AES256 is now removed before the correct version is restored. The ownership of AES256 in the AESAPIV2 save file has also been corrected to ALLFTMOWN.

1778. FTP Definitions now have an option to email the log of the session.

1777. Added the option to send Twilio text messages in Library Scan Directory Scans, Auto Scans, and FTP Definitions. The option will send text messages for failure, success, or both.

1776. Increased the maximum amount of files an SSH sFTP Auto Scan will pick up in a single session from 1000 files to 5000 files.

1775. Added support for sending Twilio SMS text messages.

Version 7.00.001 released 09/15/2017

1774. FTMSFTPD and FTMSFTPEXC were not properly using the local and remote file names when they were indicated in the FTP Definition. This is corrected.

1773. An option to print logs as text files to the IFS has been added to application logs, email logs, FTP history logs, and SSL/Alliance client logs. Logs will print to '/Alliance/Logs' directory.

1772. Users are no longer required to use single quotes around user ID's and passphrases with interactive PGP commands. The commands will automatically preserv the case. Users can still use quotes.

1771. Some SSH sFTP API's could assume FTP Manager is running in an iASP if an ASP group has been set, even if it is not in an iASP. This is corrected.

1770. When viewing Directory Scan File Actions, the 'Position to' function was not positioning to the correct record. The option also did not allow for lowercase characters. This is corrected

1769. An environmental variable for SSH sFTP password authenticated sessions was being left after the session completed. This can cause issues in subsequent sessions as a password could be issued for sessions not using password authentication. This is corrected.

1768. We created an option to view Alliance Client logs in the Inquiry menu. This will display SSL logs, Standard FTP Auto Scan logs, and logs from the FTPPUTFILE and FTPGETFILE commands. Previously a user had to 'Position to' logs starting with LOG* in the Application logs.

1767. We added the FTMSAVAUTO and FTMRSTAUTO commands which gives the ability to save and then restore an Auto Scan, as well as any FTP Definitions, scripts, and Directory Profiles that the scan uses.

1765. Directory Scans change the authorities of the archive directory before moving the processed file to the archive directory. Authorities on the archive directory are now left as they were originally defined.

1764. The password of the SSL FTP option in the File Actions of Directory Scans are displayed when printing a File Action. This will no longer display the password to the remote server.

1763. The FTP Definition used for making the list of files on a remote server during a Managed Auto Scan (scan type 1) does not update the 'Last used date' of the definition. This is done in the FTMDIRL API which can be used in the

FTMDIRL command. This is corrected.

1762. If the after option is set to delete in a Directory Scan, and no archive directory is specified, and the user running the job does not have authority to the root directory, the file may not get deleted. This is corrected.

1761. The FTMSAVLIB command has been created to allow saving a Library Scan to a save file so that it can then be restored using the FTMRSTLIB command. The command will save the scan, all File Actions for the scan, any FTP Definitions used by the scan, and any scripts used by the FTP Definitions.
When restoring, users must indicate if they would like replace existing scans, File Actions, FTP Definitions, or scripts that already exist. Only scripts in ALLFTM100/SCRIPT are saved or restored.

1760. The PGPVERIFY command has been added. The command will show the hex ID of the PGP key which encrypted a PGP file. If the private key exists in the key ring, and a passphrase to that key is given, the output will also show if the PGP file was signed by a public key and what cipher was used for encryption.

1759. The FTMSAVDIR command has been created to allow saving a Directory Scan to a save so that it can then be restored using the FTMRSTDIR command. The command will save the scan, File Actions for the scan, any FTP Definitions used by the scan, and any scripts used by the FTP Definitions.
When restoring, users must indicate if they would like to replace the existing scan, File Actions, FTP Definitions, or scripts that already exist. Only scripts in ALLFTM100/SCRIPT are saved or restored.

1757. The FTMREPORT command has been enhanced to allow printing reports based on a session name.

1754. FTP Definitions now have an option to add double quotes around file and path names when using the &ll and &rr substitution variables in scripts.

1753. An issue was reported where the SSHDLT script would be empty when FTMSFTPDLT was trying to copy the script to a work file. Now if that happens, we will try to copy it from an archived file.

1751. An option has been added to File actions in Directory Scans to send a message when files have been skipped due to being in use.

1750. Managed FTP Auto Scans limit file names to 64 bytes in length. This has been enhanced to allow for file names up to 128 bytes.

Version 6.60.001 released 12/10/2016

1749. SSH sFTP sessions with the retry option enabled were not retrying under all error conditions, this is corrected

1746. Library and Directory Scans now have separate delay intervals, they can be set in the application's global configuration.

1745. A remote file name option has been added to the FTMSFTP command. Users can now specify a remote name if they do not want to use the local file's member name.

1744. Added the ALLFTMUSR job queue for customers to use for their own jobs.

1743. The NETSEND command is updated to add some new job definition options.

1742. Added configuration auditing to the FTP definition.

1741. Added configuration audit capability to Alliance FTP Manager. This updates the product to write audit changes to the QAUDJRN journal.

1740. An sFTP session might not detect the successful transfer of a file on a GET operation producing a 5709 error. This is corrected.

1739. IFS attachments were not being sent with emails. This is corrected.

1738. The FTMSFTPEXC program was incorrectly reading the LS file check option in the FTP Definition, causing it to never use option 4. This is corrected.

1736. Added the option for using a fixed record and LF's for the end of line charcter when sending library files via SSH sFTP sessions. The new option will leave trailing blanks and append LF's at the end of each record.

1735. When using a wildcard at the beginning of a naming convention in a Directory Scan file action, SSL FTPS sessions do not recieve what versions of SSL/TLS to use resulting in the session failing. This is corrected.

1730. If upgrading from a previous version installed in an iASP, the license keys can be cleared. An error can also occur if live mobility licensing was not implemented in the previous version. These conditions are corrected.

1729. The remote system address in FTP Definitions has been expanded to 64 bytes.

1728. Created the FTMSFTPDLT command which can be used to initiate an SSH sFTP session to remove a file from a remote SSH sFTP server.

1725. Using the FTMSCANDIR can produce an error if the directory being scanned has files which match inactive file actions or files that do not have a file action. A message will be to the error message queue but the command will no longer report an error.

1723. When granting authority for a user to DCM files the application was granting *RWX authority. This is more authority than is needed and the program has been changed to grant *RX authority.

1722. Locks were being left on files in library scans if the file action was outside the time for operations, or if the file action was inactive. This is corrected.

1720. The auto-scan list display has been enhanced to make the change of status from active to inactive much easier to do.

Version 6.40.001 released 06/07/2016

1719. The iASP support in FTP Manager had errors during the installation process. These have been corrected.

1718. If the StrictHostKeyChecking option in OpenSSH is set to 'ask', SSH sFTP session can loop when the known_hosts file is corrupted or has a corrupted host key. SSH sFTP will now set StrictHostKeyChecking to 'yes' to prevent looping. This also maintains the security of preventing another server hijacking the remote server's address and acting like the intended remote server we are attempting to connect to. Also removed changes related to release note #1708.

1717. The email generated from SSH sFTP transfers was not always reporting the needed information. All SSH sFTP transfers should now specify the FTP Definition, the local file, and the remote file unless the file name is hard coded in the script.

1716. The Directory Scan configuration asks for an encryption key when decryption is specified. The application does not need to have the name of the key for PGP decryption. The application will now only check for an encyrption key if encryption is specified.

1715. The GXS FTP server is sending an invalid password dialog response code of 331. The FTPCLN client service program is

updated to support this response code. There are also issues with how we detect single/multiple lines when a partial buffer is received.

1714. The FTMSFTP and FTMSFTPD API's were not properly reporting PGP errors. This is corrected.

1713. When the resubmit jobs option is enabled, scans end and fail to resubmit if FTP Manager is running in an iASP due to looking for job descriptions in ALLFTM100 instead of ALLFTMSYS. This is corrected.

1712. Directory Scan sometimes deletes the original PGP encrypted file when a decryption fails. This is corrected.

1710. The internal logic used by Alliance FTP manager to determine if the product is running in an iASP environment relied on retrieving the attributes of the current job. In some cases customers install FTP Manager in the System iASP but assign iASP groups to a user and job. The logic is changed to determine the installation type by inspecting the presence of the library ALLFTMSYS and by examining the iASP group name of library ALLFTM100.

1709. Correct the logic that scans an SFTP log for put and get operations to also look for mput and mget operations.

1708. Implement the Number Of Password Prompts option for SSH sFTP sessions to avoid hanging conditions. See IBM PMR 59493,082,000.

1707. Add support for license mobility.

1706. Adding some Linux compatibility programs.

1705. During a library scan, the scan was putting an exclusive lock on every file in the library as the list of files was built, regardless of if a file action for the files existed. The application will now use a shared lock until the scan is ready to process the file.

1703. Directory Scans will now check that a pass phrase is given when decryption is indicated in the scan.

1702. The job descriptions for the FTM_EXEC and FTM_RETRY jobs were not getting changed when the user was changed in the global configuration. The job description for the FTM_RETRY job was also not updated during upgrades. These jobs use the ALLFTMEXEC and ALLFTMRTY job descriptions. This is corrected.

1700. The FTMSTRMNT command was not purging temporary SSH work files in the '/Alliance/SSH' directory. This is corrected.

1698. Encryption using PGP CL 9 and set within the Directory Scan configurations were not signing files when signing was indicated. This is corrected.

1697. When a Directory Scan zips a file and then transfers the file via regular FTP using the 'Long file name option', the original file was being left in the scanned directory. The scan will now delete the zipped file and archive the original in order to bring the process in line with already existing zip and transfer of file processes. This also prevents files from being processed twice.

1696. Program AN6117E is used to parse the output of an SSH session. The program is enhanced to report an error if the SSH "ls" command is not found in the session.

1695. Reversed changes from change flag 1683. The change caused errors when SSH sFTP Auto Scans looked for files with a specific file name or naming convention but no files matched the name or naming convention on the remote server.

1694. The PGPDECRYPT command was not handling the .gpg extension correctly. This is corrected. The command will also now add a .out extension to the clear text file if there is not an expected PGP extension on the encrypted file's name.

1693. The SSH log was returning a 5709 error when the force option was enabled. This is corrected.

1692. Removed the email option from FTP history logs.

1691. The shell script for SSH sFTP sessions will now include a command to make sure the output of the session has a CCSID of 37 to prevent application logs from having an incorrect CCSID which makes the log unreadable.

1690. Upgrades will now check to make sure the ALLFTMOWN authorization list exists and the ALLFTMOWN profile owns objects before starting an upgrade.

1689. Added cleanup of some email work files in the maintenance programs.

1688. When enrolling a remote SSH sFTP server, we will now display the user profile's "known_hosts" file after enrolling the key.

1687. Using the PGPSIGN command with PGP NAI7 to produce a plain text file errors when the signature file and original file are to be joined. This is corrected.

1686. The ARMOR, SEPARATE, and TEXT options in the PGPSIGN command were not being referenced. This is corrected.

1685. When sending library files via SSH sFTP, the remote file

name was the name of the library file. When multiple members are sent from a single file, the remote file would get overwritten as each member sent would have the same name. FTMSFTP will now use the member name to prevent this.

1684. Submitting a job to call FTMSFTPEXC could result in a truncated remote file name, this is corrected.

1683. Errors in the file listing of SSH sFTP Auto Scans were not being reported. This is corrected.

1682. The Auto-Scan facility has been changed to ignore lines that are returned with a virtual or a logged in the DIR listing that is returned to the ANFDIR file.

1681. Running the PGPKEYVIEW command more than once in batch can cause an error. This is corrected.

1680. Added a *NEW option for implicit SSL FTP when using the FTPPUTFILE and FTPGETFILE commands. This option will issue the protection (PROT) and buffer size (PBSZ) commands which some SSL FTP servers are now requiring for implicit connections.

1679. PGP encryption fails while encrypting a library file when a user's current diretory is not the root directory and the 'Change current directory' option is set to 'No' due to AN0235C looking for the translation table off the user's current directory. This is corrected.

1678. SSH sFTP sessions report a successful transfer when the SSH sFTP path is blank in the global configuration. An error will now be reported.

1677. The FTMEXEC API was not masking the password in diagnostic spool files. This is corrected.

1676. The standard FTP session (IBM) might report an error on a successful PUT operation if there was a previous error code. And a GET operation might be marked as successful if a previous CD operation failed. These are corrected.

1675. Directory Scans could fail to report PGP errors when sending files using regular FTP. This is corrected.

1674. Corrected the error message for email notifications in Standard FTP Auto Scans.

1673. PGP error 3064 is a warning error and not a fatal error. It has been removed from the ANPGPE file and the related build file.

1672. The FTPPUTFILE command was not setting the SSL and TLS options correctly.

1671. When sending files using SSH sFTP, the "Remote file" option in the FTP Definition was not recognized. This is corrected.

Version 6.31.001 released 03/31/2015

1670. Updated OpenSSH paths for version 6.6p1 which is the version currently used on the V7R2 OS, and V7R1 after recent IBM PTF's have been issued.

1669. Added iASP support to ANLOGON and ANLOGOFF logging level programs.

Version 6.30.001 released 03/12/2015

1668. Add the response code 200 to the FTP Delete command. This is a non-architected response for storagemadeeasy.com

1667. When sending a library file via SSH sFTP with PGP encrption, the choice to convert the file to ASCII looked at the zip options, not the PGP options. This is corrected.

1666. The auto-scan facility makes a list of files to retrieve on a remote server, and performs a directory check before attempting to retrieve the file. On some remote FTP servers the previous and current level directory indicators are returned in the format:

.
..

These should not be processed by Alliance FTP Manager and the program has been updated to skip them.

1665. The FTP service program FTPCLN has been updated to support TLS versions 1.0, 1.1, and 1.2. Note that implementing support for all TLS versions may require the installation of PTFs on some versions of i5/OS, settings in DCM, and changes to system values.

1664. When using the PGPENCRYPT command and specifying LOGOPT(*YES) and ARMOR(*YES), the PGPCL9 flags get issued as one invalid flag instead of 2 valid flags. this is corrected.

1663. Added email notification to Standard FTP Auto Scans.

1662. Many of the SSL FTP functions use AUTH SSL as the security mechanism for explicit secure sessions. These are now changed to attempt AUTH TLS security first, then

fall back to AUTH SSL if that fails. Note that the DCM Application ID must enable TLS, and the new system value(s) must be changed to enable TLS. There are also PTF dependencies on some versions of i5/OS.

1661. The FTMSFTPD program was not reporting the local file in emails after an error. This is corrected.

1660. The FTMSFTPEXC command will now no longer check for a 'get' or a 'put' when the 'SSH sFTP LS file check' option is set to 4 for 'Force.' This will give more flexibility in sFTP sessions which do not transfer files.

1659. The FTP error handler would sometimes miss a GET failure after a 227 passive mode indication. This is corrected.

1658. Added the FTMSSLD command to the "FTP Manager Session Commands" menu.

1657. FTMSSLD was not reporting an error when the FTP Definition could not be found. This is corrected.

1656. When inspecting the result of a PGP operation we look for the presence of a 4-digit error code in the format NNNN: where "NNNN" is an error code in the range of 1000 to 3999 followed by the ":" character. This could cause an error if a file named ended with a 4-digit number in that range. The logic is changed to be sure that the error code is in the format (NNNN: by inspecting for the presence of the parenthesis character.