

# Hands-on Lab: File Content, Compression, & Networking Commands

Estimated time needed: 40 minutes

## Objectives

In this lab, you will be introduced to the use of basic Unix commands related to the following categories:

- File content viewing commands
- Text processing commands
- File/Folder compression & archiving commands
- Networking commands

## About Skills Network Cloud IDE


Skills Network Cloud IDE (based on Theia and Docker) provides an environment for hands on labs for course and project related labs. Theia is an open source IDE (Integrated Development Environment), that can be run on desktop or on the cloud. To complete this lab, you will be using the Cloud IDE based on Theia.

## Important notice about this lab environment


Please be aware that sessions for this lab environment are not persisted. Thus, every time you connect to this lab, a new environment is created for you and any data or files you may have saved in a previous session will be lost. To avoid losing your data, plan to complete these labs in a single session.

## Setup

Open a new terminal, by clicking on the menu bar and selecting Terminal->New Terminal, as in the image below.



This will open a new terminal at the bottom of the screen as seen below.



You can run the commands provided in the following excercises in your newly opened terminal. You can copy the code to your clipboard if you like by clicking on the little copy button on the bottom right of each codeblock, and then paste it on the command line.

## Exercise 1 - Viewing file content

In this exercise, you will work with commands for viewing file content.

## **Important:** In order to complete this section, you must run the following in your current directory:

wget https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash%20Scripting/usdoi.txt

#### 1.1. Display all file contents

#### cat

The cat command displays contents of files.

The following command prints the content of the file usdoi.txt which you downloaded earlier.

cat usdoi.txt

#### 1.2. Display file contents page-wise

#### more

The more command displays the file contents page by page.

Press spacebar to display the next page.

more usdoi.txt

#### 1.3. Display first few lines of a file

#### head

Print the first 10 lines of the file usdoi.txt.

head usdoi.txt

You can specify the number of lines to be printed.

Print the first 3 lines of the file usdoi.txt.

head -3 usdoi.txt

#### 1.4. Display last lines of a file

#### tail

Print the last 10 lines of the file usdoi.txt.

tail usdoi.txt

You can specify the number of lines to be printed.

Print the last 2 lines of the file usdoi.txt.

tail -2 usdoi.txt

#### 1.5. Count lines, words or characters

#### WC

If you want to find the number of lines, words and characters in a file, for example usdoi.txt, enter the command:

wc usdoi.txt

The output contains the number of lines followed by number of words followed by number of characters in the file.

To print only the number of lines in usdoi.txt, use the -l option:

wc -l usdoi.txt

To print only the number of words in usdoi.txt, use the -w option:

wc -w usdoi.txt

To print only the number of characters in usdoi.txt, use te -c option:

wc -c usdoi.txt

## Exercise 2: Customizing view of file content

#### 2.1. View sorted file lines

#### sort

To view the sorted lines of usdoi.txt:

sort usdoi.txt

To view the reverse-sorted lines of usdoi.txt:

sort -r usdoi.txt

#### 2.2. View with repeated, consecutive lines merged into one

#### uniq

First download the following file:

wget https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBM-LX0117EN-SkillsNetwork/labs/module%201/zoo.txt

View the raw contents of zoo.txt:

cat zoo.txt

View the contents of zoo.txt with equal, consecutive lines merged into one:

#### 2.3. Extract lines matching specified criteria

#### grep

The grep command allows you to specify a pattern and search for lines from the input text that contain a match to the pattern.

The following command prints all lines in the file usdoi.txt which contain the word people.

grep people usdoi.txt

Some of the frequently used options for grep are:

Option	Description
- n	Along with the matching lines, also print the line numbers
- C	Get the count of matching lines
-i	Ignore the case of the text while matching
- V	Print all lines which do not contain the pattern
-W	Match only if the pattern matches whole words

Prints all lines from the /etc/passwd file, which do not contain the pattern login.

grep -v login /etc/passwd

#### 2.4. View lines of file with filter applied to each line

#### cut

The cut command allows you to view the lines of a file after a filter is applied to each line. For example, you can use cut with the -c option to view the first two characters of each line:

```
cut -c -2 zoo.txt
```

or each line starting from the second character:

cut -c 2- zoo.txt

#### 2.5. View multiple files side by side

#### paste

Download the following file:

wget https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBM-LX0117EN-SkillsNetwork/labs/module%201/zoo\_ages.txt

The paste command allows you to view multiple files at once - with lines being aligned as columns. You can see what that looks like by entering:

paste zoo.txt zoo\_ages.txt

You can also customize the delimiter. Instead of the defaulttab, you could specify a comma as follows:

paste -d "," zoo.txt zoo\_ages.txt

## Exercise 3: File and folder archiving and compression

#### 3.1. Create and manage file archives

The tar command allows you to pack multiple files and directories into a single archive file.

The following command creates an archive of the entire /bin directory into a file named bin.tar.

The options used are as follows:

Option	Description			
-C	Create new archive file			
-V	Verbosely list files processed			
-f	Archive file name			
tar -cvf bin.tar /bin				

To see the list of files in the archive, use the -t option:

```
tar -tvf bin.tar
```

To untar the archive or extract files from the archive, use the -x option:

```
tar -xvf bin.tar
```

Use the ls command to verify that the folder bin is extracted.

```
ls -l
```

#### 3.2. Package and compress archive files

#### zip

The zip command allows you to compress files.

The following command creates a zip file named config.zip consisting of all the files with extension .conf in the /etc directory.

```
zip config.zip /etc/*.conf
```

The -r option can be used to zip an entire directory.

The following command creates an archive of the /bin directory.

```
zip -r bin.zip /bin
```

#### 3.3. Extract, list, or test compressed files in a ZIP archive

#### unzip

The following command lists the files of the archive called config.zip

```
unzip -l config.zip
```

The following command extracts all the files in the archive bin.zip.

```
unzip -o bin.zip
```

We added the -o option to force overwrite, in case you run the command more than once.

You should see a folder named bin created in your directory.

## Exercise 4 - Networking commands

#### 4.1. Show the system's host name

#### hostname

To view the current host name, run the command below.

#### hostname

You can use the -i option to view the IP adrress of the host:

```
hostname -i
```

#### 4.2. Test if a host is reachable

#### ping

Check if <u>www.google.com</u> is reachable. The command keeps sending data packets to the <u>www.google.com</u> server and prints the response it gets back. (Press Ctrl+C to stop pinging)

```
ping www.google.com
```

If you want to ping only for a limited number of times, use -c option.

```
ping -c 5 www.google.com
```

#### 4.3. Display network interface configuration

#### ifconfig

The ifconfig command is used to configure or display network interface parameters for a network.

To display the configuration of all network interfaces of the system, enter:

#### ifconfig

To display the configuration of an ethernet adapter etho, enter:

```
ifconfig eth0
```

eth0 is usually the primary network interface that connects your server to the network.

You can see your server's IP address in line number 2 after the word inet.

#### 4.4. Transfer data from or to a server

#### curl

You can use curl to access the file at the following URL and display the file's contents on your screen:

```
curl https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash%20Scripting/usdoi.txt
```

or to access the file at the given URL and save it in your current working directory:

```
curl -O https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash%20Scripting/usdoi.txt
```

#### 4.5. Downloading file(s) from a URL

#### wget

The wget command is similar to curl - however it's primary use is for file downloading. One unique feature of wget is that it can recursively download files at a URL.


To see how wget works, first remove usdoi.txt from your current directory:

```
rm usdoi.txt
```

and re-download it using wget as follows:

wget https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash%20Scripting/usdoi.txt

## Practice exercises



5. Problem:

▼ Click here for Solution

grep "not installed" /var/log/bootstrap.log

https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash%20Scripting/top-sites.txt contains most popular websites. Find out all the websites that have the word org in them.

#### **▼** Click here for Hint

use the wget command to download the file.

use the grep command to search

#### ▼ Click here for Solution

wget https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash%20Scripting/top-sites.txt grep org top-sites.txt

#### ▼ Alternative Solution

curl -o top-sites.txt https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash%20Scripting/top-sites.txt grep org top-sites.txt

6. Problem:

Print the first 7 lines of top-sites.txt

▼ Click here for Hint

use the head command with the correct arguments

#### ▼ Click here for Solution

head -n 7 top-sites.txt

7. Problem:

Print the last 7 lines of top-sites.txt

▼ Click here for Hint

use the tail command with the correct arguments

#### ▼ Click here for Solution

tail -n 7 top-sites.txt

8. Problem:

Zip the file top-sites.txt into a file called top-sites.zip

- ► Click here for Hint
- ▼ Click here for Solution

zip top-sites.zip top-sites.txt

9. Problem:

Print the first three characters of each line from top-sites.txt

- ► Click here for Hint
- ▼ Click here for Solution

```
cut -c -3 top-sites.txt
```

10. Problem:

Print details of the eth0 internet adapter

- ► Click here for Hint
- ▼ Click here for Solution

ifconfig eth0

## **Authors**

Ramesh Sannareddy Sam Prokopchuk

### Other contributors

Rav Ahuja Jeff Grossman

## Change Log

Date (YYYY-MM-DD)	Version	Changed By	Change Description
2021-05-30	0.1	Ramesh Sannareddy	Created initial version of the lab
2021-11-29	0.2	Sam Prokopchuk	Update lab contents and split
2021-12-02	0.3	Jeff Grossman	Review and Update lab

Copyright (c) 2021 IBM Corporation. All rights reserved.