Project "Silent Shadow"

Passive Reconnaissance & Open-Source Intelligence (OSINT)

Course: Cybersecurity & Digital Forensics

Target: ikman.lk Online Marketplace

Name: Malindu Wijayarathna

Date: 27th February 2026

Table of Contents

Table of Contents 2

Executive Summary 3

Detailed Phase Analysis 4

Phase A: Infrastructure and DNS Mapping 4

Domain and Subdomains – Using crt.sh 4

DNS Records – Using dig 5

IP Space and ASN -Using BGP.he.net 8

Phase B: The Human Attack Surface 9

Employee Mapping – Using LinkedIn and Rocket Search 9

Email Pattern Analysis – Using Hunter.io 10

Breach History – Using HaveIBeenPwned 11

Phase C: Document and Metadata Mining 11

Google Dorking 11

Metadata Extraction – Using ExifTool 14

Phase D: Technical Stack Fingerprinting 14

Passive Profiling – Using Wappalyzer 14

Attack Surface Map 16

Risks Matrix 16

Remediation 17

Log of Tools 18

Executive Summary

This report presents the results of a passive reconnaissance (OSINT) operation conducted on ikman.lk, one of Sri Lanka's leading online marketplace platforms. The objective was to map the organizations publicly exposed digital attack surface, infrastructure footprint, and human asset visibility without performing any active scanning or leaving a footprint in the target's logs.

The assessment strictly followed passive reconnaissance methodology, relying only on publicly available information sources such as DNS records, certificate transparency logs, LinkedIn role mapping, Google Dorking techniques, metadata extraction from public documents and technology fingerprinting tools.

Key Findings:

Infrastructure and Cloud Protection: ikman.lk operates behind Cloudflare's CDN and security network, masking its origin servers and providing DDoS protection. This platform uses Amazon Web Services (AWS) for backend hosting and uses the Let's Encrypt Certificates for automated SSL management. Several operational subdomains such as admin, auth, payment, support, etc. were identified which increases the observable attack surface.

Email and SaaS Ecosystem: The DNS records indicate that ikman.lk uses Google Workspace for email services with properly configured SPF policy. The organization integrates multiple third-party services including Zendesk, Atlassian, Mandrill, and Facebook domain verifications. While these enhances its functionalities, it also increases the dependency on external SaaS platforms.

Technology Stack: The technology fingerprint reveals the use of WordPress, PHP, MySQL, and modern JavaScript libraries, along with analytics and marketing platforms such as Google Analytics (G4A), Snowplow, WebEngage, and Google Tag Manager. Security mechanisms such as HSTS and reCAPTCHA are enabled, indicating baseline security implementation.

Human Attack Surface: Publicly exposed employee names, roles and identifiable email patterns and some personal details were discovered. Technical and infrastructure related roles

are particularly valuable targets for phishing or social engineering attacks. This increases the likelihood of targeted Business Email Compromise (BEC) or credential harvesting attempts.

Public File Exposure: A third-party shortened URL inside a PDF was found that redirects to a downloadable ZIP file titled "ikman.lk". Although no malicious activity was confirmed, hosting branded files through external short URLs represents a potential brand impersonation and phishing risk.

Detailed Phase Analysis

Phase A: Infrastructure and DNS Mapping

Domain and Subdomains – Using crt.sh

The ikman.lk domain maintains multiple operational subdomains discovered through certificate transparency logs. All certificates are issued via Let's Encrypt, which indicates automated SSL Lifecycle management.

The observations include:

- Active subdomains like admin.ikman.lk, auth.ikman.lk, payment.ikman.lk, marketing.ikman.lk, support.it.ikman.lk, wiki.it.ikman.lk, etc.…
- Certifications were observable of validity of 90 days, consistent with Let's Encrypt automation.
- Separate certifications were observable for sensitive subdomains like admin, auth and payments which indicates service segmentation.
- Presence of *. it.ikman.lk and others were observable which suggest that its internal IT-related infrastructure was exposed through subdomain naming.

There was no misconfiguration observable, but the publicly visible authentication and administrative subdomains increase the reconnaissance value for the attackers.

Certificates	crt.sh ID	Logged At ⓘ	Not Before	Not After	Common Name	Matching Identities	Issuer Name
	24665312945	2026-03-26	2026-03-26	2026-05-27	reports-lms.it.ikman.lk	reports-lms.it.ikman.lk	C=US, O=Let's Encrypt, CN=R13
	24665292756	2026-03-26	2026-03-26	2026-05-27	reports-lms.it.ikman.lk	reports-lms.it.ikman.lk	C=US, O=Let's Encrypt, CN=R13
	24591469116	2026-03-23	2026-03-23	2026-05-24	ikman.lk	*.ikman.lk ikman.lk	C=GB, O=Sectigo Limited, CN=Sectigo Public Server Authentication CA DV R36
	24591468868	2026-03-23	2026-03-23	2026-05-24	ikman.lk	*.ikman.lk ikman.lk	C=GB, O=Sectigo Limited, CN=Sectigo Public Server Authentication CA DV R36
	24591481199	2026-03-23	2026-03-23	2026-05-24	ikman.lk	*.ikman.lk ikman.lk	C=GB, O=Sectigo Limited, CN=Sectigo Public Server Authentication CA DV R36
	24591447135	2026-03-23	2026-03-23	2026-05-24	ikman.lk	*.ikman.lk ikman.lk	C=GB, O=Sectigo Limited, CN=Sectigo Public Server Authentication CA DV R36
	24299557785	2026-03-10	2026-03-10	2026-05-11	*.it.ikman.lk	*.it.ikman.lk	C=US, O=Let's Encrypt, CN=E7
	24299381519	2026-03-10	2026-03-10	2026-05-11	*.it.ikman.lk	*.it.ikman.lk	C=US, O=Let's Encrypt, CN=E7
	24203172989	2026-02-05	2026-02-05	2026-05-06	api.ikman.lk	api.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	24202167825	2026-02-05	2026-02-05	2026-05-06	api.ikman.lk	api.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	24123167740	2026-02-01	2026-02-01	2026-05-02	bikesguide.ikman.lk	bikesguide.ikman.lk	C=US, O=Let's Encrypt, CN=R13
	24123169951	2026-02-01	2026-02-01	2026-05-02	bikesguide.ikman.lk	bikesguide.ikman.lk	C=US, O=Let's Encrypt, CN=R13
	24086641049	2026-01-30	2026-01-30	2026-04-30	carsguide.ikman.lk	carsguide.ikman.lk	C=US, O=Let's Encrypt, CN=R13
	24086612744	2026-01-30	2026-01-30	2026-04-30	carsguide.ikman.lk	carsguide.ikman.lk	C=US, O=Let's Encrypt, CN=R13
	24045462202	2026-01-29	2026-01-28	2026-04-28	admin.ikman.lk	admin.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	24045366377	2026-01-29	2026-01-28	2026-04-28	admin.ikman.lk	admin.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	24045439730	2026-01-29	2026-01-28	2026-04-28	payment.ikman.lk	payment.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	24045497115	2026-01-29	2026-01-28	2026-04-28	payment.ikman.lk	payment.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	24045427248	2026-01-29	2026-01-28	2026-04-28	auth.ikman.lk	auth.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	24045419850	2026-01-29	2026-01-28	2026-04-28	auth.ikman.lk	auth.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	23962403451	2026-01-24	2026-01-24	2026-04-24	wiki.it.ikman.lk	wiki.it.ikman.lk	C=US, O=Let's Encrypt, CN=E8
	23960405277	2026-01-24	2026-01-24	2026-04-24	wiki.it.ikman.lk	wiki.it.ikman.lk	C=US, O=Let's Encrypt, CN=E8
	23943354154	2026-01-23	2026-01-23	2026-04-23	support.it.ikman.lk	support.it.ikman.lk	C=US, O=Let's Encrypt, CN=R8
	23942384982	2026-01-23	2026-01-23	2026-04-23	support.it.ikman.lk	support.it.ikman.lk	C=US, O=Let's Encrypt, CN=R8
	23924031159	2026-01-17	2026-01-17	2026-04-17	status.admin.ikman.lk	status.admin.ikman.lk	C=US, O=Let's Encrypt, CN=R8
	23924017734	2026-01-17	2026-01-17	2026-04-17	status.admin.ikman.lk	status.admin.ikman.lk	C=US, O=Let's Encrypt, CN=R8
	23797182115	2026-01-16	2026-01-16	2026-04-16	status.ikman.lk	status.ikman.lk	C=US, O=Let's Encrypt, CN=E7
	23797166707	2026-01-16	2026-01-16	2026-04-16	status.ikman.lk	status.ikman.lk	C=US, O=Let's Encrypt, CN=E7
	23790876010	2026-01-15	2026-01-15	2026-04-15	ikman.lk	*.ikman.lk ikman.lk	C=US, O=Google Trust Services, CN=WE1
	23790875345	2026-01-15	2026-01-15	2026-04-15	ikman.lk	*.ikman.lk ikman.lk	C=US, O=Google Trust Services, CN=WE1
	23790870913	2026-01-15	2026-01-15	2026-04-15	ikman.lk	*.ikman.lk ikman.lk	C=US, O=Google Trust Services, CN=WR1
	23771856436	2026-01-12	2026-01-12	2026-04-12	marketing.ikman.lk	marketing.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	23771855082	2026-01-12	2026-01-12	2026-04-12	marketing.ikman.lk	marketing.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	23619002377	2026-01-10	2026-01-10	2026-04-10	*.it.ikman.lk	*.it.ikman.lk	C=US, O=Let's Encrypt, CN=R8
	23618912112	2026-01-10	2026-01-10	2026-04-10	*.it.ikman.lk	*.it.ikman.lk	C=US, O=Let's Encrypt, CN=R8
	23585204950	2026-01-09	2026-01-09	2026-04-09	helpcenteren.ikman.lk	helpcenteren.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	23585211362	2026-01-09	2026-01-09	2026-04-09	helpcenteren.ikman.lk	helpcenteren.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	23585258151	2026-01-09	2026-01-09	2026-04-09	helpcenterta.ikman.lk	helpcenterta.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	23585261393	2026-01-09	2026-01-09	2026-04-09	helpcenterta.ikman.lk	helpcenterta.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	23585249988	2026-01-09	2026-01-09	2026-04-09	helpcentersi.ikman.lk	helpcentersi.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	23585250259	2026-01-09	2026-01-09	2026-04-09	helpcentersi.ikman.lk	helpcentersi.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	23424667920	2025-12-28	2025-12-28	2026-03-28	reports-lms.it.ikman.lk	reports-lms.it.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	23424660870	2025-12-28	2025-12-28	2026-03-28	reports-lms.it.ikman.lk	reports-lms.it.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	23360870645	2025-12-25	2025-12-25	2026-03-25	ikman.lk	*.ikman.lk ikman.lk	C=GB, O=Sectigo Limited, CN=Sectigo Public Server Authentication CA DV R36
	23360869836	2025-12-25	2025-12-25	2026-03-25	ikman.lk	*.ikman.lk ikman.lk	C=GB, O=Sectigo Limited, CN=Sectigo Public Server Authentication CA DV R36
	23360798532	2025-12-25	2025-12-25	2026-03-25	ikman.lk	*.ikman.lk ikman.lk	C=GB, O=Sectigo Limited, CN=Sectigo Public Server Authentication CA DV R36
	23360795832	2025-12-25	2025-12-25	2026-03-25	ikman.lk	*.ikman.lk ikman.lk	C=GB, O=Sectigo Limited, CN=Sectigo Public Server Authentication CA DV R36
	23031458670	2025-12-10	2025-12-10	2026-03-10	*.it.ikman.lk	*.it.ikman.lk	C=US, O=Let's Encrypt, CN=E7
	23016951458	2025-12-10	2025-12-10	2026-03-10	*.it.ikman.lk	*.it.ikman.lk	C=US, O=Let's Encrypt, CN=E7
	23014288866	2025-12-07	2025-12-07	2026-03-07	api.ikman.lk	api.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	22968989854	2025-12-02	2025-12-01	2026-03-01	api.ikman.lk	api.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	22950855200	2025-12-03	2025-12-03	2026-03-03	bikesguide.ikman.lk	bikesguide.ikman.lk	C=US, O=Let's Encrypt, CN=R13
	22950251371	2025-12-03	2025-12-03	2026-03-03	bikesguide.ikman.lk	bikesguide.ikman.lk	C=US, O=Let's Encrypt, CN=R13
	22925847366	2025-12-01	2025-12-01	2026-03-01	carsguide.ikman.lk	carsguide.ikman.lk	C=US, O=Let's Encrypt, CN=R13
	22846667577	2025-12-01	2025-12-01	2026-03-01	carsguide.ikman.lk	carsguide.ikman.lk	C=US, O=Let's Encrypt, CN=R13
	22818509973	2025-11-30	2025-11-30	2026-02-28	admin.ikman.lk	admin.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	22818527828	2025-11-30	2025-11-30	2026-02-28	admin.ikman.lk	admin.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	22818553292	2025-11-30	2025-11-30	2026-02-28	payment.ikman.lk	payment.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	22818524966	2025-11-30	2025-11-30	2026-02-28	payment.ikman.lk	payment.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	22818507968	2025-11-30	2025-11-30	2026-02-28	auth.ikman.lk	auth.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	22818514130	2025-11-30	2025-11-30	2026-02-28	auth.ikman.lk	auth.ikman.lk	C=US, O=Let's Encrypt, CN=R12
	22726609420	2025-11-25	2025-11-25	2026-02-23	wiki.it.ikman.lk	wiki.it.ikman.lk	C=US, O=Let's Encrypt, CN=E7
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	13605131869	2024-11-23	2024-11-23	2025-02-21	status.ikman.lk	status.ikman.lk	C=US, O=Let's Encrypt, CN=E5
	13578827485	2024-11-23	2024-11-23	2025-02-21	status.ikman.lk	status.ikman.lk	C=US, O=Let's Encrypt, CN=E5
	13495856623	2024-11-16	2024-11-16	2025-02-14	marketing.ikman.lk	marketing.ikman.lk	C=US, O=Let's Encrypt, CN=R10
	13495741662	2024-11-16	2024-11-16	2025-02-14	marketing.ikman.lk	marketing.ikman.lk	C=US, O=Let's Encrypt, CN=R10
	13406130874	2024-11-15	2024-11-15	2025-02-11	helpcenterta.ikman.lk	helpcenterta.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	13406558997	2024-11-15	2024-11-15	2025-02-11	helpcenterta.ikman.lk	helpcenterta.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	13404558358	2024-11-15	2024-11-15	2025-02-11	helpcentersi.ikman.lk	helpcentersi.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	13386472492	2024-11-13	2024-11-13	2025-02-11	helpcentersi.ikman.lk	helpcentersi.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	13384854622	2024-11-13	2024-11-13	2025-02-11	helpcenteren.ikman.lk	helpcenteren.ikman.lk	C=US, O=Let's Encrypt, CN=R10
	13384471152	2024-11-13	2024-11-13	2025-02-11	helpcenteren.ikman.lk	helpcenteren.ikman.lk	C=US, O=Let's Encrypt, CN=R10
	13351153862	2024-11-10	2024-11-10	2025-02-08	*.it.ikman.lk	*.it.ikman.lk	C=US, O=Let's Encrypt, CN=E6
	13350760161	2024-11-10	2024-11-10	2025-02-08	*.it.ikman.lk	*.it.ikman.lk	C=US, O=Let's Encrypt, CN=E6
	13287072877	2024-11-02	2024-11-02	2025-01-31	reports-lms.it.ikman.lk	reports-lms.it.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	13179243818	2024-11-02	2024-11-02	2025-01-31	reports-lms.it.ikman.lk	reports-lms.it.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	14012768412	2024-10-13	2024-10-12	2025-11-12	collector.ikman.lk	collector.ikman.lk	C=US, O=Amazon, CN=Amazon RSA 2048 M02
	14068926873	2024-10-10	2024-10-10	2025-01-08	*.it.ikman.lk	*.it.ikman.lk	C=US, O=Let's Encrypt, CN=E6
	14068913002	2024-10-10	2024-10-10	2025-01-08	*.it.ikman.lk	*.it.ikman.lk	C=US, O=Let's Encrypt, CN=E6
	14065160741	2024-10-10	2024-10-10	2025-01-08	bikesguide.ikman.lk	bikesguide.ikman.lk	C=US, O=Let's Encrypt, CN=R10
	14065169503	2024-10-10	2024-10-10	2025-01-08	bikesguide.ikman.lk	bikesguide.ikman.lk	C=US, O=Let's Encrypt, CN=R10
	14038566754	2024-10-09	2024-10-09	2025-01-07	helpcenterta.ikman.lk	helpcenterta.ikman.lk	C=US, O=Let's Encrypt, CN=R10
	14038569492	2024-10-09	2024-10-09	2025-01-07	helpcenterta.ikman.lk	helpcenterta.ikman.lk	C=US, O=Let's Encrypt, CN=R10
	14038562791	2024-10-09	2024-10-09	2025-01-07	helpcentersi.ikman.lk	helpcentersi.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	14038561188	2024-10-09	2024-10-09	2025-01-07	helpcentersi.ikman.lk	helpcentersi.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	14048605513	2024-10-06	2024-10-06	2025-01-06	helpcenteren.ikman.lk	helpcenteren.ikman.lk	C=US, O=Let's Encrypt, CN=R10
	14048589975	2024-10-06	2024-10-06	2025-01-06	helpcenteren.ikman.lk	helpcenteren.ikman.lk	C=US, O=Let's Encrypt, CN=R10
	14040356079	2024-10-08	2024-09-29	2024-12-28	ikman.lk	*.ikman.lk ikman.lk	C=US, O=Google Trust Services, CN=WE1
	14040558611	2024-10-08	2024-10-08	2025-01-06	carsguide.ikman.lk	carsguide.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	14040329695	2024-10-08	2024-10-08	2025-01-06	carsguide.ikman.lk	carsguide.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	14030564295	2024-10-01	2024-10-01	2024-12-30	wiki.it.ikman.lk	wiki.it.ikman.lk	C=US, O=Let's Encrypt, CN=E6
	14029959717	2024-10-01	2024-10-01	2024-12-30	wiki.it.ikman.lk	wiki.it.ikman.lk	C=US, O=Let's Encrypt, CN=E6
	14027154742	2024-09-30	2024-09-30	2024-12-29	support.it.ikman.lk	support.it.ikman.lk	C=US, O=Let's Encrypt, CN=E5
	14027151198	2024-09-30	2024-09-30	2024-12-29	support.it.ikman.lk	support.it.ikman.lk	C=US, O=Let's Encrypt, CN=E5
	14020548445	2024-09-29	2024-09-29	2024-12-28	ikman.lk	*.ikman.lk ikman.lk	C=US, O=Google Trust Services, CN=WE1
	14020539334	2024-09-29	2024-09-29	2024-12-28	ikman.lk	*.ikman.lk ikman.lk	C=US, O=Google Trust Services, CN=WR1
	14002925864	2024-09-25	2024-09-25	2024-12-24	status.admin.ikman.lk	status.admin.ikman.lk	C=US, O=Let's Encrypt, CN=E5
	14002918544	2024-09-25	2024-09-25	2024-12-24	status.admin.ikman.lk	status.admin.ikman.lk	C=US, O=Let's Encrypt, CN=E5
	14073351143	2024-09-24	2024-09-24	2024-12-23	status.ikman.lk	status.ikman.lk	C=US, O=Let's Encrypt, CN=E6
	14073319677	2024-09-24	2024-09-24	2024-12-23	status.ikman.lk	status.ikman.lk	C=US, O=Let's Encrypt, CN=E6
	14085404477	2024-09-17	2024-09-17	2024-12-16	marketing.ikman.lk	marketing.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	14085292898	2024-09-17	2024-09-17	2024-12-16	marketing.ikman.lk	marketing.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	14095129462	2024-09-10	2024-09-10	2024-12-09	*.it.ikman.lk	*.it.ikman.lk	C=US, O=Let's Encrypt, CN=E5
	14095119858	2024-09-10	2024-09-10	2024-12-09	*.it.ikman.lk	*.it.ikman.lk	C=US, O=Let's Encrypt, CN=E5
	14070756662	2024-09-05	2024-09-05	2024-12-03	reports-lms.it.ikman.lk	reports-lms.it.ikman.lk	C=US, O=Let's Encrypt, CN=R10
	14070748115	2024-09-05	2024-09-05	2024-12-03	reports-lms.it.ikman.lk	reports-lms.it.ikman.lk	C=US, O=Let's Encrypt, CN=R10
	14039506677	2024-08-30	2024-08-30	2025-09-28	stream-collector.ikman.lk	stream-collector.ikman.lk	C=US, O=Amazon, CN=Amazon RSA 2048 M02
	14147185993	2024-08-11	2024-08-11	2024-11-09	bikesguide.ikman.lk	bikesguide.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	14084590029	2024-08-11	2024-08-11	2024-11-09	bikesguide.ikman.lk	bikesguide.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	14141698732	2024-08-10	2024-08-10	2024-11-08	helpcentersi.ikman.lk	helpcentersi.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	14091825604	2024-08-10	2024-08-10	2024-11-08	helpcentersi.ikman.lk	helpcentersi.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	14141607855	2024-08-10	2024-08-10	2024-11-08	helpcenterta.ikman.lk	helpcenterta.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	14077319873	2024-08-10	2024-08-10	2024-11-08	helpcenterta.ikman.lk	helpcenterta.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	14139579158	2024-08-10	2024-08-10	2024-11-08	*.it.ikman.lk	*.it.ikman.lk	C=US, O=Let's Encrypt, CN=E5
	14069408952	2024-08-10	2024-08-10	2024-11-08	*.it.ikman.lk	*.it.ikman.lk	C=US, O=Let's Encrypt, CN=E5
	14122972651	2024-08-09	2024-08-09	2024-11-07	helpcenteren.ikman.lk	helpcenteren.ikman.lk	C=US, O=Let's Encrypt, CN=R10
	14058950879	2024-08-09	2024-08-09	2024-11-07	helpcenteren.ikman.lk	helpcenteren.ikman.lk	C=US, O=Let's Encrypt, CN=R10
	14132556394	2024-08-09	2024-08-09	2024-11-07	carsguide.ikman.lk	carsguide.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	14055772473	2024-08-09	2024-08-09	2024-11-07	carsguide.ikman.lk	carsguide.ikman.lk	C=US, O=Let's Encrypt, CN=R11
	14065599807	2024-08-03	2024-08-03	2024-10-01	wiki.it.ikman.lk	wiki.it.ikman.lk	C=US, O=Let's Encrypt, CN=E6
	13963169922	2024-08-02	2024-08-02	2024-10-01	wiki.it.ikman.lk	wiki.it.ikman.lk	C=US, O=Let's Encrypt, CN=E6
	13959151852	2024-08-01	2024-08-01	2024-10-30	ikman.lk	*.ikman.lk ikman.lk	C=US, O=Google Trust Services, CN=WR1
	14004104882	2024-08-01	2024-08-01	2024-10-30	ikman.lk	*.ikman.lk ikman.lk	C=US, O=Google Trust Services, CN=WR1
	14033271979	2024-08-01	2024-08-01	2024-10-30	support.it.ikman.lk	support.it.ikman.lk	C=US, O=Let's Encrypt, CN=E5
	14003234122	2024-08-01	2024-08-01	2024-10-30	support.it.ikman.lk	support.it.ikman.lk	C=US, O=Let's Encrypt, CN=E5
	13992451391	2024-07-26	2024-07-26	2024-10-24	status.admin.ikman.lk	status.admin.ikman.lk	C=US, O=Let's Encrypt, CN=E6
	13991459633	2024-07-26	2024-07-26	2024-10-24	status.admin.ikman.lk	status.admin.ikman.lk	C=US, O=Let's Encrypt, CN=E6
	13892590706	2024-07-26	2024-07-26	2024-10-24	status.ikman.lk	status.ikman.lk	C=US, O=Let's Encrypt, CN=E6
	13890665585	2024-07-26	2024-07-26	2024-10-24	status.ikman.lk	status.ikman.lk	C=US, O=Let's Encrypt, CN=E6
	13854341115	2024-07-19	2024-07-19	2024-10-17	marketing.ikman.lk	marketing.ikman.lk	C=US, O=Let's Encrypt, CN=R10
	13803607068	2024-07-19	2024-07-19	2024-10-17	marketing.ikman.lk	marketing.ikman.lk	C=US, O=Let's Encrypt, CN=R10
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

DNS Records – Using dig

DNS enumeration revealed that ikman.lk uses Cloudflare nameservers (maxine.ns.cloudflare.com, nolan.ns.cloudflare.com), confirming CDN and the reverse proxy protection.

The observations include:

- MX records point to Google Workspace mail servers, indicating managed cloud email infrastructure.
- SPF record is configured as: “v=spf1 include:_spf.google.com include:support.zendesk.com include:mail.zendesk.com include:spf.mandrillapp.com -all”, the using of “-all” indicates strict enforcement against unauthorized email sending.
- Multiple google-site-verification TXT records confirm verified domain ownership.
- Other TXT records reveal the integration with Facebook, Atlassian, and Microsoft services.

These configurations appear to be structured and properly configured, though the number of third-party integrations increases dependency exposure.




```
id 19439
opcode QUERY
rcode NOERROR
flags QR RD RA
;QUESTION
ikman.lk. IN MX
;ANSWER
ikman.lk. 300 IN MX 30 aspmx2.googlemail.com.
ikman.lk. 300 IN MX 30 aspmx3.googlemail.com.
ikman.lk. 300 IN MX 10 aspmx.l.google.com.
ikman.lk. 300 IN MX 20 alt2.aspmx.l.google.com.
ikman.lk. 300 IN MX 20 alt1.aspmx.l.google.com.
;AUTHORITY
;ADDITIONAL
```

Name
ikman.lk

A AAAA ANY CAA CNAME DNSKEY DS HTTPS MX **NS** PTR SOA SRV SVCB
TLSA TSIG TXT

NS

TTL:
6 hours
TARGET:
maxine.ns.cloudflare.com.

TTL:
6 hours
TARGET:
nolan.ns.cloudflare.com.

Raw View

```
id 59010
opcode QUERY
rcode NOERROR
flags QR RD RA
;QUESTION
ikman.lk. IN NS
;ANSWER
ikman.lk. 21600 IN NS maxine.ns.cloudflare.com.
ikman.lk. 21600 IN NS nolan.ns.cloudflare.com.
;AUTHORITY
;ADDITIONAL
```

TLSA TSIG **TXT**

TXT

TTL:
5 minutes
VALUE:
"google-site-verification=fi36YHidR-jYVu8keYJ5EkzOAq6gF0gdQdky15u4e4k"

TTL:
5 minutes
VALUE:
"google-site-verification=SLFAmTUq90KccLDL_1wZOmvHjI60QomiFLG5XCyO--M"

TTL:
5 minutes
VALUE:
"google-site-verification=US-L75QWbq3VeOl_Jh9m1xaMCh1Y-Ygq_LC3KD2I6EU"

TTL:
5 minutes
VALUE:
"facebook-domain-verification=n21zhhfby9nk7935pv19f8s7h3fzba"

TTL:
5 minutes
VALUE:
"google-site-verification=1ij0NkfGrpT-O0o7pO1TjKEOaYSxUGIBe3DJ1Aw9VUU"

TTL:
5 minutes
VALUE:
"google-site-verification=u7_ibR1Rwx5YkxM0ckPnJT_qPu6S4DvGwbRjAprpin0"

TTL:
5 minutes
VALUE:
"google-site-verification=qWNu4VLDMPDytM5P31YuhemAcmVqeq3qKXAu0Rh3rwg"

TTL:
5 minutes
VALUE:
"MS=22D272132FC6A496F1FCF9430FC75BF74269C530"

```
TTL:
5 minutes
VALUE:
"MS=22D272132EC68496F1ECE9A30EC75BF74269C530"

TTL:
5 minutes
VALUE:
"34c6d145-918d-4465-a1a7-d3ddc36350be"

TTL:
5 minutes
VALUE:
"atlassian-domain-verification=G0R3XYbrRgn/GfFEPf5FkxijyWO+3ByCWOlVZ9lMthdQootdVLu/MyGYZW/2B7qM"

TTL:
5 minutes
VALUE:
"v=spf1 include:_spf.google.com include:support.zendesk.com include:mail.zendesk.com
include:spf.mandrillapp.com -all"

TTL:
5 minutes
VALUE:
"google-site-verification=6oJ9jv0XZIqKdwsWAHVvngWdJHvjiKp-BQ9LPx_jl_U"
```

Raw View

```
id 35886
opcode QUERY
rcode NOERROR
flags QR RD RA
;QUESTION
ikman.lk. IN TXT
;ANSWER
ikman.lk. 300 IN TXT "google-site-verification=fi36YHWdR-jYVW8WeYJ5EkzOAq6gF0gdQdky15u4e4k"
ikman.lk. 300 IN TXT "google-site-verification=SLFAmTUq90KccLDL_1wZOmvNjI60QomiFLGSXCyD--M"
ikman.lk. 300 IN TXT "google-site-verification=US-L75QWbq3VeDl_Jh9m1xaMCh1Y-Ygq_LC3KD2I6EU"
ikman.lk. 300 IN TXT "facebook-domain-verification=n2lzhbfby9nk7935pvt9f8s7h3frbs"
ikman.lk. 300 IN TXT "google-site-verification=1ij0NkfGrpT-O0o7pOlTjKEOaYSxUGIBe3DJ1Aw9VUU"
ikman.lk. 300 IN TXT "google-site-verification=u7_ibR1RuxSYlcxM0ckPnJT_qPu6S4DvGubRjAprpin0"
ikman.lk. 300 IN TXT "google-site-verification=qNNu4VLDMPDytM5P31YuhemAcmVqeq3qKXAu0Rh3rwg"
ikman.lk. 300 IN TXT "MS=22D272132EC68496F1ECE9A30EC75BF74269C530"
ikman.lk. 300 IN TXT "34c6d145-918d-4465-a1a7-d3ddc36350be"
ikman.lk. 300 IN TXT "atlassian-domain-verification=G0R3XYbrRgn/GfFEPf5FkxijyWO+3ByCWOlVZ9lMthdQootdVLu/MyGYZW/2B7qM"
ikman.lk. 300 IN TXT "v=spf1 include:_spf.google.com include:support.zendesk.com include:mail.zendesk.com include:spf.mandrillapp.com -all"
ikman.lk. 300 IN TXT "google-site-verification=6oJ9jv0XZIqKdwsWAHVvngWdJHvjiKp-BQ9LPx_jl_U"
;AUTHORITY
;ADDITIONAL
```


IP Space and ASN -Using BGP.he.net

This domain resolves to 104.20.46.87 and 172.66.145.108. These IP addresses belong to AS13335 (Cloudflare, Inc.), which confirms that this origin infrastructure is masked behind the Cloudflare's global CDN network.

The observations include:

- The hosting location shows as United States (Cloudflare edge nodes).
- When observing IP history it shows multiple IP changes over time, consistent with CDN routing and load balancing.
- The origin server is not exposed directly which indicates a defensive architecture.

Cloudflare protection significantly reduces direct infrastructure exposure but does not eliminate application-layer or social engineering risks.

ikman.lk

DNS | Certs | Website Info | IP Info | Whois | RDAP

Start of Authority

mname: maxine.ns.cloudflare.com rname: dns.cloudflare.com
serial: 2397676402
refresh: 10000 retry: 2400
expire: 604800 minimum: 1800

Nameservers

maxine.ns.cloudflare.com, nolan.ns.cloudflare.com

Mail Exchangers

aspmx.l.google.com(10), alt1.aspmx.l.google.com(20), alt2.aspmx.l.google.com(20), aspmx2.googlemail.com(30), aspmx3.googlemail.com(30)

TXT Records

google-site-verification=SLFAmTUq90KccLDL_1wZOnvNjl60QomiFLG5XCyD--M

v=spf1 include:_spf.google.com include:support.zendesk.com include:mail.zendesk.com include:spf.mandrillapp.com -all

google-site-verification=fi36YHWdR-jYVW8WeYJ5EkzOAq6gF0gdQdky15u4e4k

google-site-verification=u7_ibR1Rwx5YkxM0ckPnJT_qPu6S4DvGwbRjAprpin0

google-site-verification=6oJ9jv0XZIqKdwsWAHVvngWdJHvjiKp-BQ9LPx_jl_U

google-site-verification=qWNu4VLDMPDytM5P31YuhemAcmVqeq3qKXAu0Rh3rwg

MS=22D272132EC68496F1ECE9A30EC75BF74269C530

facebook-domain-verification=n2lzhhfby9nk7935pv19f8s7h3fzba

34c6d145-918d-4465-a1a7-d3ddc36350be

google-site-verification=Iij0NkfGrpT-O0o7pOITjKEOaYSxUGIBe3DJ1Aw9VUU

google-site-verification=US-L75QWbq3VeDl_Jh9m1xaMCh1Y-Ygq_LC3KD2I6EU

atlassian-domain-verification=G0R3XYbrRgn/GfFEPf5FkxjjyWO+3ByCWOfVZ9lMthdQootdVLu/MyGYZW/2B7qM

A Records

172.66.145.108, 104.20.46.87

AAAA Records



ikman.lk

DNS | Certs | Website Info | IP Info | Whois | RDAP

Certificate Transparency Statistics

Total Certificates: 33,370,412,137 **Total Domains:** 39,108,468,206 **Query Time:** 1.49ms

Lookup time: 362.867ms

Search Results (click row for details)

Valid From	Valid To	Status	Issuer / Serial	CT Logs	SANs
Oct 29 00:00:00 2025 +00:00	Nov 27 23:59:59 2026 +00:00	Valid	Amazon Amazon RSA 20... 8e:7b:ab:f2:ac:d8:7d:b4:cc:09...	sphinx2026h2, wyvern2026h2, nimbus2026	ikman.lk
Nov 17 17:01:10 2025 +00:00	Feb 15 18:01:08 2026 +00:00	Expired	Google Trust Services WE1 8b:d4:ce:c7:57:24:b3:d8:22...	nimbus2026, sycamore2026h1	ikman.lk, *.ikman.lk
Nov 17 17:01:22 2025 +00:00	Feb 15 17:59:26 2026 +00:00	Expired	Google Trust Services WR1 8b:cf:a8:b7:cb:d8:da:a8:f5...	wyvern2026h1	ikman.lk, *.ikman.lk
Sep 19 12:13:00 2025 +00:00	Dec 18 12:12:56 2025 +00:00	Expired	Google Trust Services WE1 8b:cc:89:a8:b3:89:ba:a3:cd...	tiger2025h2, trustasia2025, nimbus2025 +3 more	ikman.lk, *.ikman.lk
Sep 19 12:12:50 2025 +00:00	Dec 18 12:10:15 2025 +00:00	Expired	Google Trust Services WR1 bd:c9:d7:fb:b6:32:d5:ca:b3...	nimbus2025, xenon2025h2	ikman.lk, *.ikman.lk
Aug 29 00:00:00 2025 +00:00	Nov 27 11:26:32 2025 +00:00	Expired	Sectigo Limited Sectigo P... 88:f6:f3:9b:ca:d6:da:b6:f6...	xenon2025h2, oak2025h2	ikman.lk, *.ikman.lk
Aug 29 00:00:00 2025 +00:00	Nov 27 09:41:39 2025 +00:00	Expired	Sectigo Limited Sectigo P... 8b:a2:b9:5f:c8:d8:28:b7:9c...	xenon2025h2, oak2025h2	ikman.lk, *.ikman.lk
Jul 22 07:27:25 2025 +00:00	Oct 20 08:27:18 2025 +00:00	Expired	Google Trust Services WE1 8b:9b:ed:bb:d3:c7:c4:e3:7d...	tiger2025h2, mammoth2025h2, sycamore2025h2 +6 more	ikman.lk, *.ikman.lk
Jul 22 07:27:12 2025 +00:00	Oct 20 08:25:59 2025 +00:00	Expired	Google Trust Services WR1 6a:96:e5:9d:f5:b4:75:f1:3b:3b...	sabre2025h2, xenon2025h2	ikman.lk, *.ikman.lk

ikman.lk

DNS | Certs | Website Info | IP Info | Whois | RDAP

172.66.145.108 > 172.66.144.0/20 > AS13335 > Cloudflare, Inc.
104.20.46.87 > 104.20.32.0/20 > AS13335 > Cloudflare, Inc.
2606:4700:10::ac42:916c > 2606:4700:10::/44 > AS13335 > Cloudflare, Inc.
2606:4700:10::ac42:916c > 2606:4700::/36 > AS13335 > Cloudflare, Inc.
2606:4700:10::6814:2e57 > 2606:4700:10::/44 > AS13335 > Cloudflare, Inc.
2606:4700:10::6814:2e57 > 2606:4700::/36 > AS13335 > Cloudflare, Inc.

Phase B: The Human Attack Surface

Employee Mapping – Using LinkedIn and Rocket Search

Public sources such as LinkedIn and Rocket Search revealed identifiable technical roles and personal details associated with the ikman.lk, including:

- IT Infrastructure Managers
- Senior Infrastructure Engineers
- Administrative Staff
- Executive-Level Personnel

The exposure of names personal details and job titles enables targeted reconnaissance. Technical personnel represent high-value phishing targets due to access privileges and system knowledge.



Email Pattern Analysis – Using Hunter.io

Analysis of publicly available email intelligence suggests that ikman.lk uses a standardized cooperate email structure than a hybrid academics style format. According to observable results

The most commonly used pattern is, **first.last@ikman.lk** with a chance of (96.7%) and the minor variations are **first@ikman.lk** (2.5%), **firstlast@ikman.lk** (0.8%). These structured publicly exposed cooperate environments consistently increase the chance of attack. Once the identified employee names and the emails were used, attackers can reliably generate valid email addresses. This increases the exposure to:

- Spear phishing
- Business Email Compromise (BEC)

- Credential harvesting campaigns
- Social engineering attacks targeting IT and executive staff

Email Pattern Structure – ikman.lk

Pattern Type	Format	Usage Type	Risk Level
Primary Corporate Format	[first].[last]@ikman.lk	Majority of staff (96.7%)	High (Predictable)
Simplified Format	[first]@ikman.lk	Limited users (2.5%)	Medium
Compact Format	[first][last]@ikman.lk	Rare (0.8%)	Medium

ikman Email Formats and Examples

Email Format	Example	Percentage
[first].[last]	jane.doe@ikman.lk	96.7%
[first]	jane@ikman.lk	2.5%
[first][last]	janedoe@ikman.lk	0.8%

Breach History – Using HaveIBeenPwned

There was no public major credential breach directly links to ikman.lk domain was able to find during the analysis. Continuous monitoring is recommended due to third party SaaS dependencies being used.

Phase C: Document and Metadata Mining

Google Dorking

Dorks that are being used:

site: ikman.lk filetype:pdf "confidential"
site: ikman.lk filetype:docx "internal use only"

site: ikman.lk ext:backup

site: ikman.lk ext:zip

site: ikman.lk filetype:xlsx "password"

site: ikman.lk intitle:"index of"

site: ikman.lk ext:sql

site: ikman.lk inurl:admin

site: ikman.lk inurl:dashboard

site: ikman.lk filetype:pdf

site: ikman.lk filetype:docx

site: ikman.lk filetype:xlsx

site: ikman.lk filetype:pdf -inurl:pdf

Dorks that were successful:

site: ikman.lk filetype:pdf "confidential" – This returned multiple number of documents hosted under the domain of ikman.lk. Among those results a PDF document was identified that referenced a shortened external URL which redirects to a downloadable ZIP file titled ikman.lk. The observations include:

- The PDF was publicly accessible via search engines.
- Document contains third party shorten URL.
- URL redirected to a downloadable ZIP file titled ikman.lk.

Although it's not confirmed on sensitive data exposure, the presence of these publicly indexed documents referencing external downloadable files increases a huge risk of brand impersonation, phishing, malware delivery and social engineering risk.

site: ikman.lk inurl:admin – Through this it was able to reveal an accessible administrative endpoint at https://admin.ikman.lk. This page returned to the HTTP 200 OK and displayed an active administrative dashboard interface.

The observations include:

- Admin portal is publicly accessible.
- Uptime monitoring shows stable operational status.
- Endpoint is being protected behind the Cloudflare.

- Passive observation was allowed publicly.

This admin portal was discoverable with simple search engine queries which increases the reconnaissance value and attackers can use this information to target brute force attempts, credential stuffing campaigns, phishing campaigns, enumeration of authentication mechanisms. These administrative endpoints should be shielded from direct indexing and restricted through additional access controls such as IP whitelisting or VPN enforcement.

The site was initially developed by technical teams based in Sweden. The technical operations of Saltside Technologies were later moved to India, where they remain to this day. The business development and customer services for ikman.lk are managed by local staff within Sri Lanka.[3]

ikman.lk

Download File » https://tinourl.com/2xDsGz

Stefan Beekmeyer, Director Marketing of ikman.lk told the Business Times that the number of visitors (2.5 million a month) at ikman.lk measures the performance of the website in Sri Lanka. 95 per cent of the visitors are from Sri Lanka and the rest from overseas which makes ikman.lk the no. 1 local site in Sri Lanka, he said.

3730eaedf2



Metadata Extraction – Using ExifTool

The metadata extracted from the publicly available documents revealed some information such as authors names, creation timestamps, software identifiers (Adobe, Microsoft tools). Although there were no critical sensitive data was exposed, metadata provides contextual intelligence that can assist attackers in crafting believable phishing contents identical to the publicly available.





Phase D: Technical Stack Fingerprinting

Passive Profiling – Using Wappalyzer

The technology analysis identified the following components:

- **CMS:** WordPress
- **Backend:** PHP & MySQL

- **CDN:** Cloudflare & Amazon CloudFront
- **Cloud Infrastructure:** Amazon Web Services (AWS)
- **Analytics:** Google Analytics (GA4), Snowplow, Microsoft Clarity
- **Security:** HSTS, reCAPTCHA
- **Monitoring:** New Relic
- **Marketing Automation:** WebEngage, Mautic
- **Advertising Integrations:** Google AdSense, Criteo, DoubleClick

These environments show a modern cloud integrated architecture. The extensive use of third-party services increases the supply chain dependency risks.



Attack Surface Map



Risks Matrix

No	Vulnerability	Likelihood	Impact	Risk Level	Reason
1	Publicly Discoverable Admin Portal (admin.ikman.lk)	High	High	High	The admin endpoint is reachable and indexed via search queries. Authentication portals are prime targets for brute-force, credential stuffing, and phishing campaigns.
2	Publicly Identifiable	High	High	High	Exposed technical staff names, personal details, and predictable email patterns

	Employee Emails & Role Mapping				increase risk of spear-phishing and Business Email Compromise (BEC).
3	Publicly indexed PDF file referencing external ZIP file	Medi um	Medium - High	Mediu m - Critical	External file distribution using a shortened URL can be abused for brand impersonation or malware distribution.

Remediation

Based on the findings performing a passive reconnaissance, these actionable steps are recommended to reduce the risk of ikman.lk's publicly exposed attack surface and overall OSINT footprint.

Restriction and Securing Administrative Portals

The publicly discoverable admin portals endpoints increase the reconnaissance value and the potential targeting for the credential-based attacks.

Suggested actions to be taken:

- Restricting admin portal access using IP whitelisting or VPN only access.
- Enforcing mandatory Multi Factor Authentication (MFA) for all administrative accounts.
- Configure robots.txt and search engine directives to prevent indexing of sensitive subdomains.
- Implement rate limiting and bot detection mechanisms to prevent brute force attack attempts.

Strengthening Email Security and Reduce Human Surface Attacks

Dominant email patterns with publicly visible staff roles and personal details increase the phishing risks.

Suggested actions to be taken:

- Implementing strict DMARC enforcement with monitoring.

- Conduct regular simulations on phishing and awareness training for technical and executive staff.
- Limiting the public exposure of sensitive technical roles and personal details on external platforms where possible.
- Using role based or generic email addresses for critical functions.

Monitoring Brand Usage and Control Public File Distribution

Exposure of publicly indexed PDF's referencing shortened URLs that redirect downloadable ZIP file increases brand impersonation risks.

Suggested actions to be taken:

- Avoiding distribution and exposure of official resources through third parties.
- Implementing a brand monitoring service to detect unauthorized domain or file usage.
- Digitally signing official downloadable files to ensure authenticity.
- Regularly performing search engine monitoring to identify indexed sensitive information/documents.

Log of Tools

Infrastructure and DNS Mapping

- crt.sh: SSL certificate and subdomain enumeration
- dig: DNS record analysis (MX, TXT, NS)
- BGP.he.net: ASN and IP ownership lookup
- WHOIS: Domain registration details

Search Engine Enumeration

- Google Dorks: Indexed documents and exposed endpoints
- DuckDuckGo: General OSINT searches

Human Surface and Email Intelligence

- LinkedIn: Identification of key personnel

- Hunter.io: Email format pattern analysis
- HaveIBeenPwned: Public breach verification
- Rocket Search: key personnel details and email pattern identification.

Technology Fingerprinting and Metadata Analysis

- Wappalyzer: Technology stack identification
- ExifTool: Metadata extraction from documents

END