

Create a custom meeting query

Tip

You can download sample results, go through a **Show me how** explanation and watch a how-to video about meeting queries. Select these options just above **Query setup**.

Overview

<https://learn-video.azurefd.net/vod/player?id=e820af24-1cfe-4a7d-9cc4-c8895146d7cf&locale=en-us&embedUrl=%2Fviva%2Finsights%2Fadvanced%2Fanalyst%2Fmeeting-query>

Each of these steps takes place within one section of the [Viva Insights web app's](#) **Create analysis > Create custom query > Meeting query** page.

Note

If you're an existing Viva Insights customer, refer to the note in the [Introduction](#) for more information about using the new platform.

To run a meeting query, you'll follow five basic steps:

1. Set up your query.
2. Add metrics.
3. Add conditions and condition groups.
4. Add meeting and organizer attributes.
5. Run your query.

In this article, we talk about how to complete each of these steps, and also give some important background information about how metrics, conditions, and attributes work.

Set up your query

*Section: **Query setup***

Query setup

Query name *

Activity_victoriaburke_Nov17_2022_1045Hours

Time period

Last 3 months

Description (optional)

Add a description

From

Sun, 08/14/2022

To

Sat, 11/12/2022

☐ Auto-Refresh

More Settings

Under Query setup:

1. Name your query (optional). Queries are assigned a default name, which follows this format: "Activity," user ID, date, and time. Make sure the name is unique.
2. Select a **Time period** (optional). This field defaults to **Last 3 months**, but you can select another time period you want your query to analyze. Pick from **Last 1 year**, **Last 6 months**, **Last 1 month**, or a **Custom** date range. If you choose a **Custom** date range, use the date picker to select the range.
3. Set your query to update automatically by selecting **Auto-Refresh**. When turned on, your query runs automatically and refreshes whenever a new, complete set of data becomes available, based on the aggregation type ("Group by dropdown") you selected (daily, weekly, or monthly). Auto-refresh is off by default and is available for any query in which the Time period is **not** set to "Custom."

Important

Group by (aggregation type) (daily, weekly, or monthly) refers to how your data is grouped, **not** how often it refreshes. Refreshes occur only when the full data for that period is complete.

How refresh timing works

- **Daily aggregation:** Daily reports use daily data (granularity), but the underlying refresh still occurs weekly. Daily reports refresh once the prior week's data (Sunday–Saturday) is fully available. This typically happens on Monday PST.
- **Weekly aggregation:** Weekly reports use weekly data (granularity), but the underlying refresh occurs weekly. Weekly reports refresh once Sunday - Saturday data is fully

available. This typically happens on Monday PST.

- **Monthly aggregation:** Monthly reports use a month level (granularity), but the underlying refresh occurs every month. Monthly reports refresh at the start of the next month, typically on the second day, once the previous month's data is complete.

If data arrives late, the refresh happens automatically on the next available day once the required data is complete.

Examples


- **Daily example:** If the prior week's data becomes available on Tuesday instead of Monday, your report refreshes on Tuesday.
- **Weekly example:** If the prior week's data becomes available on Tuesday instead of Monday, your report refreshes on Tuesday.
- **Monthly example:** If the previous month's data is incomplete on Dec. 2, the refresh occurs on the next day, Dec. 3, when the data becomes complete.

ⓘ Note

Weekly reports usually refresh on Monday PST, and monthly reports at the start of the next month. If data is delayed, the refresh simply shifts to the next day when complete data is available.

Manual refresh

If a query is set to auto-refresh but you need updated results sooner - like after you change the metric rules or HR attributes - you don't need to wait for the next scheduled refresh. Instead, select **Re-run query**. For flexible queries, you can manually rerun these at any time by selecting **Rerun** in the results panel. Manual refresh, however, is **not** supported for one-click reports. Refer to the screenshot below:



4. Optional: Type a **Description**.

Selecting **More Settings** beneath the **Description** box brings you to the **More Settings** pane. This pane shows the metric rules that apply to your query. To find out more about these rules, select **See metric rule details**.

Note

Metrics are criteria used to measure the productivity and wellbeing of employees, and metric rules are rules Viva Insights uses to improve the accuracy of your query results.

To learn more about metrics used in Viva Insights, refer to [Metric definitions](#). To learn more about metric rules, refer to [Metric rules](#).

Add metrics

*Section: **Select metrics for what you want to know about your meetings***


<https://learn-video.azurefd.net/vod/player?id=99ddedd4-ee46-4f08-8fc0-228101a74e9b&locale=en-us&embedUrl=%2Fviva%2Finsights%2Fadvanced%2Fanalyst%2Fmeeting-query>

Metrics, filters, and organizational attributes

1

Select metrics for what you want to know about your meetings * ^

Metrics are criteria used to measure productivity and wellbeing of employees.
For example: After hours in calls, Meeting hours, Multitasking hours, etc.





1. Select the **Add metrics** button to see the **Select metrics** pane.
2. Choose the metrics.
3. When you're done picking metrics, select **Add to query**. The **Add to query** button adds these metrics to your query and takes you back to the setup screen. The metrics you selected appear as tags in the box beneath the section description.

1

Select metrics for what you want to know about your meetings * ^

Metrics are criteria used to measure productivity and wellbeing of employees.
For example: After hours in calls, Meeting hours, Multitasking hours, etc.

Attendee meeting hours X Number of attendees multitasking X

+ Add metrics

About metrics

Metrics are criteria used to measure the productivity and wellbeing of employees. In the case of meeting queries, metrics describe employee wellbeing as related to meetings. For example, if you're wondering how many chats were sent during meetings, you could use the **Number of chats sent during the meeting** metric in your query.

You can pick from seven meeting-related metrics, which we've broken into two categories: meeting impact metrics and meeting quality metrics. Here are their names and definitions:

 Expand table

Category	Name	Definition
Meeting impact metrics	Attendee meeting hours	Sum of hours each attendee spent in a meeting
	Number of attendees	Number of people who attended a meeting
Meeting quality metrics	Number of attendees multitasking	Number of attendees who sent or read emails or Teams chats during a meeting. (Messages sent in the chat of the meeting/Teams call are excluded)
	Number of redundant attendees	Number of attendees who are redundant in a meeting, meaning that their manager and their manager's manager also attended


Category	Name	Definition
	Number of attendees who ended the meeting on time	Number of attendees who left a Teams meeting early or within one minute after the scheduled end time
	Number of attendees who didn't end the meeting on time	Number of attendees who left a Teams meeting after one minute past the scheduled end time
	Number of attendees who joined the meeting on time	Number of attendees who joined a Teams meeting early or within five minutes after the scheduled start time
	Number of attendees who didn't join the meeting on time	Number of attendees who joined a Teams meeting after five minutes past the scheduled start time
	Number of chats sent during the meeting	Number of Teams chats attendees sent during a meeting
	Number of emails sent during the meeting	Number of emails attendees sent during a meeting

About the Select metrics pane

In the **Select metrics** pane, metrics are grouped by the metric categories we just described. Expand the categories to see which metrics they contain. Let's say you were looking for how many hours attendees spent in meetings. You'd find the **Attendee meeting hours** metric under the **Meeting impact metrics** category.


While you're adding meeting query metrics, you can use the search bar at the top of the pane. Enter keywords or related Power BI templates to find the metrics you're looking for.

To learn more about a metric, hover over its information icon.



Add conditions and condition groups

Section: Select which meetings and employees you want to include in the query



1. Select the **Add condition** or **Add condition group** button.
2. Using conditions and condition groups, add one or multiple filters to narrow your analysis of meetings and employees.

ⓘ Note

The default conjunction for conditions and condition groups is "and." To select "or" instead, use the dropdown menu.

To learn more about filters, refer to our [Filters](#) article.

Predefined filters

To create conditions and condition groups in meeting queries, you'll pick from 13 predefined filters. 10 of these filters are for meeting attributes, which have to do with the characteristics of the meeting (for example, **Duration**). Three of these filters are for person attributes, which have to do with people involved in the meeting (for example, **Attendees**).

If you pick a meeting attribute, an operator (like "=") appears. You fill in either "true" or "false," add a numerical value, or enter a text value.

If you pick a person attribute, you create a filter based on organizational data with the following components:

 **Expand table**

Component	Description
Aggregation type	<i>All, AtLeastOne, or None</i>
Meeting attribute	The attribute you picked from the initial dropdown list
Organizational data attribute	An attribute from your company's organizational data
Operator	=, !=, >, >=, <, or <=, depending on which organizational data attribute you picked
Value	One of a list of predefined choices, based on what your company's organizational data contains

 Note

Organizational data available for you to use in filters depends on what your organization sends to Viva Insights.

Here's a list of all predefined filters, their type, input format, and an example condition statement that uses that filter. All of these filters apply at the *meeting* level.

 **Expand table**

Name	Type	Input	Example statement
Subject	Meeting	Text value	Subject = Design review
All Day Meeting	Meeting	True or false	All Day Meeting = true
Cancelled	Meeting	True or false	Cancelled = false
Recurring	Meeting	True or false	Recurring = true
Intended participants	Person	Organizational data attribute and predefined value choices	All Intended participants Profession = Designer
Attendees	Person	Organizational data attribute and predefined value choices	AtLeastOne Attendees City = Los Angeles
Organizer	Person	Organizational data attribute and predefined value choices	Organization = Marketing
Duration	Meeting	Numerical value in the 00:00 format	Duration > 30:00

Name	Type	Input	Example statement
Accept count	Meeting	Numerical value	Accept count >= 10
No response count	Meeting	Numerical value	No response count < 5
Decline count	Meeting	Numerical value	Decline count != 0
Tentatively accepted count	Meeting	Numerical value	Tentatively accepted count <= 20
Intended participant count	Meeting	Numerical value	Intended participant count > 100

ⓘ Note

Attendees are all the actual participants (anyone who joined on Teams) of a meeting, plus the organizer. *Intended participants* are all of the meeting's invitees, plus the organizer.

To move and delete conditions and condition groups

To move a condition or condition group, take the following actions:

1. Select the six-dot icon to the right.
2. Drag the six-dot icon above or below other conditions or groups.

To delete a condition or condition group, select the trashcan icon to the right.

Where

Meeting attribute

Recurring

Operator

=

Value

true




💡 Tip

Learn more about conditions, condition groups, and filters in our [filters documentation](#).

Add meeting and organizer attributes

Section: Select which meeting and employee attributes of the meeting organizer you want to include in the query

1. Select the **Select attributes** button, then on the right pane, use the checklist to make selections.
2. When you're done picking attributes, select the **Add to query** button.

Attributes appear as tags in the box above the **Select attributes** button.

About meeting and organizer attributes


Meeting and organizer attributes are the data fields—or columns—that appear in your query output. These attributes are broken up into two categories: the first is about the meeting itself (for example, Sensitivity, Duration, Importance), and the second is about the meeting organizer—that is, attributes from the organizational data you've uploaded to Viva Insights.

In **Select which meeting and employee attributes of the meeting organizer you want to include in the query**, you narrow down which data fields your query includes—for example, **Recurring** (a meeting attribute) or **TimeZone** (an organizer attribute)—to prevent your output (.csv) file from being larger than necessary. Making selections here:

- Improves data analysis with fewer columns in a smaller file.
- Further protects private data by excluding columns from the file.
- Enables you to select **Clear all** to clear the selected columns.

Attribute errors and warnings

If an attribute appears as a *red* tag, that attribute might have been removed or renamed. You might see red tags if you're cloning or editing a query and the attributes have changed since the query was last run. You can remove these marked attributes to get the query to run, or contact your admin to add these attributes back into the organizational data.



If an attribute appears as a *yellow* tag with a warning icon, the attribute isn't available. If you find a yellow tag on an attribute like "Subject" or "Title," email subject lines and meeting titles might be suppressed in your organization. Your admin can turn on keywords if your organization wants to use them.

Meeting attribute	Operator	Value
Subject 	Contains	IDC

Run the query

Select the Run button in the screen's upper right to run the query.

To access your query results

After your query runs, access its results in the **Analysis results** page. On the **Analysis results** page, you can also edit and clone your query. For further information, refer to [Access query results and modify existing queries](#).

Here's a sample of how a .csv meeting query output looks:

ActivityId	Attendee meeting hours	Number of attendees	Number of attendees multitasking	Number of chats sent during the meeting	Number of emails sent during the meeting	Number of redundant attendees	Subject	OriginalDuration	Meeting-TotalAccepts	Meeting-TotalNoResponses	Meeting-TotalDeclines	ParticipantCount	Organization
123456789	1.25	1	1	10	1	0	Catch-up	4500	2	0	0	2	IT & Operations
123456789	1	1	0	0	0	0	Document review	3600	2	0	0	2	Marketing
123456789	0.5	1	1	11	1	0	Training	3600	2	0	0	2	Marketing
123456789	0.6666667	1	0	0	0	0	Presentation review	2400	2	0	0	2	Marketing
123456789	1	2	2	9	6	0	Group sync	1800	2	0	0	2	Marketing
123456789	1	2	2	7	2	0	Facility upgrade pl	1800	2	0	0	2	Marketing
123456789	1	2	2	4	0	0	Brainstorm	1800	2	0	0	2	R&D
123456789	1.25	3	2	2	1	0	Data policy draft	1500	2	2	0	4	IT & Operations

Example meeting query

Let's say you wanted to run a meeting query to find out how often attendees are multitasking during large, recurring meetings, here's how you might do that:

- Set up your query.
 - Query name:** Give your query a custom name by typing in something like "Multitasking in large meetings."
 - Time period:** Select "Last 6 months".

- c. **Auto-Refresh:** You just want to have this run once, so leave the **Auto-Refresh** box deselected.
- d. **Description:** Other analysts in your organization might want to know more about this query, so give it a brief description.

2. Add metrics.

- a. Under **Select metrics for what you want to know about your meetings**, select the **Add metrics** button.
- b. You want to know how many hours attendees spend in these meetings, so select "Attendee meeting hours" from the **Meeting impact metrics** category.
- c. You want to know how many attendees are multitasking, so select "Number of attendees multitasking" from the **Meeting quality metrics** category.
- d. When you're done picking metrics, select the **Add to query** button. Your metrics appear as tags back in the query editor.

3. Specify the meetings and employees you want to analyze.

- a. Under **Select which meetings employees you want to include in the query**, select **Add condition**.
- b. Because you want this query to analyze large meetings (which your company defines as having 20 or more participants), you select **Intended participant count** from the **Meeting attribute** dropdown menu, set the **Operator** to ">=", and enter "20" for the **Value**.
- c. Because you want to analyze recurring meetings, add a new condition, then set **Meeting attribute** to "Recurring", leave the **Operator** at "=", and leave the **Value** at "true".

2 Select which meetings and employees you want to include in the query ^{*} ^

Filter by conditions like function type, job level, and cost center to choose which meetings and employee groups to include in the query.

Create a filter below using conditions and condition groups: ⓘ

	Meeting attribute	Operator	Value		
Where	Intended participant co...	>=	20	🗑️	⋮
and	Recurring	=	true	🗑️	⋮

ⓘ Add condition ⓘ Add condition group

🔍

4. Choose the meeting and employee attributes you want to include in your output file.

- a. Under **Select which meeting and employee attributes you want to include in the query**, select the **Select attributes** button.

- b. Because you want to know how big each meeting is, select **Participant count** from the right pane, under the **Meetings** category.
 - c. You also want to know how many multitaskers are supervisors. In the organizational data you upload to Viva Insights, you include an indicator of whether someone is a supervisor. Select that attribute under the **Organizational data** button.
 - d. Select the **Add to query** button.
5. Select the **Run** button on the upper right of the screen to run the query.
 6. After the query successfully runs, find the results on the **Analysis results** page. You can take these actions from the Query results page:
 - Download the .csv output file: Select the CSV icon from the **Downloads** column. If you want to connect the query to another file, like a Power BI visualization, you can select the copy link icon.
 - **Edit**, **Edit query name**, **Clone**, **Favorite**, or **Delete** the query: Select the ellipses to the right of the **Downloads** column, then select the appropriate choice.

⊗ Caution

Editing queries overwrites existing results. If you want to keep your query's results, use the **Clone** feature—which creates an identical copy of the query—instead.

ⓘ Note

Only the analyst who originally ran the query can **Edit query name**, **Edit**, or **Delete** the query. Other analysts in the organization can **View**, **Clone**, and **Favorite** the query.

Related topics

[Metric descriptions](#)

[Access query results and modify existing queries](#)

Last updated on 12/11/2025