

```
msfadmin@metasploitable:~$
msfadmin@metasploitable:~$
msfadmin@metasploitable:~$ ping 192.168.50.102
PING 192.168.50.102 (192.168.50.102) 56(84) butes of data.
64 bytes from 192.168.50.102: icmp seq=1 ttl=128 time=0.149 ms
64 bytes from 192.168.50.102: icmp seq=2 ttl=128 time=0.010 ms
64 bytes from 192.168.50.102: icmp seq=3 ttl=128 time=0.006 ms
64 bytes from 192.168.50.102: icmp seq=4 ttl=128 time=0.123 ms
64 bytes from 192.168.50.102: icmp seq=5 ttl=128 time=0.143 ms
--- 192.168.50.102 ping statistics ---
5 packets transmitted, 5 received, 0% packet loss, time 3996ms
rtt min/aug/max/mdev = 0.006/0.086/0.149/0.064 ms
msfadmin@metasploitable:~$ ping 192.168.50.100
PING 192.168.50.100 (192.168.50.100) 56(84) butes of data.
64 bytes from 192.168.50.100: icmp_seq=1 ttl=64 time=1.13 ms
64 bytes from 192.168.50.100: icmp_seq=2 ttl=64 time=0.142 ms
64 bytes from 192.168.50.100: icmp_seq=3 ttl=64 time=0.168 ms
64 butes from 192.168.50.100: icmp seg=4 ttl=64 time=0.143 ms
64 bytes from 192.168.50.100: icmp_seq=5 ttl=64 time=0.154 ms
--- 192.168.50.100 ping statistics ---
5 packets transmitted, 5 received, 0% packet loss, time 4000ms
rtt min/aug/max/mdev = 0.142/0.349/1.139/0.395 ms
msfadmin@metasploitable:~$
```





File Actions Edit View Help

```
(kali⊕ kali)-[~]
$ ping 192.168.50.102
```

PING 192.168.50.102 (192.168.50.102) 56(84) bytes of data.
64 bytes from 192.168.50.102: icmp_seq=257 ttl=128 time=0.453 ms
64 bytes from 192.168.50.102: icmp_seq=258 ttl=128 time=0.202 ms
64 bytes from 192.168.50.102: icmp_seq=259 ttl=128 time=0.169 ms
64 bytes from 192.168.50.102: icmp_seq=260 ttl=128 time=0.198 ms
64 bytes from 192.168.50.102: icmp_seq=261 ttl=128 time=0.165 ms
64 bytes from 192.168.50.102: icmp_seq=261 ttl=128 time=0.165 ms

— 192.168.50.102 ping statistics —

261 packets transmitted, 5 received, 98.0843% packet loss, time 289092ms rtt min/avg/max/mdev = 0.165/0.237/0.453/0.108 ms



