

Table of Contents

Basic Information:	2
API LIST:	2
Generate Upload Document Presigned URL:	2
Upload Document Using Presigned URL:	3
Generate Embedding API:	5
Query API:	6
Summarization API:	8
Get Job Details API (To check the Job Status):	10
Get Job Output API(To get the output response of job):	12
Document Uploaded File(To Download Uploaded File):	12
List Projects API:	13
Create Project API:	14
Get Project Details API:	17
Update Project API:	18
Download Project File API:	20
Upload Project Output Files By Field API:	21
Delete Project API:	22
USER EVENT CREATION API	23
USER EVENT GET API:	23
DOCUMENT EVENT GENERATE API:	24
DOCUMENT EVENT DOWNLOAD API:	25
DOCUMENT EVENT GET API:	26
CREATE JIRA STORIES API:	28

Basic Information:

API Base URL: <https://{{apiDomainUrl}}/ingestion/{{environment}}/api/{{version}}>

VARIABLES:

apiDomainUrl: This is base api url for the API.

- <https://genai-dev.dev-xtrakto.exlservice.com>
- <https://genai-demo.dev-xtrakto.exlservice.com>
- <https://exl-genai-howto-wiki-v2.dev-xtrakto.exlservice.com>
- <https://exl-genai-howto-wiki-v1.dev-xtrakto.exlservice.com>
- <https://ba-copilot.dev-xtrakto.exlservice.com>
- <https://ba-copilot.uat-xtrakto.exlservice.com>
- <https://ba-copilot-ta.dev-xtrakto.exlservice.com>
- <https://ba-copilot-ta.uat-xtrakto.exlservice.com>

Environments: ["dev", "uat", "prod"] Version: ["v2"]

API LIST:

Generate Upload Document Presigned URL:

Endpoint: /documents/generateUploadPresignedUrl

Method: POST

HEADERS:

- Authorization: It should have accessToken as Authorization header value.

Request Parameters (BODY):

- key => It should in string format ending with the filename. It defines the path where file should be uploaded.

Description:

- This API generates Presigned url for uploading a document/file into s3. On successful response, it will return Presigned url for the document which can be used to upload document.

Example:

<https://{{apiDomainUrl}}/ingestion/dev/api/v2/documents/generateUploadPresignedUrl>

Request Data:

- **BODY:**

```
{
  "key": "xaas-storage/abcarvind.pdf"
}
```

Response:

```
{ {
  "message": "OK",
  "data": "https://sb-dev18-tenant-d37f71f4-tenantbucket-
ekfr2uwvb2dk.s3.useast-1.amazonaws.com/xaas-storage/abcarvind.pdf?X-Amz-
Algorithm=AWS4HMAC-SHA256&X-Amz-Content-Sha256=UNSIGNED-PAYLOAD&X-
Amz-
Credential=ASIA2VJSTH4KXL5XUDYM%2F20250217%2Fus-
east1%2Fs3%2Faws4_request&X-Amz-Date=20250217T131512Z&X-
AmzExpires=7200&X-Amz-Security-
Token=IQoJb3JpZ2luX2VjEEkaCXVzLWVhc3QtMSJHMEUCIQCSXvxQ3FtnI%2F8qyf1u
sJ3%2FcjIUIC7bgNMXvYtsKcymcglgb453itLcYt6BebxS8%2F3yohOmoukEloAV0TfGzP
BOuqYqhwQlcRABGgw3Mzl5MzQ5MTM4MTMiDNxlqPL7Sr1N3RB4sCrkAyZS6lG4tc
ulGYTE%2Faz7qmibgAqr8WUdZLN0hZPRP0OsHFdrfNODPsaGUyRgJaRAIs2PM6XVM
6wQt3URHXTGOrrD2Lfsx0eqmYEIY3a%2BA9SNf9xq4wc%2F7bZjCVkB%2BeFWwejF
z
ZpcX9P65tJsCA0dkhZJe16OxFQuBqoPmPdu5cHYVvgGWcT9gVdFKS9gBozmFFNDNM
VUq1ZBv98Fih3Q15ToZid2qrrjLARNor4NuOeqn9KGmOr59U6NAVqQhZfveAd5kzM6
EZeKxOExTcwg9g3RzsepMhvb0CayyEamlU4RKg9FnHInHJ8GL7su%2Be9zBBcndVJmz
%2B3Fr%2BEJE6wMHv%2Ff%2FCfl34oyWDFSHmCyGpHJJW6oa0z154XTMx9MQru
PJ9Ee2nc1MK6mZoBvTvx42dCNw0zOCHrQ75rdCQ6fQE0md0uYxrcTaPQH6BfafcwQ
%2FbwivyoPoEhWZJP1A%2BoHZNiPU%2FkbrwjUI2jclZVikIF%2B2andh4QJgbyShrAs
%2Fz3p0JtUIVfPNodMrgxz5jlu2GQM3TzgwR5j%2FbW8bBT0al8edHC%2BEZHvs5urD
aHHCjFfvrwvE0WKpgV5LBrSRlhw0hPlaqlfnxDnUBBGy0UpipCxtUMFVwAYpdTRMJJ
CfW1WJtxXMw3OHLvQY6pQF5wwMGkdKQHnmnvj3ddQjexbzaiHa4x15q%2Bqo8m
0mclggFPAATOlAq5dt3yX3%2FSYLU8IJBNIJRzkET%2FggVLxnRY0kHSacFX9a64T96r
iyriin66bpoDmlJbS0m3Z%2Fz6j36mtg5oSuNHwlyuMyf3DP0677Y2V3%2B%2BwCTxr
GTm7AxVw5KEBSTc8bnpE674NBqd%2FM3Ed2cVtM0x6QWf5WLNyflAp85N0%3D&
X-Amz-
Signature=185b3b4bc3cc176a39b25b0a4ca564ea450a5e60376675c42fcef3d7c97f4
da9&X-Amz-SignedHeaders=host&x-id=PutObject"
}
```

Upload Document Using Presigned URL:

Endpoint: Presigned endpoint

Method: PUT

Request Parameters (BINARY):

- Upload a document in binary format

Description:

- This API uploads document into the location defined by Presigned url.

Example:

```
https://{account}.amazonaws.com/xaas-storage/abcarvind.pdf?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Content-Sha256=UNSIGNED-PAYLOAD&X-Amz-Credential=al=ASIA2VJSTH4KXL5XUDYM%2F20250217%2Fus-east1%2Fs3%2Faws4_request&X-Amz-Date=20250217T131512Z&X-AmzExpires=7200&X-Amz-Security-Token=IQoJb3JpZ2luX2VjEEkaCXVzLWVhc3QtMSJHMEUCIQCSXvxQ3FtnI%2F8qyf1u sJ3%2FcjIUIc7bgNMXvYtsKcymcglgb453itLcYt6BebxS8%2F3yohOmoukEloAV0TfGzP BOuqYqhwQlcRABGgw3Mzl5MzQ5MTM4MTMiDNxlqPL7Sr1N3RB4sCrkAyZS6lG4tc ulGYTE%2Faz7qmibgAqr8WUdZLN0hZPRP0OsHFdrfNODPsaGUYRgJaRAIs2PM6XVM 6wQt3URHXTGOrrD2Lfsx0eqmYEIY3a%2BA9SNf9xq4wc%2F7bZjCVkB%2BeFWwejF z ZpcX9P65tJsCA0dkhZJe16OxFQuBqoPmPdu5cHYVvgGWcT9gVdFKS9gBozmFFNDNM VUq1ZBv98Fih3Q15ToZid2qrrjLARNor4NuOeqn9KGmOr59U6NAVqQhZfveAd5kzM6 EZEKxOExTcwg9g3RzsepMhvb0CayyEamlU4RKg9FnHInHJ8GL7su%2Be9zBBcndVJmz %2B3Fr%2BEJE6wMHv%2Ff%2FCfI34oyWDFSHmCyGpHJJW6oa0z154XTMx9MQru PJ9Ee2nc1MK6mZoBvTvx42dCNw0zOCHrQ75rdCQ6fQEomd0uYxrcTaPQH6BfafcwQ %2FbwivyoPoEhWZJP1A%2BoHZNiPU%2FkbrwjUI2jclZVikIF%2B2andh4QJgbyShrAs %2Fz3p0JtUIVfPNodMrgxz5jlu2GQM3TzgwR5j%2FbW8bBT0al8edHC%2BEZHvs5urD aHHCjFfvrwvE0WKPGV5LBrSRIhw0hPlaqlfnxDnUBBGy0UpipCxtUMFVwAYpdTRMJJ CfW1WJtxXMw3OHLvQY6pQF5wwMGkdKQHnmnvj3ddQjexbzaiHa4x15q%2Bqo8m 0mcLggFPAATOluAq5dt3yX3%2FSYLU8IJBNIJRzkET%2FggVLxnRY0kHSacFX9a64T96r iyriin66bpoDmlJbS0m3Z%2Fz6j36mtg5oSuNHwlyuMyf3DP0677Y2V3%2B%2BwCTxr GTm7AxVw5KEBSTc8bnpE674NBqd%2FM3Ed2cVtM0x6QWf5WLNyflAp85N0%3D& X-AmzSignature=185b3b4bc3cc176a39b25b0a4ca564ea450a5e60376675c42fcef3d7c 97f4 da9&X-Amz-SignedHeaders=host&x-id=PutObject
```

Request Data:

- **BINARY:** File to uploaded in binary format

Response:

"status": 200

Generate Embedding API:

Endpoint:

/jobs/startJobs

Method: POST

HEADERS:

- Authorization: It should have accessToken value as Authorization header value.

Request Parameters**(JSON Data in Body):**

- docs => array of files. Maximum length should be equal to 1. This should have the response of uploadDocuments API.
- jobType: 2 (For embedding, it should be equal to 2).
- tags – array of objects to be sent in tags key in body parameters.

Descrip/on:

- This API would initiate a request to generate embedding for the file. It is asynchronous and would send you the initiated job id in response which can be used to track the status of job.
 - All fields mentioned above are mandatory to make api work smoothly.
 - To start embedding request from this api, It is mandatory to send “jobType” as 2.
 - To check the status of submitted job, use “GET Job Details API”. You can monitor “executionStatusText” key for the job.
 - Please don’t start query/summary/comparison jobs for the reference embedding job gets succeeded. Otherwise, it will throw error.
 - Allowed tags for embedding:
- There are no mandatory tags for this request type.

Example:

<https://{apiDomainUrl}/ingestion/dev/api/v2/jobs/startJobs>

Request Data:**Body:**

```
{
  "docs": [
    {
      "originalFileName": "Dover Corp (SPD) - 2021.HW-SPD-Main-Eff-
April2021.FINAL.pdf",
      "fileType": "application/pdf",
      "fileSize": 1.1,
```

```

    "fileLocation": "https://sb-dev12-tenant-5b232686-
tenantbucketockh3vtd5ye6.s3.us-east-1.amazonaws.com/xaas-storage/25715d04-
b8c4-451ea850-4dcaf4e4a992-Dover%20Corp%20%28SPD%29%20-%202021.HW-
SPD-Main-
Eff-April-2021.FINAL.pdf",
    "fileKey": "xaas-storage/25715d04-b8c4-451e-a850-4dcaf4e4a992-Dover Corp
(SP) - 2021.HW-SPD-Main-Eff-April-2021.FINAL.pdf",
    "caseId": "6ee9d8b0-9210-4ec1-89fa-41a3d06947a8"
  }
],
  "jobType": 2,
  "tags": [{"EmbeddingType": "vector"}]
}}

```

Response:

```

{
  "message": "OK",
  "data": [
    {
      "jobId": "6ee9d8b0-9210-4ec1-89fa-41a3d06947a8",
      "executionArn": "arn:aws:states:us-east-1:732934913813:execu/on:sb-
dev125b232686-cc-ConcurrencyControlledStateMachine:6ee9d8b0-9210-4ec1-
89fa-
41a3d06947a8",
      "startDate": "2023-12-15T11:18:23.653Z"
    }
  ]
}

```

Query API:

Endpoint:

/jobs/startJobs

Method: POST

HEADERS:

- Authorization: It should have accessToken value as Authorization header value.

Request Parameters

(JSON Data in Body):

- jobs => It should be array of job ids corresponding to embedding request. The min/max length of jobs array should be equal to 1.
- docs => It should be an array of docs. The min/max length of docs array should be equal to 1.
- jobType=> For the query, it should be equal to 3.

- tags – array of objects to be sent in tags key of body parameters.
- [**Note** : There should be either docs or jobs in the payload.]

Allowed tags:

1. Query (array of strings): This is mandatory tag.
2. Creativity (number): This optional tag.

Description:

- This API would initiate a request for the query. It is asynchronous and would send you the initiated job id in response which can be used to track the status of job.
- For query request, send the query in tags in array. See example below.
- The min/max length of jobs or docs array should be equal to 1.
- To check the status of submitted job, use “GET Job Details API”. You can monitor “executionStatusText” key for the job.

Example:

<https://{apiDomainUrl}/ingestion/dev/api/v2/jobs/startJobs>

Request Data:

Body for jobs:

```
{
  "jobs": ["6ee9d8b0-9210-4ec1-89fa-41a3d06947a8"],
  "jobType": 3,
  "tags": [
    {"Query": ["what is parent name", "what is parent address"] },
    {"Creativity": 0}
  ]
}
```

Body for docs:

```
{
  "docs": [
    {
      "originalFileName": "TD-Bank-Statement-USA-BankStatements.net_ 5.pdf",
      "fileType": "application/pdf",
      "fileSize": 0.56,
      "fileLocation": "https://sb-dev18-tenant-d37f71f4-tenantbucketekfr2uwahb2dk.s3.us-east-1.amazonaws.com/xaas-storage/885b72ee-2366-48b6b780-088b70a1db0c-TD-Bank-Statement-USA-
```

```

    "BankStatements.net %205.pdf",    "fileKey": "xaas-storage/885b72ee-2366-48b6-
    b780-088b70a1db0c-TD-BankStatement-USA-BankStatements.net_ 5.pdf"
  },
],
"jobType": 3,
"tags": [
  {"Query": ["what is parent name", "what is parent address"] },
  {"Creativity": 0}]
}

```

Response :

```

{
  "message": "OK",
  "data": [
    {
      "jobId": "36f75b45-5f13-478c-9a4f-ae52ccc65e99",
      "execu/onArn": "arn:aws:states:us-east-1:732934913813:execution:sb-
      dev125b232686-cc-ConcurrencyControlledStateMachine:36f75b45-5f13-478c-
      9a4fae52ccc65e99",
      "startDate": "2023-12-15T11:27:22.485Z",
      "success": true
    }
  ]
}

```

Summarization API:

Endpoint:

/jobs/startJobs

Method: POST

HEADERS:

- Authorization: It should have accessToken value as Authoriza=on header value.

Request Parameters

(JSON Data in Body):

- jobs => It should be array of job ids corresponding to embedding request. The min/max length of jobs array should be equal to 1.
- docs => It should be an array of docs. The min/max length of docs array should be equal to 1.
- jobType=> For the summarization, it should be equal to 9.
- tags – array of objects to be sent in tags key of body parameters.
- [**Note** : There should be either docs or jobs in the payload.]

Allowed tags:

1. Length (string): This is mandatory tag.
2. Include (array of strings): This optional tag.
3. Creativity(number): This is optional.

Description:

- This API would initiate a request for the summarization. It is asynchronous and would send you the initiated job id in response which can be used to track the status of job.
- For summarization request, send the tags in array. For summarization, Length and Include parameters should be sent in tags. See example below.
- The min/max length of jobs or jobs array should be equal to 1.
- To check the status of submitted job, use "GET Job Details API". You can monitor "executionStatusText" key for the job.

Example:

<https://{apiDomainUrl}/ingestion/dev/api/v2/jobs/startJobs>

Request Data:**Body for jobs:**

```
{
  "jobs": ["6ee9d8b0-9210-4ec1-89fa-41a3d06947a8"],
  "jobType": 3,
  "tags": [{"Length": "Short"}, {"Include": ["dob"]}, {"Creativity": 0}]
}
```

Body for docs:

```
{
  "docs": [
    {
      "originalFileName": "TD-Bank-Statement-USA-BankStatements.net_5.pdf",
      "fileType": "application/pdf",
      "fileSize": 0.56,
      "fileLocation": "https://sb-dev18-tenant-d37f71f4-tenantbucketekfr2uwahb2dk.s3.us-east-1.amazonaws.com/xaas-storage/885b72ee-2366-48b6b780-088b70a1db0c-TD-Bank-Statement-USA-BankStatements.net_5.pdf",
      "fileKey": "xaas-storage/885b72ee-2366-48b6b780-088b70a1db0c-TD-Bank-Statement-USA-BankStatements.net_5.pdf"
    }
  ]
}
```

```

    }
  ],
  "jobType": 9,
  "tags": [{"Length": "Short"}, {"Include": ["dob"]}, {"Creativity": 0}]
}

```

Response:

```

{
  "message": "OK",
  "data": [
    {
      "jobId": "36f75b45-5f13-478c-9a4f-ae52ccc65e99",
      "executionArn": "arn:aws:states:us-east-1:732934913813:execution:sb-dev125b232686-cc-ConcurrencyControlledStateMachine:36f75b45-5f13-478c-9a4fae52ccc65e99",
      "startDate": "2023-12-15T11:27:22.485Z"
    }
  ]
}

```

Get Job Details API (To check the Job Status):

Endpoint:

/job/getJobDetails/{jobId}

Method: GET

HEADERS:

Authorization: It should have accessToken value as Authorization header value.

Request Parameters

jobId => jobId in request path parameters.

Description:

- This API would provide the job details with job status.
- “**executionStatusText**” field in response of this api determines the status of the job. It could be any of the following “RUNNING”, “SUCCEEDED”, “FAILED.”

Example:

<https://{apiDomainUrl}/ingestion/dev/api/v2/job/getJobDetails/36f75b45-5f13-478c-9a4fae52ccc65e99>

Request Data:Path Parameters:

"jobId": to be sent in path parameters of request

Response:

```
{
  "message": "OK",
  "data": {
    "id": "36f75b45-5f13-478c-9a4f-ae52ccc65e99",
    "tenantId": "5b232686-760e-4deb-8a4a-a3efa42aca21",
    "priority": "Low",
    "dueDate": "2023-12-16T11:27:22.508Z",
    "valida/onStatus": "Unassigned",
    "assignedTo": "Not Assigned",
    "documents": [
      {
        "documentOutputUri": "s3://sb-dev12-tenant-5b232686-tenantbucketockh3vtd5ye6/5b232686-760e-4deb-8a4a-a3efa42aca21/8f1b4a23-231e-4e6d8ee0-2ce72f406b08/36f75b45-5f13-478c-9a4f-ae52ccc65e99/41125548-1ba3-4e1ab656-77162b366cec/response.json",
        "documentUri": "s3://sb-dev12-tenant-5b232686-tenantbucketockh3vtd5ye6/5b232686-760e-4deb-8a4a-a3efa42aca21/8f1b4a23-231e-4e6d8ee0-2ce72f406b08/6ee9d8b0-9210-4ec1-89fa-41a3d06947a8/a7e7d7d8-f9da4e2b-baf9-49ac73369774/Dover Corp (SPD) - 2021.HW-SPD-Main-Eff-April2021.FINAL.pdf",
        "documentType": "pdf",
        "updatedAt": "2023-12-15T11:27:22.390Z",
        "jobId": "36f75b45-5f13-478c-9a4f-ae52ccc65e99",
        "createdAt": "2023-12-15T11:27:22.390Z",
        "documentPages": 0,
        "monitorStatus": false,
        "id": "41125548-1ba3-4e1a-b656-77162b366cec",
        "documentSize": 1.1
      }
    ],
    "createdDate": "2023-12-15T11:27:22.508Z",
    "updatedAt": "2023-12-15T11:27:22.508Z",
    "noOfDocuments": 1,
    "aging": "10 mins ",
    "execu/onStatusText": "RUNNING",
    "tags": [
      {"query":["what is pa/ent name","what is pa/ent address"]}
    ]
  }
}
```

Get Job Output API(To get the output response of job):

Endpoint:

/job/getJobOutput/{jobId}

Method: GET

HEADERS:

Authorization: It should have accessToken value as Authorization header value.

Request Parameters

jobId => jobId in request path parameters.

Description:

- This API would provide the output of the job in json format

Example:

<https://{apiDomainUrl}/ingestion/dev/api/v2/job/getJobOutput/36f75b45-5f13-478c-9a4fae52ccc65e99>

Request Data:

Path Parameters:

"jobId": to be sent in path parameters of request.

Response:

JSON output for the query generated by query job request.

Document Uploaded File(To Download Uploaded File):

Endpoint: / document/downloadFile/{id}

Method: GET

HEADERS:

Authorization: It should have accessToken value as Authorization header value.

Request Parameters

id => document id for the corresponding document in request path parameters.

Description:

- This API would download source file.

Example:

<https://{apiDomainUrl}/ingestion/dev/api/v2/document/downloadFile/36f75b45-5f13478c-9a4f-ae52ccc65e99>

Request Data:Path Parameters:

"id": to be sent in path parameters of request.

Response:

File in stream

Projects API:**List Projects API:****Endpoint:**

/projects/getProjectList

Method: GET**HEADERS:**

- Authorization: It should have accessToken value as Authorization header value.

Request Parameters**1. Search of Project in Query:**

- a. search=> project name in query parameters

Created At of Project in Query:

- a. createdAt=> project creation date in query parameters
- b. It should be in the YYYY-MM-DD format

Updated At of Project in Query:

- a. updatedAt=> project updating date in query parameters
- b. It should be in the YYYY-MM-DD format

Description:

- This api extracts list of projects created by user.

Example:

<https://{{apiDomainUrl}}/ingestion/dev/api/v2/projects/getProjectList>

Response:

```
{
  "message": "OK",
  "data": {
    "projects": [
      {
        "documents": [
          {
            "isArchived": false,
            "isMetaDoc": false,
```

```

      "updatedAt": "2024-09-17T03:31:05.683Z",
      "jobId": "f20e9b42-191e-45ce-a79b-5d393549f369",
      "createdAt": "2024-09-17T03:31:05.683Z",
      "originalFileName": "summary.json",
      "monitorStatus": false,
      "id": "94970f9f-02d8-4d1f-8574-5bd458b352ab",
      "fileLocation": "https://sb-dev18-tenant-d37f71f4-
tenantbucketekfr2uwfb2dk.s3.us-east-1.amazonaws.com/d37f71f4-5680-4868-
91f2a03906a8b21c/f20e9b42-191e-45ce-a79b-5d393549f369/summary.json"
    }
  ],
  "outputs": [
    {
      "docxOutputUri": "summary.docx",
      "outputType": "summary",
      "svgOutputUri": "summary.svg",
      "jsonOutputUri": "summary.json"
    }
  ],
  "updatedAt": "2024-09-20T13:00:21.425Z",
  "tenantId": "d37f71f4-5680-4868-91f2-a03906a8b21c",
  "status": 1,
  "createdAt": "2024-09-20T13:00:21.425Z",
  "updatedBy": "aw_animeshk",
  "id": "0b928ef4-8f0d-400d-af21-96097eedb9fc",
  "createdBy": "aw_animeshk",
  "name": "Project2"
}
],
"total": 1,
"lastKey": null
}
}

```

Create Project API:

Endpoint:

/projects/createProject

Method: POST

HEADERS:

➤ Authorization: It should have accessToken value as Authorization header value.

Request Parameters

1. JSON Data in Body

a. Name:

- i. This is required field and accepts the alphanumeric value

b. Status:

- i. This is optional field and accepts the value either 1 or 2

d. Outputs

- i. This is Optional and having Array of object with proper=es -
 1. OutputType – Required field and outputType must be one of the following values: summary, user-story, ac=on-log, testcase, progress-map, business-docs, sop
 2. JsonOutputUri – Optional and jsonOutputUri must be one of the following values: summary.json, user-story.json, ac=onlog.json, test-case.json, progress-map.json, business-docs.json, sop.json
 3. DocxOutputUri – Optional and docxOutputUri must be one of the following values: summary.docx, user-story.docx, actionlog.docx, test-case.docx, progress-map.docx, businessdocs.docx, sop.docx
 4. SvgOutputUri – Optional and svgOutputUri must be one of the following values: summary.svg, user-story.svg, action-log.svg, test-case.svg, progress-map.svg, business-docs.svg, sop.svg

e. Documents:

- i. This is optional field and each value in documents must be a UUID referencing to a document

Description:

- This API is used to create a new project. This API needs at least project name to be created with

Example:

<https://{apiDomainUrl}/ingestion/dev/api/v2/projects/createProject>

Request Data:

```
{
  "name": "Project2",
  "status": 1,
  "outputs": [
    {
      "outputType": "summary",
      "jsonOutputUri": "summary.json",
      "docxOutputUri": "summary.docx",
      "svgOutputUri": "summary.svg"
    }
  ]
}
```

```
],
"documents": [
  "94970f9f-02d8-4d1f-8574-5bd458b352ab"
] }
```

Response:

```
{
  "message": "OK",
  "data": {
    "id": "5269c9ee-d3b2-4ba9-a94d-992cafc57bf6",
    "tenantId": "d37f71f4-5680-4868-91f2-a03906a8b21c",
    "createdBy": "aw_animeshk",
    "updatedBy": "aw_animeshk",
    "name": "Project2",
    "status": 1,
    "outputs": [
      {
        "outputType": "summary",
        "jsonOutputUri": "summary.json",
        "docxOutputUri": "summary.docx",
        "svgOutputUri": "summary.svg"
      }
    ],
    "documents": [
      {
        "isArchived": false,
        "isMetaDoc": false,
        "updatedAt": "2024-09-17T03:31:05.683Z",
        "jobId": "f20e9b42-191e-45ce-a79b-5d393549f369",
        "createdAt": "2024-09-17T03:31:05.683Z",
        "originalFileName": "summary.json",
        "monitorStatus": false,
        "id": "94970f9f-02d8-4d1f-8574-5bd458b352ab",
        "fileLoca/on": "https://sb-dev18-tenant-d37f71f4-tenantbucket-ekfr2uwahb2dk.s3.useast-1.amazonaws.com/d37f71f4-5680-4868-91f2-a03906a8b21c/f20e9b42-191e-45cea79b-5d393549f369/summary.json"
      }
    ],
    "createdAt": 1726838457576,
    "updatedAt": 1726838457576
  }
}
```

Get Project Details API:

Endpoint:

/project/getProjectDetails/{id}

Method: GET**HEADERS:**

- Authorization: It should have accessToken value as Authorization header value.

Request Parameters**(ID of project in Path):**

- id=> project id in path parameters

Description:

- This API is used to get the project details based on id of the project.

Example:

<https://{apiDomainUrl}/ingestion/dev/api/v2/project/getProjectDetails/{id}>

Response:

```
{
  "message": "OK",
  "data": {
    "id": "5269c9ee-d3b2-4ba9-a94d-992cafc57bf6",
    "tenantId": "d37f71f4-5680-4868-91f2-a03906a8b21c",
    "createdBy": "aw_animeshk",
    "updatedBy": "aw_animeshk",
    "name": "Project2",
    "status": 1,
    "outputs": [
      {
        "outputType": "summary",
        "jsonOutputUri": "summary.json",
        "docxOutputUri": "summary.docx",
        "svgOutputUri": "summary.svg"
      }
    ],
    "documents": [
      {
        "isArchived": false,
        "isMetaDoc": false,
        "updatedAt": "2024-09-17T03:31:05.683Z",
        "jobId": "f20e9b42-191e-45ce-a79b-5d393549f369",
        "createdAt": "2024-09-17T03:31:05.683Z",

```

```

    "originalFileName": "summary.json",
    "monitorStatus": false,
    "id": "94970f9f-02d8-4d1f-8574-5bd458b352ab",
    "fileLoca/on": "https://sb-dev18-tenant-d37f71f4-tenantbucket-
ekfr2uwvhb2dk.s3.useast-1.amazonaws.com/d37f71f4-5680-4868-91f2-
a03906a8b21c/f20e9b42-191e-45cea79b-5d393549f369/summary.json"
  }
],
  "createdAt": 1726838457576,
  "updatedAt": 1726838457576
}
}

```

Update Project API:

Endpoint:

/project/updateProject/{id}

Method: POST

HEADERS:

➤ Authorization: It should have accessToken value as Authorization header value.

Request Parameters

ID of project in Path:

➤ id=> project id in path parameters **JSON Data in Body :**

1. Name
 - a. This field is optional and alphanumeric
2. Status
 - a. This field is optional and having value either 1 or 2
3. Outputs
 - a. This is optional field and array of object with proper
 - i. OutputType
 - ii. jsonOutputUri
 - iii. docxOutputUri
 - iv. SvgOutputUri
 - b. Same validations are applied which are applied while creating the projects as mentioned in create project section
4. Documents
 - a. This is optional and array of string as document id which refers to document

Description:

➤ This API is used to update a project.

Example:

<https://{{apiDomainUrl}}/ingestion/dev/api/v2/project/updateProject/{id}>

Request Data:Body:

```
{
  "data": {
    "name": " UpdatedProject1",
    "status": 1,
    "documents": ["94970f9f-02d8-4d1f-8574-5bd458b352ab"],
    "outputs": [{
      "outputType": "summary",
      "jsonOutputUri": "summary.json",
      "docxOutputUri": "summary.docx",
      "svgOutputUri": "summary.svg"
    }]
  }
}
```

This body request data is same as body request used to create the project the only difference is that it is wrapped inside data field

Response:

```
{
  "message": "OK",
  "data": {
    "documents": [
      {
        "isArchived": false,
        "isMetaDoc": false,
        "updatedAt": "2024-09-17T03:31:05.683Z",
        "jobId": "f20e9b42-191e-45ce-a79b-5d393549f369",
        "createdAt": "2024-09-17T03:31:05.683Z",
        "originalFileName": "summary.json",
        "monitorStatus": false,
        "id": "94970f9f-02d8-4d1f-8574-5bd458b352ab",
        "fileLoca/on": "https://sb-dev18-tenant-d37f71f4-tenantbucket-ekfr2uwhb2dk.s3.useast-1.amazonaws.com/d37f71f4-5680-4868-91f2-a03906a8b21c/f20e9b42-191e-45cea79b-5d393549f369/summary.json"
      }
    ],
    "outputs": [
```

```
{
  "docxOutputUri": "summary.docx",
  "outputType": "summary",
  "svgOutputUri": "summary.svg",
  "jsonOutputUri": "summary.json"
},
{
  "updatedAt": "2024-09-20T14:09:26.161Z",
  "status": 1,
  "tenantId": "d37f71f4-5680-4868-91f2-a03906a8b21c",
  "createdAt": "2024-09-20T13:20:57.576Z",
  "updatedBy": "aw_animeshk",
  "id": "5269c9ee-d3b2-4ba9-a94d-992cafc57bf6",
  "createdBy": "aw_animeshk",
  "name": "UpdatedProject1"
}
}
```

Download Project File API:

Endpoint:

/project/downloadProjectOutPutFile/{id}?fileName="summary.json"

Method: POST

HEADERS:

- Authorization: It should have accessToken value as Authorization header value.

Request Parameters

- id=> project id in path parameters

(Query Parameters):

- fileName=> In query parameter send the file name of the file that is to be downloaded.

Description:

- This API downloads file of the given fileName from the S3 location for given project id.

Example:

[https://{{apiDomainUrl}}/ingestion/dev/api/v2/project/downloadProjectOutPutFile/{id}?fileName="summary.json"](https://{{apiDomainUrl}}/ingestion/dev/api/v2/project/downloadProjectOutPutFile/{id}?fileName=)

Response:

Response is a savable binary file

Upload Project Output Files By Field API:

Endpoint: /project/uploadProjectOutputFilesByField/{id}

Method: POST

HEADERS:

- Authorization: It should have accessToken value as Authorization header value.

Request Parameters

(ID of tenant in Path):

- id=> project id in path parameters.

(FORMS Data in Body):	summary => It
should be in binary format	user-story => It
should be in binary format	test-case => It
should be in binary format	action-log => It
should be in binary format	process-map => It
should be in binary format	business-docs =>
It should be in binary format	sop => It should
be in binary format	

Description:

- This API uploads files into S3 location for a given project id. File name should be based on output type for example - if you are uploading file for summary then it can accept the files like summary.json, summary.docx and summary.json likewise you can upload the different type of outputs like – user-story, test-case, action-log, processmap, business-docs and sop.
- For all above-mentioned output type, you can upload 3 types of files which are outputType.json, outputType.docx and outputType.svg

Example:

<https://{apiDomainUrl}/ingestion/dev/api/v2/project/uploadProjectOutputFilesByField/{id}>

Request Data:

- **Output type (summary, test-case, user-story, action-log, progress-map, businessdocs, sop) key in Form Data to send file in binary format.**
- **Project id to be sent in path parameters**

Response:

{

```

"message": "OK",
"data": [
  {
    "originalFileName": "summary.json",
    "fileType": "application/json",
    "fileKey": "d37f71f4-5680-4868-91f2/453d-4e64-b944-25ec429e8c4a/summary.json",
    "filePath": "s3://.../.../summary.json"
  }
]
}

```

Delete Project API:

Endpoint:

/project/deleteProject/{id}

Method: POST

HEADERS:

- Authorization: It should have accessToken value as Authorization header value.

Request Parameters

ID of project in Path:

- id=> project id in path parameters

Description:

- This API is used to delete a project.

Example:

<https://{apiDomainUrl}/ingestion/dev/api/v2/project/deleteProject/{projectId}>

Request Data:

N/A

Response:

```

{
  "message": "OK"
}

```

EVENT API

USER EVENT CREATION API**ENDPOINT:** event/updateUserEvent**METHOD:** POST**HEADERS:** Authorization: It should have accessToken value as Authorization header value.**DESCRIPTION:** This API is used to create the user event ie sign in, sign out and Ai assist.
The value of "event" : "sign_in", "sign_out", "ai_assist"**EXAMPLE:**<http://{{apiDomainUrl}}/ingestion/dev/api/v2/event/updateUserEvent>**REQUEST DATA :**

```
{
  "event" : "sign_in"
}
```

RESPONSE

```
{
  "message": "OK",
  "data": {
    "id": "5f9e3881-cdc7-42b9-ac9d-b5daf33d2700",
    "user_name": "ai_lokeshwarana",
    "event": "SIGN_IN"
  }
}
```

USER EVENT GET API**ENDPOINT:** event/userActivity**METHOD:** GET**HEADERS:** Authorization: It should have accessToken value as Authorization header value.**DESCRIPTION:** The api is used to event details of an user like sign in, sign out and ai assist activities of all users**EXAMPLE:**

<http://{{apiDomainUrl}}/ingestion/dev/api/v2/event/userActivity>

REQUEST PARAMS:

start_date = "2025-05-05"

end_date = "2025-08-30"

RESPONSE

```
{
  "message": "OK",
  "data": {
    "user_activity": [
      {
        "user_name": "ai_lokeshwarana",
        "login_count": 36,
        "logout_count": 2,
        "ai_assist_count": 1
      },
      {
        "user_name": "ai_janaks",
        "login_count": 514,
        "logout_count": 2,
        "ai_assist_count": 2
      },
    ],
    "user_aggregate": {
      "login_count": 550,
      "logout_count": 4,
      "ai_assist_count": 3
    }
  }
}
```

DOCUMENT EVENT GENERATE API

ENDPOINT: event/updateGenerateEvent

METHOD: POST

HEADERS: Authorization: It should have accessToken value as Authorization header value.

DESCRIPTION: this api is used to capture generate document events of an user

The values of operation type is : GENERATE

The values of document_type is : sop, Summary, user-story, action-log, test-case, process-map, business-docs,

EXAMPLE:

`http://{{apiDomainUrl}}/ingestion/dev/api/v2/event/updateGenerateEvent`

REQUEST DATA :

```
{
  "document_type": "sop",
  "job_id": "1237768938",
  "operation_type": "GENERATE"
}
```

RESPONSE

```
{
  "message": "OK",
  "data": {
    "id": "5f9e3881-cdc7-42b9-ac9d-b5daf33d2700",
    "document_type": "sop",
    "operation_type": "GENERATE",
    "file_type": "docx"
  }
}
```

DOCUMENT EVENT DOWNLOAD API

ENDPOINT: `event/updateDownloadEvent`

METHOD: POST

HEADERS: Authorization: It should have accessToken value as Authorization header value.

DESCRIPTION: this api is used to capture document download events of an user
The values of document_type is : sop, Summary, user-story, action-log, test-case, process-map, business-docs,

EXAMPLE:

`http://{{apiDomainUrl}}/ingestion/dev/api/v2/event/updateDownloadEvent`

REQUEST DATA :

```
{
  "document_type": "sop",
  "job_id": "5f9e3881-cdc7-42b9-ac9d-b5daf33d2700",
  "file_name": "Sop.docx"
}
```

RESPONSE

```
{
  "message": "OK",
  "data": {
    "id": "5f9e3881-cdc7-42b9-ac9d-b5daf33d2700",
    "document_type": "sop",
    "operation_type": "GENERATE",
    "file_type": "docx"
  }
}
```

DOCUMENT EVENT GET API

ENDPOINT : event/ documentActivity

METHOD : GET

HEADERS : Authorization: It should have accessToken value as Authorization header value.

DESCRIPTION : this api is used to get the upload, generated and downloaded documents for each user

EXAMPLE:

<http://{{apiDomainUrl}}/ingestion/dev/api/v2/event/ documentActivity>

REQUEST PARAMS :

start_date = "2025-05-05"

end_date = "2025-08-30"

RESPONSE

```
{
  "message": "OK",
  "data": {
    "document_activity": [
      {
        "user_name": "ai_janaks",
        "upload": 98,
        "download_all": 65,
        "generated_all": 8,

```

```

    "video_upload": 44,
    "word_upload": 54,
    "pdf_upload": 0,
    "download_Summary": 9,
    "generate_Summary": 15,
    "download_business-docs": 17,
    "generate_business-docs": 20,
    "download_action-log": 16,
    "generate_action-log": 23,
    "download_process-map": 12,
    "generate_process-map": 20,
    "download_user-story": 11,
    "generate_user-story": 24,
    "download_test-case": 5,
    "generate_test-case": 8,
    "download_sop": 5,
    "generate_sop": 6
  },
  {
    "user_name": "ai_lokeshwarana",
    "upload": 12,
    "download_all": 0,
    "generated_all": 0,
    "video_upload": 3,
    "word_upload": 9,
    "pdf_upload": 0,
    "download_Summary": 8,
    "generate_Summary": 10,
    "download_business-docs": 7,
    "generate_business-docs": 9,
    "download_action-log": 7,
    "generate_action-log": 12,
    "download_process-map": 14,
    "generate_process-map": 17,
    "download_user-story": 12,
    "generate_user-story": 24,
    "download_test-case": 6,
    "generate_test-case": 12,
    "download_sop": 4,
    "generate_sop": 6
  }
],
"document_aggregate": {
  "no_pdf_upload": 20,

```

```

    "no_word_upload": 175,
    "no_video_upload": 114,
    "no_documents_generated": 46,
    "no_documents_uploaded": 310,
    "no_documents_downloaded": 145,
    "download_Summary": 24,
    "generate_Summary": 70,
    "download_business-docs": 38,
    "generate_business-docs": 60,
    "download_action-log": 23,
    "generate_action-log": 25,
    "download_process-map": 24,
    "generate_process-map": 46,
    "download_user-story": 19,
    "generate_user-story": 24,
    "download_test-case": 9,
    "generate_test-case": 46,
    "download_sop": 8,
    "generate_sop": 17
  }
}
}

```

CREATE JIRA STORIES API

ENDPOINT : jira/ createStories

METHOD : POST

HEADERS : Authorization: It should have accessToken value as Authorization header value.

DESCRIPTION : this api is used to create jira stories using project id and user story job id
file_type value is transcript or video

EXAMPLE:

<http://{{apiDomainUrl}}/ingestion/dev/api/v2/jira/ createStories>

REQUEST DATA :

```

{
  "file_type": "transcript",
  "project_id": "854714ba-20ee-41ae-90d9-d1db7dc112e0",
  "user_story_id": "09102e5e-5ce4-4653-abb0-49854e9c8b75"
}

```

RESPONSE

```
{"message": "OK"}
```