

Table of Contents

Basic Information 2

API LIST 2

 List Projects API 13

 Create Project API 14

 Get Project Details API 17

 Update Project API 18

 Get Pinned Projects API (new).....

 Get Projects Metrics API (new).....

Basic Information:

API Base URL: <https://{{apiDomainUrl}}/ingestion/{{environment}}/api/{{version}}>

API LIST:

Projects API:

List Projects API: released Changes made on 5th Jan

Endpoint:

/projects/getProjectList

Method: GET

HEADERS:

- Authorization: It should have accessToken value as Authorization header value.

Request Parameters

1. Search of Project in Query:

- search=> project name in query parameters

Created At of Project in Query:

- createdAt=> project creation date in query parameters
- It should be in the YYYY-MM-DD format

Updated At of Project in Query:

- updatedAt=> project update date in query parameters
- It should be in the YYYY-MM-DD format

Description:

- This api extracts list of projects created by user.

Example:

<https://{{apiDomainUrl}}/ingestion/dev/api/v2/projects/getProjectList>

Response:

```
{
  "message": "OK",
  "data": {
    "projects": [
      {
        "documents": [
          {
            "isArchived": false,
            "isMetaDoc": false,
```

```

      "updatedAt": "2024-09-17T03:31:05.683Z",
      "jobId": "f20e9b42-191e-45ce-a79b-5d393549f369",
      "createdAt": "2024-09-17T03:31:05.683Z",
      "originalFileName": "summary.json",
      "monitorStatus": false,
      "id": "94970f9f-02d8-4d1f-8574-5bd458b352ab",
      "fileLocation": "https://sb-dev18-tenant-d37f71f4-
tenantbucketekfr2uwfb2dk.s3.us-east-1.amazonaws.com/d37f71f4-5680-4868-
91f2a03906a8b21c/f20e9b42-191e-45ce-a79b-5d393549f369/summary.json"
    },
  ],
  "outputs": [
    {
      "docxOutputUri": "summary.docx",
      "outputType": "summary",
      "svgOutputUri": "summary.svg",
      "jsonOutputUri": "summary.json"
    }
  ],
  "updatedAt": "2024-09-20T13:00:21.425Z",
  "tenantId": "d37f71f4-5680-4868-91f2-a03906a8b21c",
  "status": 1,
  "createdAt": "2024-09-20T13:00:21.425Z",
  "updatedBy": "aw_animeshk",
  "id": "0b928ef4-8f0d-400d-af21-96097eedb9fc",
  "createdBy": "aw_animeshk",
  "name": "Project2",
  "ispinned": true,
  "approver": [{"userId": "9834989-93849-9384-kj98", "roleId": "73834k-3kjk-398-
983", "email": "ve_anupk@exlservice.com", "fname": "anup", "lname": "kemaye", "roleTy
pe": "approver", "roleName": "PM" }],
  "assignedUsers": [{"userId": "2893-2838-90lk-090l", "roleId": "9283kjk-9822-9988-lk",
"email": "ve_anupk@exlservice.com", "fname": "anup", "lname": "kemaye", "roleType": "
Assigned", "roleName": "PM"}]
}
],
"total": 1,
"lastKey": null
}
}

```

Create Project API: released Changes made on 5th Jan

Endpoint:

/projects/createProject

Method: POST

HEADERS:

- Authorization: It should have accessToken value as Authorization header value.

Request Parameters

1. JSON Data in Body

a. Name:

- i. This is required field and accepts the alphanumeric value

b. Status:

- i. This is optional field and accepts the value either 1 or 2

d. Outputs

- i. This is Optional and having Array of object with proper=es -
 1. OutputType – Required field and outputType must be one of the following values: summary, user-story, ac=on-log, testcase, progress-map, business-docs, sop
 2. JsonOutputUri – Optional and jsonOutputUri must be one of the following values: summary.json, user-story.json, ac=onlog.json, test-case.json, progress-map.json, business-docs.json, sop.json
 3. DocxOutputUri – Optional and docxOutputUri must be one of the following values: summary.docx, user-story.docx, actionlog.docx, test-case.docx, progress-map.docx, businessdocs.docx, sop.docx
 4. SvgOutputUri – Optional and svgOutputUri must be one of the following values: summary.svg, user-story.svg, action-log.svg, test-case.svg, progress-map.svg, business-docs.svg, sop.svg

e. Documents:

- i. This is optional field and each value in documents must be a UUID referencing to a document

f. assignedUsers:

optional fields and passed as Array of users with usersid and roleid

g. approver:

optional fields and passed as array of users with userid and roleid

h. isPinned:

optional fields passed as Boolean value true/false

Description:

- This API is used to create a new project. This API needs at least project name to be created with

Example:

<https://{apiDomainUrl}/ingestion/dev/api/v2/projects/createProject>

Request Data:

```
{
  "name": "Project2",
  "status": 1,
  "outputs": [
    {
      "outputType": "summary",
      "jsonOutputUri": "summary.json",
```

```
"docxOutputUri": "summary.docx",  
"svgOutputUri": "summary.svg"  
}
```

```

],
"documents": [
  "94970f9f-02d8-4d1f-8574-5bd458b352ab"
],
"isspinned": true,
"approver": [{"userId": "9834989-93849-9384-kj98", "roleId": "73834k-3kjk-398-983" }],
"assignedUsers": [{"userId": "2893-2838-90lkl-090l", "roleId": "9283kjk-9822-9988-lk"}]
}

```

Response:

```

{
  "message": "OK",
  "data": {
    "id": "5269c9ee-d3b2-4ba9-a94d-992cafc57bf6",
    "tenantId": "d37f71f4-5680-4868-91f2-a03906a8b21c",
    "createdBy": "aw_animeshk",
    "updatedBy": "aw_animeshk",
    "name": "Project2",
    "status": 1,
    "outputs": [
      {
        "outputType": "summary",
        "jsonOutputUri": "summary.json",
        "docxOutputUri": "summary.docx",
        "svgOutputUri": "summary.svg"
      }
    ],
    "documents": [
      {
        "isArchived": false,
        "isMetaDoc": false,
        "updatedAt": "2024-09-17T03:31:05.683Z",
        "jobId": "f20e9b42-191e-45ce-a79b-5d393549f369",
        "createdAt": "2024-09-17T03:31:05.683Z",
        "originalFileName": "summary.json",
        "monitorStatus": false,
        "id": "94970f9f-02d8-4d1f-8574-5bd458b352ab",
        "fileLoca/on": "https://sb-dev18-tenant-d37f71f4-tenantbucket-ekfr2uwvhb2dk.s3.useast-1.amazonaws.com/d37f71f4-5680-4868-91f2-a03906a8b21c/f20e9b42-191e-45cea79b-5d393549f369/summary.json"
      }
    ],
    "createdAt": 1726838457576,
    "updatedAt": 1726838457576
  }
}

```

Get Project Details API: released Changes made on 6th Jan

Endpoint:

/project/getProjectDetails/{id}

Method: GET

HEADERS:

- Authorization: It should have accessToken value as Authorization header value.

Request Parameters

(ID of project in Path):

- id=> project id in path parameters

Description:

- This API is used to get the project details based on id of the project.

Example:

<https://{apiDomainUrl}/ingestion/dev/api/v2/project/getProjectDetails/{id}>

Response:

```
{
  "message": "OK",
  "data": {
    "id": "5269c9ee-d3b2-4ba9-a94d-992cafc57bf6",
    "tenantId": "d37f71f4-5680-4868-91f2-a03906a8b21c",
    "createdBy": "aw_animeshk",
    "updatedBy": "aw_animeshk",
    "name": "Project2",
    "status": 1,
    "outputs": [
      {
        "outputType": "summary",
        "jsonOutputUri": "summary.json",
        "docxOutputUri": "summary.docx",
        "svgOutputUri": "summary.svg"
      }
    ],
    "documents": [
      {
        "isArchived": false,
        "isMetaDoc": false,
        "updatedAt": "2024-09-17T03:31:05.683Z",
        "jobId": "f20e9b42-191e-45ce-a79b-5d393549f369",
        "createdAt": "2024-09-17T03:31:05.683Z",

```



```

    "originalFileName": "summary.json",
    "monitorStatus": false,
    "id": "94970f9f-02d8-4d1f-8574-5bd458b352ab",
    "fileLoca/on": "https://sb-dev18-tenant-d37f71f4-tenantbucket-
ekfr2uwahb2dk.s3.useast-1.amazonaws.com/d37f71f4-5680-4868-91f2-
a03906a8b21c/f20e9b42-191e-45cea79b-5d393549f369/summary.json"
  }
],
  "ispinned": true,
  "approver": [{"userId": "9834989-93849-9384-kj98", "roleId": "73834k-3kjk-398-
983", "email": "ve_anupk@exlservice.com", "fname": "anup", "lname": "kemaye", "roleType": "
approver", "roleName": "PM" }],
  "assignedUsers": [{"userId": "2893-2838-90lk-090l", "roleId": "9283kjk-9822-9988-lk",
"email": "ve_anupk@exlservice.com", "fname": "anup", "lname": "kemaye", "roleType": "Assig
ned", "roleName": "PM"}],
  "industry": "E-com",
  "process": "SDLC",
  "projectType": "Automation"
  "createdAt": 1726838457576,
  "updatedAt": 1726838457576
}
}

```

Update Project API: released Changes made on 6th Jan

Endpoint:

/project/updateProject/{id}

Method: POST

HEADERS:

➤ Authorization: It should have accessToken value as Authorization header value.

Request Parameters

ID of project in Path:

➤ id=> project id in path parameters **JSON Data in Body :**

1. Name
 - a. This field is optional and alphanumeric
2. Status
 - a. This field is optional and having value either 1 or 2
3. Outputs
 - a. This is optional field and array of object with proper
 - i. OutputType
 - ii. jsonOutputUri
 - iii. docxOutputUri
 - iv. SvgOutputUri
 - b. Same validations are applied which are applied while creating the projects as mentioned in create project section
4. assignedUsers:

- passed as an array of object with userId and roleId parameters like create api
5. approver:
passed as an array of object with userId and roleId parameters create api
 6. process: optional string parameter
 7. industry: optional string parameter
 8. projectType: optional string parameter
 9. Documents
 - a. This is optional and array of string as document id which refers to document

Description:

- This API is used to update a project.

Example:

<https://{{apiDomainUrl}}/ingestion/dev/api/v2/project/updateProject/{id}>

Request Data:Body:

```
{
  "data": {
    "name": " UpdatedProject1",
    "status": 1,
    "documents": ["94970f9f-02d8-4d1f-8574-5bd458b352ab"],
    "outputs": [{
      "outputType": "summary",
      "jsonOutputUri": "summary.json",
      "docxOutputUri": "summary.docx",
      "svgOutputUri": "summary.svg"
    }]
  },
  "approver": [{"userId": "9834989-93849-9384-kj98", "roleId": "73834k-3kjk-398-983"}],
  "assignedUsers": [{"userId": "2893-2838-90lk-090l", "roleId": "9283kjk-9822-9988-lk"}],
  "industry": "E-com",
  "process": "SDLC",
  "projectType": "Automation"
}
```

This body request data is same as body request used to create the project the only difference is that it is wrapped inside data field

Response:

```
{
  "message": "OK",
  "data": {
    "documents": [
      {
        "isArchived": false,
        "isMetaDoc": false,
        "updatedAt": "2024-09-17T03:31:05.683Z",
        "jobId": "f20e9b42-191e-45ce-a79b-5d393549f369",
        "createdAt": "2024-09-17T03:31:05.683Z",
        "originalFileName": "summary.json",
        "monitorStatus": false,
        "id": "94970f9f-02d8-4d1f-8574-5bd458b352ab",
        "fileLoca/on": "hcps://sb-dev18-tenant-d37f71f4-tenantbucket-
```

```
ekfr2uwzb2dk.s3.useast-1.amazonaws.com/d37f71f4-5680-4868-91f2-  
a03906a8b21c/f20e9b42-191e-45cea79b-5d393549f369/summary.json"  
  }  
],  
"outputs": [
```

```
{
  "docxOutputUri": "summary.docx",
  "outputType": "summary",
  "svgOutputUri": "summary.svg",
  "jsonOutputUri": "summary.json"
}
],
"updatedAt": "2024-09-20T14:09:26.161Z",
"status": 1,
"tenantId": "d37f71f4-5680-4868-91f2-a03906a8b21c",
"createdAt": "2024-09-20T13:20:57.576Z",
"updatedBy": "aw_animeshk",
"id": "5269c9ee-d3b2-4ba9-a94d-992cafc57bf6",
"createdBy": "aw_animeshk",
"name": "UpdatedProject1"
}
}
```

Get Pinned Projects API (New API): released on 8th Jan

Endpoint:

/projects/getPinnedProjects

Method: GET

HEADERS:

- Authorization: It should have accessToken value as Authorization header value.

Description:

- This API is used to get the list of pinned projects.

Example:

<https://{{apiDomainUrl}}/ingestion/dev/api/v2/projects/getPinnedProjects>

Response:

```
{
  "message": "OK",
  "data": [{
    "id": "5269c9ee-d3b2-4ba9-a94d-992cafc57bf6",
    "tenantId": "d37f71f4-5680-4868-91f2-a03906a8b21c",
    "createdBy": "aw_animeshk",
    "updatedBy": "aw_animeshk",
    "name": "Project2",
    "status": 1,
    "outputs": [
```

```
{
  "outputType": "summary",
  "jsonOutputUri": "summary.json",
  "docxOutputUri": "summary.docx",
  "svgOutputUri": "summary.svg"
},
"documents": [
  {
    "isArchived": false,
    "isMetaDoc": false,
    "updatedAt": "2024-09-17T03:31:05.683Z",
    "jobId": "f20e9b42-191e-45ce-a79b-5d393549f369",
    "createdAt": "2024-09-17T03:31:05.683Z",
```

```

    "originalFileName": "summary.json",
    "monitorStatus": false,
    "id": "94970f9f-02d8-4d1f-8574-5bd458b352ab",
    "fileLoca/on": "https://sb-dev18-tenant-d37f71f4-tenantbucket-
ekfr2uwhb2dk.s3.useast-1.amazonaws.com/d37f71f4-5680-4868-91f2-
a03906a8b21c/f20e9b42-191e-45cea79b-5d393549f369/summary.json"
  }
],
  "ispinned": true,
  "approver": [{"userId": "9834989-93849-9384-kj98", "roleId": "73834k-3kjk-398-
983", "email": "ve_anupk@exlservice.com", "fname": "anup", "lname": "kemaye", "roleType": "
approver", "roleName": "PM" }],
  "assignedUsers": [{"userId": "2893-2838-90lk-090l", "roleId": "9283kjk-9822-9988-lk",
"email": "ve_anupk@exlservice.com", "fname": "anup", "lname": "kemaye", "roleType": "Assig
ned", "roleName": "PM"}],
  "industry": "E-com",
  "process": "SDLC",
  "projectType": "Automation"
  "createdAt": 1726838457576,
  "updatedAt": 1726838457576
}]
}

```

Get Projects metrics API (New API): released on 8th Jan

Endpoint:

/projects/getProjectMetrics

Method: GET

HEADERS:

- Authorization: It should have accessToken value as Authorization header value.

Description:

- This API is used to get the list of pinned projects.

Example:

<https://{apiDomainUrl}/ingestion/dev/api/v2/projects/getProjectMetrics>

Response:

```

{
  "message":
  "OK",
  "data": {
    "total": 6,

```

```
"inProgress":3,  
"completed":3,  
"failed": 0,  
"fileProcessCompleted": 0  
}  
}
```