ERRDEVARCH, Device Architecture Register

The ERRDEVARCH characteristics are:

Purpose

Provides discovery information for the component.

Configuration

ERRDEVARCH is implemented only as part of a memory-mapped group of error records.

Attributes

ERRDEVARCH is a 32-bit register.

Field descriptions

31 30 29 28 27 26 25 24 23 22 21	20	19 18 17 16	15 14 13 12	11109	8 7	6 5	4 3	; 2	1 (0
ARCHITECT	PRESENT	REVISION	ARCHVER		ARC	HP/	ART			٦

ARCHITECT, bits [31:21]

Architect. Defines the architect of the component. Bits [31:28] are the JEP106 continuation code (JEP106 bank ID, minus 1) and bits [27:21] are the JEP106 ID code.

ARCHITECT	Meaning
0b01000111011	JEP106 continuation
	code 0x4, ID code 0x3B.
	Arm Limited.

Access to this field is **RO**.

PRESENT, bit [20]

DEVARCH present. Defines that ERRDEVARCH register is present. Defined values are:

PRESENT	Meaning
0b0	Device Architecture
	information not present.
0b1	Device Architecture
	information present.

This field reads as 1.

REVISION, bits [19:16] When UInt(ERRDEVARCH.ARCHPART) == 0xA00 and ERRDEVARCH.ARCHVER == 0b0000:

Revision. Defines the architecture revision of the component. Defined values are:

REVISION	Meaning
0b0000	RAS System Architecture, error
	record group v1.0.
0b0001	RAS System Architecture, error
	record group v1.1. As 0b0000
	and also:
	0. 1.0
	• Simplifies
	ERR <n>STATUS.</n>
	• Adds support for
	additional
	ERR <n>MISC<m></m></n>
	registers.
	 Adds support for the
	optional RAS Timestamp
	Extension.
	 Adds support for the
	optional Common Fault
	Injection Model Extension.

All other values are reserved.

When UInt(ERRDEVARCH.ARCHPART) == 0xA00 and ERRDEVARCH.ARCHVER == 0b0001:

Revision. Defines the architecture revision of the component.

REVISION	Meaning
0b0000	RAS System Architecture,
	error record group v2.0.

All other values are reserved.

Access to this field is **RO**.

When UInt(ERRDEVARCH.ARCHPART) == 0xA08 and ERRDEVARCH.ARCHVER == 0b00000:

Revision. Defines the architecture revision of the component.

REVISION	Meaning
0b0000	RAS System Architecture,
	fault injection group v1.0.

All other values are reserved.

Access to this field is **RO**.

Otherwise:

Reserved, res0.

ARCHVER, bits [15:12] When UInt(ERRDEVARCH.ARCHPART) == 0xA00:

Architecture Version. Defines the architecture version of the component. Defined values are:

ARCHVER	Meaning			
0b0000	RAS System Architecture,			
	error record group v1.			
0b0001	RAS System Architecture,			
	error record group v2. As			
	0b0000 and also defines			
	fields in ERRDEVID that			
	describe additional			
	properties of this error			
	record group.			

All other values are reserved.

ERRDEVARCH.ARCHVER and ERRDEVARCH.ARCHPART are also defined as a single field, ERRDEVARCH.ARCHID, so that ERRDEVARCH.ARCHVER is ERRDEVARCH.ARCHID[15:12].

When UInt(ERRDEVARCH.ARCHPART) == 0xA08:

Architecture Version. Defines the architecture version of the component.

ARCHVER	Meaning
0b0000	RAS System Architecture,
	fault injection group v1.

All other values are reserved.

ERRDEVARCH.ARCHVER and ERRDEVARCH.ARCHPART are also defined as a single field, ERRDEVARCH.ARCHID, so that ERRDEVARCH.ARCHVER is ERRDEVARCH.ARCHID[15:12].

Access to this field is **RO**.

Otherwise:

Reserved, res0.

ARCHPART, bits [11:0]

Architecture Part. Defines the architecture of the component. Defined values are:

ARCHPART	Meaning
0xA00	RAS System Architecture,
	error record group.
0xA08	RAS System Architecture,
	fault injection group.

ERRDEVARCH.ARCHVER and ERRDEVARCH.ARCHPART are also defined as a single field, ERRDEVARCH.ARCHID, so that ERRDEVARCH.ARCHPART is ERRDEVARCH.ARCHID[11:0].

Accessing ERRDEVARCH

ERRDEVARCH can be accessed through the memory-mapped interfaces:

Component	Offset	Instance
RAS	0xFBC	ERRDEVARCH

Accesses on this interface are **RO**.

AArch32	AArch64	AArch32	AArch64	Index by	<u>External</u>
<u>Registers</u>	<u>Registers</u>	<u>Instructions</u>	<u>Instructions</u>	Encoding	Registers

28/03/2023 16:02; 72747e43966d6b97dcbd230a1b3f0421d1ea3d94

Copyright © 2010-2023 Arm Limited or its affiliates. All rights reserved. This document is Non-Confidential.