SPMCNTENCLR_EL0, System Performance Monitors Count Enable Clear Register

The SPMCNTENCLR EL0 characteristics are:

Purpose

Disable event counters in System PMU <s>.

Configuration

This register is present only when FEAT_SPMU is implemented. Otherwise, direct accesses to SPMCNTENCLR EL0 are undefined.

Attributes

SPMCNTENCLR EL0 is a 64-bit register.

Field descriptions

	63	62	61	60	59	58	57	56	55	54	53	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38
Ī	² 63	P62	P61	P60	P59	P58	P57	P56	P55	P54	P53	P52	P51	P50	P49	P48	P47	P46	P45	P44	P43	P42	P41	P40	P39	P3
F	231	P30	P29	P28	P27	P26	P25	P24	P23	P22	P21	P20	P19	P18	P17	P16	P15	P14	P13	P12	P11	P10	P9	P8	P7	P6

P < m >, bit [m], for m = 63 to 0

Event counter <m> disable.

P <m></m>	Meaning
0b0	Event counter <m> is disabled.</m>
0b1	Event counter $< m >$ is enabled.

The reset behavior of this field is:

• On a Warm reset, this field resets to an architecturally unknown value.

Accessing this field has the following behavior:

- When event counter <m> is not implemented by System PMU <s>, access to this field is RAZ/WI.
- Otherwise, access to this field is W1C.

Accessing SPMCNTENCLR_EL0

To access SPMCNTENCLR_EL0 for System PMU <s>, set SPMSELR_EL0. SYSPMUSEL to s.

Accesses to this register use the following encodings in the System register encoding space:

MRS <Xt>, SPMCNTENCLR_EL0

op0	op1	CRn	CRm	op2
0b10	0b011	0b1001	0b1100	0b010

```
if PSTATE.EL == ELO then
    if Halted() && HaveEL(EL3) && EDSCR.SDD == '1'
&& boolean IMPLEMENTATION_DEFINED "EL3 trap priority
when SDD == '1'" && MDCR_EL3.EnPM2 == '0' then
        UNDEFINED;
    elsif EL2Enabled() && HCR_EL2.<E2H,TGE> != '11'
&& IsFeatureImplemented(FEAT_FGT2) && HaveEL(EL3) &&
SCR EL3.FGTEn2 == '0' then
        AArch64.SystemAccessTrap(EL2, 0x18);
    elsif EL2Enabled() && HCR_EL2.<E2H,TGE> != '11'
&& IsFeatureImplemented(FEAT_FGT2) &&
HDFGRTR2_EL2.nSPMCNTEN == '0' then
        AArch64.SystemAccessTrap(EL2, 0x18);
    elsif HaveEL(EL3) && MDCR_EL3.EnPM2 == '0' then
        if Halted() && EDSCR.SDD == '1' then
            UNDEFINED;
        else
            AArch64.SystemAccessTrap(EL3, 0x18);
    else
        X[t, 64] =
SPMCNTENCLR_EL0[UInt(SPMSELR_EL0.SYSPMUSEL)];
elsif PSTATE.EL == EL1 then
    if Halted() && HaveEL(EL3) && EDSCR.SDD == '1'
&& boolean IMPLEMENTATION_DEFINED "EL3 trap priority
when SDD == '1'" && MDCR_EL3.EnPM2 == '0' then
        UNDEFINED;
    elsif EL2Enabled() &&
IsFeatureImplemented(FEAT_FGT2) && HaveEL(EL3) &&
SCR\_EL3.FGTEn2 == '0' then
        AArch64.SystemAccessTrap(EL2, 0x18);
    elsif EL2Enabled() &&
IsFeatureImplemented(FEAT_FGT2) &&
HDFGRTR2 EL2.nSPMCNTEN == '0' then
        AArch64.SystemAccessTrap(EL2, 0x18);
    elsif HaveEL(EL3) && MDCR_EL3.EnPM2 == '0' then
        if Halted() && EDSCR.SDD == '1' then
            UNDEFINED;
        else
            AArch64.SystemAccessTrap(EL3, 0x18);
    else
```

```
X[t, 64] =
SPMCNTENCLR_EL0[UInt(SPMSELR EL0.SYSPMUSEL)];
elsif PSTATE.EL == EL2 then
    if Halted() && HaveEL(EL3) && EDSCR.SDD == '1'
&& boolean IMPLEMENTATION DEFINED "EL3 trap priority
when SDD == '1'" && MDCR EL3.EnPM2 == '0' then
        UNDEFINED;
    elsif HaveEL(EL3) && MDCR_EL3.EnPM2 == '0' then
        if Halted() && EDSCR.SDD == '1' then
            UNDEFINED;
        else
            AArch64.SystemAccessTrap(EL3, 0x18);
    else
        X[t, 64] =
SPMCNTENCLR_EL0[UInt(SPMSELR_EL0.SYSPMUSEL)];
elsif PSTATE.EL == EL3 then
    X[t, 64] =
SPMCNTENCLR_EL0[UInt(SPMSELR_EL0.SYSPMUSEL)];
```

MSR SPMCNTENCLR_EL0, <Xt>

op0		op1	CRn	CRm	op2		
0b	10	0b011	0b1001	0b1100	0b010		

```
if PSTATE.EL == ELO then
    if Halted() && HaveEL(EL3) && EDSCR.SDD == '1'
&& boolean IMPLEMENTATION_DEFINED "EL3 trap priority
when SDD == '1'" && MDCR_EL3.EnPM2 == '0' then
        UNDEFINED;
    elsif EL2Enabled() && HCR EL2. <E2H, TGE> != '11'
&& IsFeatureImplemented(FEAT_FGT2) && HaveEL(EL3) &&
SCR\_EL3.FGTEn2 == '0' then
        AArch64.SystemAccessTrap(EL2, 0x18);
    elsif EL2Enabled() && HCR_EL2.<E2H, TGE> != '11'
&& IsFeatureImplemented(FEAT_FGT2) &&
HDFGWTR2_EL2.nSPMCNTEN == '0' then
        AArch64.SystemAccessTrap(EL2, 0x18);
    elsif HaveEL(EL3) && MDCR_EL3.EnPM2 == '0' then
        if Halted() && EDSCR.SDD == '1' then
            UNDEFINED;
            AArch64.SystemAccessTrap(EL3, 0x18);
    else
        SPMCNTENCLR_EL0 [UInt (SPMSELR_EL0.SYSPMUSEL) ]
= X[t, 64];
elsif PSTATE.EL == EL1 then
    if Halted() && HaveEL(EL3) && EDSCR.SDD == '1'
&& boolean IMPLEMENTATION_DEFINED "EL3 trap priority
when SDD == '1'" && MDCR_EL3.EnPM2 == '0' then
        UNDEFINED;
    elsif EL2Enabled() &&
IsFeatureImplemented(FEAT_FGT2) && HaveEL(EL3) &&
SCR_EL3.FGTEn2 == '0' then
```

```
AArch64.SystemAccessTrap(EL2, 0x18);
    elsif EL2Enabled() &&
IsFeatureImplemented(FEAT_FGT2) &&
HDFGWTR2 EL2.nSPMCNTEN == '0' then
        AArch64.SystemAccessTrap(EL2, 0x18);
    elsif HaveEL(EL3) && MDCR_EL3.EnPM2 == '0' then
        if Halted() && EDSCR.SDD == '1' then
            UNDEFINED;
        else
            AArch64.SystemAccessTrap(EL3, 0x18);
    else
        SPMCNTENCLR EL0[UInt(SPMSELR EL0.SYSPMUSEL)]
= X[t, 64];
elsif PSTATE.EL == EL2 then
    if Halted() && HaveEL(EL3) && EDSCR.SDD == '1'
&& boolean IMPLEMENTATION_DEFINED "EL3 trap priority
when SDD == '1'" && MDCR EL3.EnPM2 == '0' then
        UNDEFINED;
    elsif HaveEL(EL3) && MDCR EL3.EnPM2 == '0' then
        if Halted() && EDSCR.SDD == '1' then
            UNDEFINED;
        else
            AArch64.SystemAccessTrap(EL3, 0x18);
    else
        SPMCNTENCLR EL0[UInt(SPMSELR EL0.SYSPMUSEL)]
= X[t, 64];
elsif PSTATE.EL == EL3 then
    SPMCNTENCLR EL0[UInt(SPMSELR EL0.SYSPMUSEL)] =
X[t, 64];
```

AArch32AArch64AArch32AArch64Index byExternalRegistersRegistersInstructionsInstructionsEncodingRegisters

28/03/2023 16:02; 72747e43966d6b97dcbd230a1b3f0421d1ea3d94

Copyright © 2010-2023 Arm Limited or its affiliates. All rights reserved. This document is Non-Confidential.