### JAVASCRIPT OPERATORS

08 January 2025

09:25

# • Arthimetic :

```
--> +, -, *,/
```

Ex:

## Output:

20

0

100

1

# • Assignment:

var student= "malli "

+=

-=

/=

%=

Ex:

Output:

35

40

# Logical operators:

```
And - &&
T and T =T
Or - ||
T or F =F
Not!
```

Ex:

```
let a=10
let b=5
document.write(a>b,"<br/>document.write(a&&b,"<br/>document.write(a[b,"<br/>document.write(a[b,"<br/>document.write(a!=b,"<br/>document.write(a!=b,"<br/>)
```

### Output:

True

5

10

True

# Relational operators:

```
<,>,<=,>=,!=,==,!===
```

Ex:

```
| let a=10 |
| let b=10 |
| document.write(a>b,"<br/>") |
| document.write(a<b,"<br/>") |
| document.write(a<=b,"<br/>") |
| document.write(a>=b,"<br/>") |
| document.write(a==b,"<br/>") |
| document.write(a==b,"<br/>") |
| document.write(a!=b,"<br/>") |
```

### Output:

**False** 

False

True

True

True

**False** 

#### Ex2:

```
let a=10
let b='10'

document.write(a1=b,"<br/>)
document.write(a!==b,"<br/>)
document.write(a>b,"<br/>)
document.write(a<b,"<br/>)
document.write(a<-b,"<br/>)
document.write(a<=b,"<br/>)
document.write(a>=b,"<br/>)
document.write(a>=b,"<br/>)
document.write(a==b,"<br/>)
```

#### Output:

10

True

**False** 

**False** 

True

True

True

**False** 

#### **Conditional operators: ternary operator(?)**

--> first evaluates an expression for a true or false

Syntax:

Condition? e1:e2;

Ex:

```
<script>
    let a=10
    let b=1
    let c= (a>b)?a:b
    console.log(c)
    document.write(c)
</script>
```

Output:


10

## Window methods:

Alert: it gives alert message to windows

Ex:


Output:



prompt: it takes input from the user

Ex:

### Output:



## confirm: