Arrow functions

24 January 2025 10:49

✓ Version of arrow functions ES6.

More readable and more structure.

Annonymous functions.

Without function name but they are assigned to a variable

Example:

Arrow function without parameter:

```
Let c=()=>{
Console.log("hi raviteja")
}
c()
```

Arrow function with parameters:

```
<script>
let c=(a,b,x,y)=>{
          document.write(a*b*x*y+"</br>");
}
c(5,5,5,5)
c(5,6,7,7)
c(5,7,8,8)
</script>
```

Output:

625

1470

2240

Example3:

```
<script>
```

```
let name="raviteja"
    let welcome=(name=="raviteja")?()=>document.write("yash is very good in spelling"):
        ()=>document.write("yash is not good in spelling writing")
        welcome()
        </script>
```

Output:

Yash is very good in spelling

Example3:

```
    document.write("hello kothi!!!"+"</br>");
    setTimeout(()=>{
        document.write("hello Malli!!!"+"</br>")
    },1000);
    document.write("hello gopi"+"</br>")
    document.write("hello nani"+"</br>")
```

Output:

Hello kothi

Hello malli

Hello gopi

Hello nani

Example4:

```
function greeting(name,callback){
    document.write(`Hello, ${name}!`);
    callback();
}

function sayGoodBye(){
    document.write('Good Bye');
}

greeting("Raviteja",sayGoodBye)
</script>
```

Output: Hello, Raviteja!Good Bye