

```
shankmukhi@ShankmukhiPC: ~$ mkdir os lab
mkdir: os: File exists
mkdir: lab: File exists
shankmukhi@ShankmukhiPC: ~$ cd os lab
-bash: cd: too many arguments
shankmukhi@ShankmukhiPC: ~$ cd OS lab
-bash: cd: too many arguments
shankmukhi@ShankmukhiPC: ~$ cd os
shankmukhi@ShankmukhiPC: ~/os$ cd lab
-bash: cd: lab: No such file or directory
shankmukhi@ShankmukhiPC: ~/os$ mkdir lab
shankmukhi@ShankmukhiPC: ~/os$ cd lab
shankmukhi@ShankmukhiPC: ~/os/lab$ nano permission.c
shankmukhi@ShankmukhiPC: ~/os/lab$ gcc permission.c -o permission
shankmukhi@ShankmukhiPC: ~/os/lab$ ./permission
File created successfully.
shankmukhi@ShankmukhiPC: ~/os/lab$ ls -l sample.txt
-rw-r--r-- 1 shankmukhi shankmukhi 28 Aug 17 05:18 sample.txt
shankmukhi@ShankmukhiPC: ~/os/lab$ chmod 666 sample.txt
shankmukhi@ShankmukhiPC: ~/os/lab$ ls -l sample.txt
-rw-rw-rw- 1 shankmukhi shankmukhi 28 Aug 17 05:18 sample.txt
shankmukhi@ShankmukhiPC: ~/os/lab$ chmod u+rwx sample.txt
shankmukhi@ShankmukhiPC: ~/os/lab$ chmod o+rwx sample.txt
shankmukhi@ShankmukhiPC: ~/os/lab$ chmod a+rwx sample.txt
shankmukhi@ShankmukhiPC: ~/os/lab$ chmod u+rwx sample.txt
shankmukhi@ShankmukhiPC: ~/os/lab$ ls -l sample.txt
-rw-rw-rw- 1 shankmukhi shankmukhi 28 Aug 17 05:18 sample.txt
shankmukhi@ShankmukhiPC: ~/os/lab$ chmod o+rwx sample.txt
shankmukhi@ShankmukhiPC: ~/os/lab$ ls -l sample.txt
-rw-rw-rw- 1 shankmukhi shankmukhi 28 Aug 17 05:18 sample.txt
shankmukhi@ShankmukhiPC: ~/os/lab$ |
```

Tasks

1) Give Read and Write only to the owner

```
shankmukhi@ShankmukhiPC: ~/os/lab$ chmod 600 sample.txt
shankmukhi@ShankmukhiPC: ~/os/lab$ ls -l sample.txt
-rw----- 1 shankmukhi shankmukhi 28 Aug 17 05:18 sample.txt
shankmukhi@ShankmukhiPC: ~/os/lab$ |
```

2) Give Read and write to the owner and group

```
shnmukhi@ShanmukhiPC:~/os/lab$ chmod 660 sample.txt
shnmukhi@ShanmukhiPC:~/os/lab$ ls -l sample.txt
-rw-rw---- 1 shanmukhi shanmukhi 28 Aug 17 05:18 sample.txt
shnmukhi@ShanmukhiPC:~/os/lab$ |
```

3) Only owner can Read and Write

```
shnmukhi@ShanmukhiPC:~/os/lab$ chmod 600 sample.txt
shnmukhi@ShanmukhiPC:~/os/lab$ ls -l sampe.txt
ls: cannot access 'sampe.txt': No such file or directory
shnmukhi@ShanmukhiPC:~/os/lab$ ls -l sample.txt
-rw----- 1 shanmukhi shanmukhi 28 Aug 17 05:18 sample.txt
shnmukhi@ShanmukhiPC:~/os/lab$ |
```

4) Owner Read/Write, Everyone else read only

```
shnmukhi@ShanmukhiPC:~/os/lab$ chmod 644 sample.txt
shnmukhi@ShanmukhiPC:~/os/lab$ ls -l sample.txt
-rw-r--r-- 1 shanmukhi shanmukhi 28 Aug 17 05:18 sample.txt
shnmukhi@ShanmukhiPC:~/os/lab$ |
```

5) Owner can do everything, others can only read and execute

```
shnmukhi@ShanmukhiPC:~/os/lab$ chmod 755 sample.txt
shnmukhi@ShanmukhiPC:~/os/lab$ ls -l sample.txt
-rwxr-xr-x 1 shanmukhi shanmukhi 28 Aug 17 05:18 sample.txt
shnmukhi@ShanmukhiPC:~/os/lab$ |
```

6) Owner and group can read/write

```
shanmukhi@ShanmukhiPC:~/os/lab$ chmod 660 sample.txt
shanmukhi@ShanmukhiPC:~/os/lab$ ls -l sample.txt
-rw-rw---- 1 shanmukhi shanmukhi 28 Aug 17 05:18 sample.txt
shanmukhi@ShanmukhiPC:~/os/lab$
```

7) Only owner can execute

```
shanmukhi@ShanmukhiPC:~/os/lab$ chmod 100 sample.txt
shanmukhi@ShanmukhiPC:~/os/lab$ ls -l sample.txt
---x----- 1 shanmukhi shanmukhi 28 Aug 17 05:18 sample.txt
shanmukhi@ShanmukhiPC:~/os/lab$
```

8) Owner: read + write; Group: nothing; Others: nothing → 600

9) Owner: read + write; Group: read; Others: read → 644

10) Owner: read + write + execute; Group: read + execute; Others: read + execute → 755

11) Owner: read + write; Group: read + write; Others: nothing → 660

12) Everyone: read only → 444