week1

September 18, 2017

1 MIS 492 - Data Analysis and Visualization

- 1.1 Week 1
- 1.2 Python Primer
- 1.2.1 Dr. Mohammad AlMarzouq

2 What do computer programs contain?

- 1. Data
- 2. Processes

3 What is programming?

Combining data and processes to produce desired output.

All programs produce data as output!

When you learn a programming language, you learn how the language handles data, and how the language manipulates data (processes), to produce the desired output (data).

3.1 Part 1: Data

4 Where can we find data?

In variables

5 Python is a dynamically typed languages

- You can place any type of data in a variables
- You do not have to declare it like VB:

```
Dim x as Integer
x = "hello" ' will give an error
x = "5" ' will convert "5" into 5
x = 6 ' correct assignment
```

6 Python is a dynamically typed languages (cont.)

6.1 Notice how you do not declaire a type

```
x = 5 # integer
x = "6" # string
```

7 Python is strongly typed

7.1 Mixing different types in operations is not allowed without explicitly letting python know that it is what you want

8 For more information on data types see:

- Python built-in data types
- More advanced data types
- Type: help("TYPES") in jupyter or python prompt

9 Python main data types

• None:

```
x = None # known as Null, nil, nothing in other languages
```

10 Python main data types (numeric)

• int (Integers):

```
x = 10 # integer values (no decimal points)
```

• float:

```
x = 11.6 # numeric values with decimal points (known as double in VB)
```

11 Python main data types (numeric) cont.

• complex:

```
x = 11 + 1j \# complex numbers
```

12 More complex data types that can store multiple values are known as data structures

12.1 Includes:

- Sequences: Store multiple items and maintain order.
- Sets: Store multiple **unique** items, but does **NOT** maintain order
- Dictionaries: Stores pairs of values, where one is known as a key and used to identify the other value. (e.g., student id is a key, and the student record can be a stored value).

13 Mutable and Immutable values

- Some data structures will only store **immutable** values.
- Meaning that ones the value is stored, you cannot modify it.
- While other data structures allow values to mutate.
- Can you think why?
- discuss with your instructor

13.1 Sequences data types

13.1.1 str (Strings, immutable values):

13.1.2 list (mutable values):

13.1.3 tuple (immutable values):

TypeError

Traceback (most recent call last)

TypeError: 'tuple' object does not support item assignment

14 Trick question

14.1 How to replace second item in tuple x?

```
In []: x = (1,2,3,"x",1.1,1,2,3,4)
# <- What to type here?
```

15 Sets

Can you spot the difference between a set and a tuple? (there are at least 2)

16 How can you fetch a specific item in a set?

```
In []: x = \{1, 2, 3, "x", 1.1, 1, 2, 3, 4\}
# <- type your answer here
```

17 What seems to be the problem?

Discuss with your instructor your solutions and whether sets are useful.

18 Dictionaries

- There is no order in a dictionary!
- Dictionary lets the programmer label data
- Data is retrieved using the label
- In lists, data is retreived using the order
- Label is known as Key, data is known as Value

19 Important notes about dictionaries

- Keys must be immutable (values do not change)
- Can we have a list as a key? what about a tuple? how is a tuple useful as a key?
- Values can be mutable
- We will not know the order of values, we fetch them based on labels
- The fetching operation is known as **indexing**, and you can nest them.

20 Part 2: Processes

Everything else you write in a program is to tell the computer how to manipulate data. These are reffered to as processes, functions, operations, methods ...etc. The processes can be categorized into: - Operators - Control structures (which parts can we execute, and how many times?) - Conditionals - Loops - Functions

21 Operators

These are all the symboles used manipulate and mix data and variables. Main operator types are: - Arithmatic: $+ - *^ / / \% == -$ Logical: and or not is

22 Operator precedence

- Preedence is order of execution, it is usually left to write
- Some operators are performed before others, even if on far right
- For example, the assignment operator = is always performed last, why?
- Control precedence with parantheses ()

```
In [29]: 5 + 6 * 2
Out[29]: 17
In [30]: (5 + 6) * 2
Out[30]: 22
```

23 More on precedence

- See python online documentation on precedence
- type: help("OPERATORS") in jupyter or python prompt

24 Conditionals

```
In [ ]:
```

- 25 Loops
- 26 Functions
- 27 Is that it?

27.1 Am I a python export?

- Of course not, what we shared is **required** knowledge.
- You will build your experience, step by step, as we progress.
- We will explain new things as they appear, do not be afraid to ask.
- It is important to **know the terms** so you can type your questions in google.

28 Homework 1

- Complete the assigned course on datacamp.com
- Work on sessions1 through 4 in tutorial