

LMKPI Daily Efficiency Algorithm

Inputs

- C = proDone + perDone — total tasks completed
- T = proTotal + perTotal — total tasks assigned
- s — sleep hours
- m — social minutes
- r — reading pages
- $\text{meal}_i \in \{\text{Healthy}, \text{Fancy}, \text{Standard}, \text{Junk}, \text{Skipped}\}$, $i = 1, 2, 3$

Constants

readingTarget = 50, socialWeight = 0.25, sleepMin = 7.0, sleepMax = 9.0, sleepPenalty = 6.0

TDI (Tasks Done Index)

$$\text{TDI} = \begin{cases} \frac{C}{T} \times 100, & T > 0 \\ 0, & T = 0 \end{cases}$$

Diet Score

$$d(m) = \begin{cases} +5, & m = \text{Healthy} \\ -5, & m \in \{\text{Junk}, \text{Skipped}\} \\ 0, & \text{otherwise} \end{cases} \quad D = d(\text{meal}_1) + d(\text{meal}_2) + d(\text{meal}_3)$$

Sleep Score

$$S = \begin{cases} +10, & 7.0 \leq s \leq 9.0 \\ -10, & s < 6.0 \\ 0, & \text{otherwise} \end{cases}$$

Reading Contribution

$$R = \min(r, 50) \times 0.4$$

Efficiency (clamped 0–100)

$$E = \text{clamp}_{[0,100]} \left(50 + 0.3 \cdot \text{TDI} + R + D + S - 0.25 \cdot m \right)$$

Component Ranges

Component	Contribution	Range
Base	+50	fixed
TDI $\times 0.3$		$[0, 30]$
Reading	$\min(r, 50) \times 0.4$	$[0, 20]$
Diet	± 5 per meal	$[-15, 15]$
Sleep	ternary	$\{-10, 0, 10\}$
Social	-0.25 per minute	$(-\infty, 0]$
Total	clamped	$[0, 100]$