



NATIONAL LIGHTING
CO.

2026 · V1.0

VISUAL IDENTITY GUIDELINES

Light, made national.

The complete brand system for nlc.com.sa — colors, typography, components, and usage rules. Built for designers extending the website and partners producing collateral.

ISSUED

May
2026

VERSION

1.0

OWNER

NLC
Brand
Team

دليل الهوية البصرية · شركة الإنارة الوطنية

What's inside.

A practical brand system for both digital and print. Every page can be opened on its own — designers do not need to read cover-to-cover before they start working.

01 — FOUNDATIONS

Brand essence & personality	03
Voice & tone	04

02 — LOGO

Primary mark & lock-up	05
Variations & sizing	06
Misuse	07

03 — COLOR

Primary palette	08
Extended & neutrals	09
Usage & accessibility	10

04 — TYPOGRAPHY

Bizmo (English)	11
Lama Sans (Arabic)	12
Type scale & rules	13

05 — SYSTEM

Spacing & grid	14
Layout & page anatomy	15

06 — COMPONENTS

Buttons	16
Cards	17
Section pattern	18
Navigation & footer	19
Forms & inputs	20

07 — IMAGERY

Photography	21
Treatments & iconography	22

08 — MOTION & BILINGUAL

Motion & interaction	23
RTL & bilingual	24

09 — PRACTICE

Print collateral	25
Do's & Don'ts	26
Resources	27

WHO WE ARE

Engineered light for a country in motion.

National Lighting Company is a Saudi-owned LED manufacturer and Schneider Electric authorized panel assembler. Founded in 1993 in Dammam, NLC delivers lighting and integrated power systems to commercial, industrial, healthcare, and government projects across the Kingdom.

Every brand decision in this guide ladders up to three ideas: **national pride**, **engineering precision**, and **human warmth**. Navy carries the first two. Orange carries the third.

NATIONAL

Saudi at the core

Built in the Kingdom for the Kingdom. We carry that geography in language, in pace, and in the projects we light.

PRECISE

Engineered, not decorated

Every spec, every tolerance, every IK/IP rating is on purpose. The brand should feel as exact as the product.

WARM

Human at the seam

Lighting is a service, not a transaction. Orange is the warmth that meets people on either end of the panel.

ESTABLISHED

1993

Dammam · Eastern Province · Saudi Arabia

BRAND PILLARS

Lighting Solutions
Low Current Systems
Power & Control Systems

HOW WE SOUND

Plain-spoken, technically honest.

NLC writes the way a senior engineer talks to a project manager: confident, specific, and never showy. We do not market lighting — we describe it accurately enough that the right buyer recognizes their job.

			
Specific	Calm	Bilingual	Useful
Use real numbers — ✓ YES wattage, lumen output, CRI, IP rating. Don't say "premium" when you can say "IP65, 80+ CRI." Hero LED Floodlight — 200W, 5700K, IP66. Die-cast aluminium body, asymmetrical lens, suitable for facade and stadium applications up to 18 m mounting height.	Statements, not exclamations. We do not need urgency to sell engineered lighting. Lower the voice, keep the eye.	Arabic and English are equal. Neither translates from the other — both originate. Project names stay in Arabic. * NO The amazing Hero floodlight — a revolutionary new lighting solution that brings unmatched performance and stunning brilliance to any space, day or night.	Every paragraph should help a specifier do their job. If a sentence does not specify, demonstrate, or qualify, cut it.

WORDS WE USE

specifier, luminaire, fixture, fitting, panel, switchgear, project, certified, assembled, manufactured, delivered, mounted, installed, tested, IP rating, IK rating, CRI, lumens, CCT, K, lm/W, MV, LV, MCC.

WORDS WE AVOID

revolutionary, amazing, world-class, cutting-edge, next-generation, game-changing, unleash, transform your space, stunning brilliance, unparalleled.



Primary lock-up · Mark + wordmark — used everywhere bilingual context is not required.

THE MARK

An “N” pulled from a beam.

The orange mark is built from two intersecting strokes — a national reference and a luminous source. It reads as **N** at a glance, and as light at a second look. Always orange (#F4831F in the source SVG, #F6851F when used in CSS — they are visually identical).

FILE	USE
logo-blue.svg	Primary, on light backgrounds
logo-white.svg	On navy / photography
logo-mark.svg	Favicons, social avatars, app icons

Native ratio: 106 × 39 (≈ 2.72 : 1). Always scale proportionally.


Variations



A. Primary — light backgrounds



B. Reversed — navy & photography



C. Mark only — favicons, avatars, badges

Clear space

Reserve at minimum the height of the **"N" stem** as breathing room on every side. Nothing — text, edges, photographs — enters that zone.

Minimum size

Below these sizes the wordmark loses legibility. For smaller contexts, switch to the mark-only variant.



DIGITAL · 36 px / 9 mm
minimum height



PRINT · 22 mm
minimum width




MARK · 24 px / 6 mm minimum
(icons only)

DON'T DO THESE

Eight ways to break the mark.


The logo files are the source of truth. Never reconstruct, restyle, or recolor by hand — pull from the master SVG every time.




Don't rotate




Don't stretch




Don't recolor




Don't place on low-contrast




Don't use over busy patterns



Don't reset the wordmark in another typeface



Don't add shadows or effects



Don't fade or set below 100% opacity

TWO COLORS CARRY THE BRAND

Navy is the **authority**. Orange is the energy.

If you remember nothing else from this guide, remember the ratio. Navy is the dominant hue — backgrounds, headlines, structure. Orange is the accent — used to direct the eye, never to fill space.

PRIMARY

NLC Navy

HEX #24285E

RGB 36 · 40 · 94

CMYK 96 · 90 · 25 · 35

PANTONE 2767 C (closest)

CSS VAR --primary

SECONDARY

NLC Orange

HEX #F6851F

RGB 246 · 133 · 31

CMYK 0 · 58 · 95 · 0

PANTONE 158 C (closest)

CSS VAR --secondary

TINTS & SHADES

Navy Dark

#1A1E48

Navy

#24285E

Navy Light

#2E3478

Navy Deep

#0F1235

Orange Dark

NLC · VISUAL IDENTITY

#E0720A

Orange

#F6851F

Orange 60

#FDB074

Orange 04

#FFF8F0

08 / 28

Surface colors and **working neutrals**.

These are the colors that hold pages together. Backgrounds, dividers, body text, secondary information. Treat them as plumbing — quiet, dependable, and always behind the brand colors above.

BACKGROUND

Warm Bg

HEX #F0EFEF
 RGB 240 · 239 · 239
 VAR --bg

SURFACE

White

HEX #FFFFFF
 RGB 255 · 255 · 255
 VAR --white

BODY TEXT

Dark

HEX #1A1C3A
 RGB 26 · 28 · 58
 VAR --dark

SECONDARY TEXT

Gray

HEX #6B7280
 RGB 107 · 114 · 128
 VAR --gray

CAPTIONS

Gray Light

HEX #9CA3AF
 VAR --gray-light

BORDERS

Border

HEX #E2E1E1
 VAR --border

DIVIDERS

Line

HEX #ECECEC
 VAR --line

SYSTEM

WhatsApp

HEX #25D366
 USE only on the
 floating WhatsApp button

BRAND GRADIENTS

NAVY DEPTH

linear-gradient(135deg, #24285e 0%, #1a1e4a 55%, #0f1235 100%)

Use for: hero sections, stats bands, chairman/dark CTAs.

ENERGY

linear-gradient(135deg, #f6851f 0%, #e0720a 100%)

Use for: primary CTA bands. One per page maximum.


SOFT SURFACE

linear-gradient(145deg, #24285e, #2e3478)

Use for: photo containers, featured cards, project frames.

The 60 / 30 / 10 rule.

Color discipline is what keeps the site from feeling cheap. On any one screen, color should distribute roughly: **60% neutral** (white, warm bg), **30% navy** (structure, headlines, dark sections), **10% orange** (the eye magnet — buttons, accent words, badges).



When to use orange

- One primary CTA per section ("Browse Catalog", "Request Quote")
- The accent word in a headline (one word, occasionally two)
- Active state of a navigation link
- Section eyebrow labels (small uppercase text)
- Iconography accents inside icon containers
- Stats and data-point highlights

When NOT to use orange

- Body paragraphs — always navy/dark on light, white on dark
- Large background fills — orange is a spotlight, not a wall
- Multiple competing CTAs on the same screen
- Decorative borders on every element — orange must mean something

CONTRAST PAIRINGS — WCAG AA MINIMUMS

FOREGROUND	BACKGROUND	RATIO	BODY TEXT (4.5:1)	LARGE TEXT (3:1)
Navy #24285E	White	12.4 : 1	✓ Pass	✓ Pass
White	Navy #24285E	12.4 : 1	✓ Pass	✓ Pass
Navy #24285E	Bg #FOEFEF	11.2 : 1	✓ Pass	✓ Pass

Orange #F6851F	White	2.7 : 1	× Fail (don't use for body)	✓ Pass for headings only
Orange #F6851F	Navy #24285E	4.6 : 1	✓ Pass	✓ Pass
Gray #6B7280	White	4.6 : 1	✓ Pass	✓ Pass
Gray Light #9CA3AF	White	2.8 : 1	× Fail	✓ Captions only

The honesty check: never set body copy in NLC Orange on white. Orange against white is a heading or button color, not a paragraph color.

ENGLISH

Bizmo.

A geometric sans with engineered proportions. Bizmo is NLC's primary face for everything English — the wordmark, headings, body, navigation. It carries the brand's calm precision without feeling cold.

Available weights: 200 ExtraLight · 300 Light · 400 Regular · 500 Medium · 600 SemiBold · 700 Bold · 800 ExtraBold · 900 Black

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789 & ! ? @ % # — →

WEIGHT LADDER

Light · Captions, subtle labels

Regular · Body copy

Medium · Navigation, links

SemiBold · Buttons, emphasis

Bold · Sub-heads, card titles

ExtraBold · Section titles

Black · Hero, stats, takeover

ARABIC

لاما سانس.

Lama Sans is the Arabic counterpart to Bizmo — a contemporary geometric face that carries equal weight, equal warmth, and the same pacing. The Arabic site uses Lama Sans across all surfaces with direction: rtl.

Available weights: 200 ExtraLight · 300 Light · 400 Regular · 500 Medium · 600 SemiBold · 700 Bold · 800 ExtraBold · 900 Black

أ ب ت ث ج ح خ د ذ ر ز س ش ص ض ط ظ ع غ ف
 ق ك ل م ن ه و ي
 ٩ ٨ ٧ ٦ ٥ ٤ ٣ ٢ ١ . : ؟ ! , « »

WEIGHT LADDER

خفيف · للتسميات والشرح
 عادي · للنص الأساسي
 متوسط · للقوائم والروابط
 شبه عريض · للأزرار
 عريض · لعناوين البطاقات
 عريض جداً · للعناوين
 الرئيسية
 أسود · للعناوين الكبرى

BILINGUAL PAIRING

When EN and AR appear side-by-side (data sheets, signage, business cards), match the cap height of Bizmo to the equivalent x-height of Lama Sans — Lama Sans typically runs 5–10% larger at the same point size to compensate for Arabic's vertical density.

A scale tuned to screen and page.

The site uses a fluid scale via `clamp()` so type breathes between mobile and desktop. The fixed values below are the desktop maximums — start here when designing, then let it shrink.

Hero / Display

900 · `clamp(1.8rem, 3.8vw, 2.8rem)`

Engineered for the Kingdom.

Section Title

800 · `clamp(1.8rem, 3.5vw, 2.6rem)`

Lighting that holds its shape.

H3 / Card Title

700 · 14pt

High Bay 200W — IP65, 5700K

H4 / Eyebrow

700 · 11pt · uppercase · letter-spacing .08em

OUTDOOR SOLUTIONS

Body

400 · 10pt · line-height 1.7 · gray

NLC manufactures LED luminaires for commercial, industrial, and government projects across Saudi Arabia, with a 1993-established factory in Dammam.

Section Label

700 · 9pt · uppercase · letter-spacing .32em · orange

WHAT WE MAKE

Caption / Meta

500 · 8pt · gray-light · letter-spacing .04em



Last updated · May 2026 · Doc rev 1.0

✓ **RULES**

Set body line-height to 1.6–1.75 for readability. Limit body measure to 70 characters. Use one hero/display per page — multiple “biggest” titles fight each other.

✗ **AVOID**

Don't justify body text. Don't underline anything except links in body copy. Don't set headlines in italic. Don't use Bizmo Light below 11 pt — it gets fragile.



A 2 px base, doubling.

Spacing follows a doubling/halving scale. Every margin, padding, and gap on the site is one of these values — never a custom number.

space-1		2 px
space-2		4 px
space-3		8 px
space-4		14 px
space-5		18 px
space-6		22 px (default card gap)
space-7		30 px
space-8		48 px (section gap)
space-9		80 px (section padding)

RADIUS SCALE

TOKEN	VALUE	WHERE
--radius	12 px	Inputs, small buttons, icon boxes
--radius-lg	20 px	Cards, badges, content panels
--radius-xl	28 px	Hero frames, photo containers
50 px	pill	Buttons, tags, filter chips

SHADOWS

TOKEN	SPEC
--shadow-md	0 8px 30px rgba(36,40,94,.12)
--shadow-lg	0 20px 60px rgba(36,40,94,.18)

Shadows always carry the navy hue, never neutral black. This is what makes elevated surfaces still feel like NLC.

CONTAINER

Max-width **1280 px**, gutter **24 px**, centered. Below 760 px the site collapses to single-column with adjusted gaps.

Every page is a stack of bands.

Pages are built as vertical bands. Each band has its own background and breathing room. Inside the band, content sits inside the 1280 px container. This is how the site stays consistent across 142 product pages and 16 categories.

NLC

Home · Products · Solutions · Projects · Contact

Quote

SECTION EYEBROW

Hero band — navy gradient + orb glow + grid overlay

Sub-deck text · max 70 ch · weight 300

Primary CTAOutline CTA

SECTION EYEBROW

Content band on warm bg

Cards · grid · projects · products · etc.

ALT BAND

Section on white surface

Orange CTA band

One per page max — never two.

Take Action

FOOTER

Brand · Quick Links · Solutions · Newsletter

Anatomy notes

- **Header** — fixed, white, 88px tall, blurred backdrop, nav-shadow on scroll.
- **Hero** — navy gradient + orange grid overlay (4% opacity) + orb glows. Always the first band.
- **Content bands** — alternate - -bg and - -white for rhythm. Section padding 80 px (top & bottom).
- **Section pattern** — small orange eyebrow → big navy title with one orange word → gray sub-deck.
- **Orange CTA band** — at most once per page, near the bottom, never two adjacent.
- **Footer** — navy with orange section heads, 80 px top padding.


BREAKPOINTS

RANGE	BEHAVIOR
≥ 1280 px	Full layout, 4-col product grid
980–1279	Container shrinks, 3-col grids
760–979	2-col grids, hero stacks
≤ 759 px	Single column, mobile menu, condensed type



Three buttons. No more.


The site uses three button styles. All are pill-shaped (border-radius 50px), all use Bizmo SemiBold, all share the same dimensions. Pick by hierarchy, not by taste.



Primary

The action that matters most on the page. One per band. Orange fill, orange shadow at .35 opacity.

```
/* CSS */
.btn-primary {
  background: var(--secondary);
  color: #fff;
  box-shadow: 0 4px 20px
    rgba(246,133,31, .35);
}
```



Outline

Secondary actions on light backgrounds — "Learn more", "Browse", "View all". 2 px navy border, transparent fill.

```
/* CSS */
.btn-outline {
  background: transparent;
  color: var(--primary);
  border: 2px solid
    var(--primary);
}
```



Outline · White

Same role as outline, but on dark backgrounds — hero, chairman, footer. Border at 55% white opacity.

```
/* CSS */
.btn-outline-white {
  background: transparent;
  color: #fff;
  border: 2px solid
    rgba(255,255,255, .55);
}
```

STATES

STATE	TREATMENT
Hover	translateY(-2px) + shadow grows
Hover (outline)	Fill switches to primary, text inverts


DIMENSIONS

Padding **13 px × 30 px**. Border radius **50 px**. Font Bizmo SemiBold **1 rem**. Icon gap **10 px**. Transition **.3 s cubic-bezier(.4, 0, .2, 1)**.


Need a smaller button? Use the same shape at 9 pt × 20 pt. Never use rectangular buttons. Never combine fill + heavy border on the same element.

Focus	box-shadow 0 0 0 4px rgba(246,133,31,.2)
Disabled	Opacity 0.45, no hover transform
Icon arrow	translateX(4px) on hover

Cards are how the catalog speaks.



Product card · used in catalog grids · 4 cols desktop



Service card · 3 cols desktop · orange line on hover



Project card · 3:4 aspect · navy fallback when no image

CARD CONSTRUCTION RULES

- White surface, 1px border --border, radius --radius-lg (20 px).
- Hover: translateY(-6px) + --shadow-lg, border fades to transparent.
- Image area: 200–250 px, contain-fit for products, cover-fit for projects/news.
- Footer divider on all transactional cards (those with secs / metadata).

ACROSS THE SITE

CARD	WHERE	GRID
Product	products.html, catalog	4 cols
Service	Solutions, About	3 cols
Project	projects.html, home	3 cols
News	news.html, home	2 + 1 (featured)
Solution (image)	Home Solutions	4 cols

The **three-line** opener.

Every content section on the site opens the same way: a small uppercase orange label, a big navy title with one orange word, then a gray sub-deck. This pattern is the most reusable thing in the system — when in doubt, use it.

WHAT WE DELIVER

Lighting that holds its shape over time.

Every NLC luminaire is engineered for Saudi conditions — sand, sun, voltage swing — and tested before it leaves Dammam. We deliver products that look and perform the same on year ten as on day one.

1 · EYEBROW

Bizmo Bold **9 pt**, letter-spacing .32em, uppercase, color --secondary. Names the section in 1–4 words.

2 · TITLE

Bizmo ExtraBold **28–34 pt**, line-height 1.1. Color --primary. Exactly one word in --secondary via `<span class="accent">`.


3 · SUB-DECK

Bizmo Regular **10 pt**, line-height 1.7. Color --gray. Max-width ~70 ch. Always one paragraph.

```
<!-- Section opener pattern -->
<div class="section-header center">
  <span class="section-label">What we deliver</span>
  <h2 class="section-title">
    Lighting that holds <span>its shape over time.</span>
  </h2>
```

```
<p class="section-subtitle">  
    Every NLC luminaire is engineered for Saudi conditions...  
</p>  
</div>
```

Navigation




SPECS

- Fixed top, 88 px tall, white at 98% opacity, backdrop-filter blur 20 px.
- Logo 44 px tall, padding 12 px vertical.
- Links — Bizmo Medium 14 px, padding 8/14, gap 4 px between.
- Active link uses - - secondary; underline grows to 55% width on hover.
- Box-shadow 0 2px 30px rgba(36,40,94,.1) on scroll.
- Mobile: full-screen takeover, navy bg, link size 1.35 rem.

RTL

In /ar/ the navigation flips automatically: logo on the right, language toggle on the left, dropdown carets mirror. The CTA button uses Lama Sans SemiBold and reads "اطلب عرض سعر".

Footer



Quiet inputs. Loud labels.

Forms in NLC use small navy labels, generous padding, and warm-bg fills that switch to white on focus. The orange focus ring is the only color that changes — feedback is clear without being noisy.

GET A QUOTE

Tell us about your project.

Reply within one business day.

FULL NAME

Mohammed Al-Saleh

COMPANY

Saudi Aramco

EMAIL · FOCUSED

m.alsaleh@aramco.com.sa|

PHONE

+966 ...

PROJECT DETAILS

200W high-bay fixtures for warehouse, IP65, 5700K...

Submit Request →

SPECS

ELEMENT	TREATMENT
Label	9pt Bizmo Bold, navy, uppercase, ls .04em
Field idle	2px - - border on - - bg fill
Field hover	Border deepens to navy at 30%
Field focus	Border switches to - - secondary, fill goes to #fff, +4px orange .1 glow
Error	Border #d83a3a, message below in 8 pt red
Help text	8pt - - gray - light
Submit	Always primary button, full-width on mobile


File-drop fields use a 2 px dashed border on a #fafafa fill. Drop area lights up orange when active.

NLC · VISUAL
IDENTITY

20 / 28




Three families. No mixing.



1 • Product

Transparent PNG over warm-bg or white.
Centered, 14 px padding inside a 200 px container.
Lit from above-left, soft shadow only.

- Exported as PNG with alpha channel
- 1200 × 1200 max canvas
- Never use lifestyle or staged shots



2 • Lifestyle / Project

Real Saudi sites, warm nighttime moods, navy/
orange ambient color. Always real installations —
no stock. Heavy contrast, deep shadows.

- Treat with subtle navy/orange overlay if needed
- Crop to 3:2 (hero), 4:3 (project cards), 16:9 (video)
- Subjects: facades, warehouses, roads, plant rooms



3 • Process / Lab

SMT line, lab, fabrication, R&D. Industrial — clean,
technical, lower color saturation. Used in About /
Manufacturing sections.

- Available in /images/lab/ and /images/smt/
- Crop tight on hands, machines, components
- Avoid faces unless permission obtained

✓ YES

Real sites in Saudi Arabia. Warm color temperatures (3000–4000K ambient). Industrial subjects framed quietly. Subtle navy or orange treatment on monochrome shots.

✗ NO

Stock photos of European offices. Renders that look like renders. Saturated sunsets. Heavy filters. People on white seamless. Anything that pretends to be NLC but isn't.

Signature treatments



Grid overlay · linear-gradient(rgba(246,133,31,.04) 1px, transparent 1px) at 50–60 px tile size. Always over navy.




Orb glows · radial blurred shapes, opacity .13–.25, slow drift animation. Used in hero and stats bands.




Watermark · oversized logo at 6% opacity, off-canvas left. Subtle wayfinding for hero / chairman bands.

Iconography

The site uses Font Awesome 6.5 for icons. Always wrap icons in a colored container — never floating raw on a page.



Soft accent · service intros



Soft navy · feature lists



Solid orange · CTA emphasis



Solid navy · contact rows

BADGES & SPECS



Motion is a quiet handshake.

Animations should reward interaction — never distract from content. Everything uses one easing curve: `cubic-bezier(.4, 0, .2, 1)`. Everything is short — .3s by default.

TOKENS

USE	DURATION	EASING
Hover (button, card)	.3 s	<code>cubic-bezier(.4, 0, .2, 1)</code>
Mobile menu	.4 s	<code>cubic-bezier(.4, 0, .2, 1)</code>
Image scale	.4 – .6 s	<code>ease</code>
Hero slide fade	.55 s	<code>ease-in-out</code>
Marquee (clients)	60 s	<code>linear, infinite</code>
Hero orb drift	12–15 s	<code>ease-in-out alternate</code>

PATTERNS

- **Card lift** — hover translates Y by -6 to -8 px; shadow grows from md → lg; border fades to transparent.
- **Button hover** — Y -2 px; orange shadow opacity .35 → .45.
- **Arrow advance** — icon translates X by +4 px on hover (Bizmo arrows / chevrons).
- **Image bloom** — scale 1.05–1.08 on container hover.
- **Section reveal** — AOS library, fade-up 30 px, stagger 80 ms between sibling cards.

REDUCED MOTION

Respect `prefers-reduced-motion: reduce`. Disable all infinite animations (orbs, marquees), instant transitions, and AOS reveals.

Arabic is not a translation.

The Arabic site at /ar/ mirrors the English site one-to-one in structure but is set in Lama Sans with `direction: rtl`. Both sites share the same components, colors, and layout — they diverge only at the typography and the writing direction.

ENGLISH (LTR)

WHAT WE MAKE

Lighting that holds its shape over time.

Every NLC luminaire is engineered for Saudi conditions and tested before it leaves Damman.

[Browse Catalog →](#)

ARABIC (RTL)

ما نصنعه

إنارة تحافظ على شكلها مع مرور الزمن.

كل وحدة إنارة من NLC مصممة لظروف المملكة العربية السعودية ومختبرة قبل أن تغادر مصنع الدمام.

[← تصفح الكتالوج](#)

WHAT FLIPS AUTOMATICALLY

- Layout direction (flex / grid order)
- Margins, paddings, borders that use logical properties
- Floating prev/next arrows on product pages
- Icon arrows in buttons (→ becomes ←)

WHAT STAYS

- Brand colors, mark, photography
- Typographic ratios (sizes, weights, leading)
- Component shapes (radius, shadow, padding)
- Numeric data, English product codes (e.g. "200W"), KSA phone numbers

Arabic line-height runs ~10% looser than Bizmo to accommodate diacritics and stacked characters. Use `line-height: 1.85` for Arabic body and `1.4–1.5` for Arabic display.

From screen to paper.

Same brand, different substrate. When NLC moves from web to print — datasheets, business cards, tender documents, signage — the rules below keep the identity tight across both.

DATASHEETS (PDF)

- A4 portrait, 18 mm safe area
- Hero product image: transparent PNG, centered, 60% page width
- Specs table: 8.5 pt Bizmo Regular, 1 px navy rules
- Header: NLC mark + product name + part number
- Footer: contact strip, page X of Y

BUSINESS CARDS

- 85 × 55 mm, double-sided
- Front: mark only (orange) on navy
- Back: lockup top-left, name + role + phone + email + URL
- Stock: 350 gsm matt, soft-touch laminate

TENDER / RFP DOC

- A4 portrait, 25 mm gutter on bound edge
- Cover: navy, full-bleed, mark + project name
- Section dividers: orange band, 12 mm tall
- Body 10 pt / leading 14 pt, 60–70 ch column

CMYK CONVERSION

COLOR	HEX	CMYK (OFFSET)	PANTONE (CLOSEST)
NLC Navy	#24285E	96 / 90 / 25 / 35	2767 C
NLC Orange	#F6851F	0 / 58 / 95 / 0	158 C
NLC · VISUAL IDENTITY Warm Bg	#F0EFEF	0 / 0 / 0 / 6	—

When printing on uncoated stock, knock the orange CMYK to 0 / 55 / 92 / 0 to compensate for ink absorption. Always proof on the actual stock before signing off a run.

The short list to keep on your desk.

DO

- Use the section pattern (eyebrow → title → sub-deck) on every new content section.
- Keep one orange word per headline. Pick the most important.
- Alternate --bg and --white bands for vertical rhythm.
- Limit to one primary CTA per band, one orange CTA band per page.
- Use the actual color tokens (CSS variables), never raw hex.
- Keep product photos as transparent PNGs, centered, with 14 px breathing room.
- Use the standard radius scale: 12 / 20 / 28 / 50 px (pill).
- Set body line-height 1.6–1.7 (EN), 1.8–1.85 (AR).
- Reach for the existing card components before designing new ones.
- Test contrast against WCAG AA before shipping.

DON'T

- Don't introduce new brand colors. Tints, yes — new hues, no.
- Don't use orange for body text on white (fails contrast).
- Don't stack two orange CTA bands. Once is impact, twice is noise.
- Don't justify body copy. It breaks the engineered feel.
- Don't reset the wordmark in another typeface. Use the SVG.
- Don't use stock photography of generic offices or skylines.
- Don't use icons without a colored container (raw FA icons feel adrift).
- Don't mix shadow colors — shadows are always navy-tinted.
- Don't introduce custom radii. Pick from the scale.
- Don't write hyperbolic copy ("revolutionary", "stunning", "world-class").

Where things live.

BRAND ASSETS

ASSET	PATH
Primary logo (color)	/images/logo/logo-blue.svg
White logo	/images/logo/logo-white.svg
Mark only	/images/logo/logo-mark.svg
Bizmo (English)	/fonts/Bizmo-*.woff2
Lama Sans (Arabic)	/fonts/LamaSans-*.woff2
Font definitions	/fonts/fonts.css
Product photography	/images/products/{key}.png
Project photography	/images/projects/
Datasheets	/datasheets/{key}.pdf

REFERENCE TEMPLATES

TEMPLATE	PATH
Home page (EN)	/index.html
Home page (AR)	/ar/index.html
Product catalog	/products.html
Product detail	/product/{key}.html
Project / case study	/projects.html
Solutions cluster	/solutions/

HELPER SCRIPTS

SCRIPT	USE
/tmp/build_products.py	Generate product detail (EN+AR)
/tmp/inject_prev_next.py	Update prev/next arrows

QUICK CSS STARTER

WHEN IN DOUBT

```
/* Drop this into a new page's <head> */
:root {
  --primary: #24285e;
  --secondary: #F6851F;
  --bg: #F0EFEF;
  --dark: #1a1c3a;
  --gray: #6b7280;
  --border: #e2e1e1;
  --radius: 12px;
  --radius-lg: 20px;
  --radius-xl: 28px;
  --shadow-md: 0 8px 30px rgba(36,40,94,.12);
  --shadow-lg: 0 20px 60px rgba(36,40,94,.18);
  --font: 'Bizmo','Outfit',sans-serif;
  --transition: .3s cubic-bezier(.4,0,.2,1);
}
```

Open `/index.html` and copy the closest existing band. The site is the source of truth — this guide describes it. If the two ever disagree, the live site wins, and this document needs an update.

OWNER

NLC Brand Team — info@nlc.com.sa
nlc.com.sa

Document version 1.0 · May 2026 · Maintained by the brand team. Update `CLAUDE.md` when adding new categories, components, or brand rules.



NATIONAL LIGHTING
CO.

END · V1.0

MADE IN DAMMAM · 1993 → TODAY

Light **isn't** decoration. It's infrastructure.

Build the next page like the rest of them. Use the components. Trust the spacing. Pick the orange word carefully.

WEB

nlc.com.sa

EMAIL

info@nlc.com.sa

PHONE

+966
920
016
374

شركة الإنارة الوطنية · الدمام