AI CAREER FOR WOMEN

Commerce



AI CAREER FOR WOMEN

COMMERCE / PROJECT REPORT

MULTIMODAL AI-DRIVEN DIGITAL TWIN FOR AGRICULTURE

Farmer Safety • Crop Health • Smart Farming • Market Intelligence

A Project Report

submitted in partial fulfillment of the requirements of the AICW Project

Submitted by

Shaik Fouzia | shaikfouzia2006@gmail.com

Malyala Srinija | malyalasrinija1@gmail.com

Deekonda Deepika | deekondadeepika299@gmail.com

Balanthu Vennela | balanthuvannela@gmail.com

Under the Guidance of

Dr. Rahul Nawkhare

Academic Year 2026

ACKNOWLEDGEMENT

We express our sincere gratitude to everyone who supported and guided us during the preparation of this project report on “Multimodal AI-Driven Digital Twin for Agriculture.”

We are especially thankful to our guide, Dr. Rahul Nawkhare, for his valuable guidance, encouragement, suggestions, and feedback. His support helped us organize the project concept, understand the role of emerging technologies, and present the proposed system in a structured academic format.

We also thank our institution and faculty members for providing the learning environment and resources needed to explore Artificial Intelligence, Internet of Things, computer vision, digital twin technology, and agricultural decision-support systems.

Finally, we acknowledge the contributions of all team members in discussing the problem, developing the proposed architecture, preparing the presentation, and compiling this report. The project is intended as a technology-supported decision aid; its effectiveness must be established through implementation and systematic testing.

Shaik Fouzia

Malyala Srinija

Deekonda Deepika

Balanthu Vennela

ABSTRACT

Agriculture is influenced by crop health, water availability, weather conditions, environmental risks, and changing market prices. When information about these factors is scattered across separate sources, farmers may find it difficult to understand field conditions and make timely decisions. This project proposes a Multimodal AI-Driven Digital Twin for Agriculture: a virtual representation of a farm that combines available agricultural data and presents decision-support information through a farmer dashboard.

The proposed framework brings together inputs such as IoT sensor readings, crop images, weather information, satellite observations, and agricultural market prices. A data-processing layer organizes the inputs, while suitable Artificial Intelligence and Machine Learning methods can support crop-health analysis, disease-identification assistance, irrigation recommendations, risk awareness, crop-yield estimation, and market intelligence. The Digital Twin provides a unified representation of farm conditions, and a decision layer converts analysis into summaries, recommendations, and alerts.

The methodology covers requirement analysis, data collection, preprocessing, data integration, AI/ML analysis, virtual farm representation, dashboard design, and evaluation. Expected outcomes include improved visibility into farm conditions and more informed farm-management decisions. No numerical accuracy or performance claim is made in this report because such results require implementation-specific testing. The practical value of the system will depend on the reliability of input data, the validity of the models, connectivity, and farmer review of the recommendations.

Keywords: Digital Twin, Smart Agriculture, Artificial Intelligence, Machine Learning, IoT, Crop Health, Precision Farming, Decision Support.

TABLE OF CONTENTS

Abstract

List of Figures

Figure 3.1 Overall System Architecture
Figure 3.2 Proposed Project Workflow
Figure 3.3 Digital Twin Data Flow
Figure 3.4 Farmer Dashboard Concept
Figure 4.1 Evaluation Cycle

List of Tables

Table 2.1 Review of Existing Approaches
Table 2.2 Research Gap Analysis
Table 3.1 Functional Modules
Table 3.2 Hardware Requirements
Table 3.3 Software and Technology Requirements
Table 4.1 Evaluation Plan

Chapter 1 — Introduction

1.1 Problem Statement

1.2 Motivation

1.3 Objectives

1.4 Scope of the Project

Chapter 2 — Literature Survey

2.1 Review of Existing Approaches

2.2 Technologies and Methods

2.3 Research Gap Analysis

Chapter 3 — Proposed Methodology

3.1 System Design

3.2 Functional Modules

3.3 System Architecture and Data Flow

3.4 Workflow

3.5 Hardware and Software Requirements

3.6 Advantages and Design Considerations

Chapter 4 — Implementation Plan and Evaluation

4.1 Implementation Stages

4.2 Data Preparation

4.3 Dashboard and Outputs

4.4 Evaluation Strategy

4.5 Expected Results

Chapter 5 — Discussion and Conclusion

5.1 Key Contributions

5.2 Limitations

5.3 Future Work

5.4 Conclusion

References

Appendices

LIST OF FIGURES

Figure 3.1 Overall System Architecture




Figure 3.2 Proposed Project Workflow




Figure 3.3 Digital Twin Data Flow




Figure 3.4 Farmer Dashboard Concept





Figure 4.1 Evaluation Cycle



LIST OF TABLES

Table 2.1 Review of Existing Approaches

Table 2.2 Research Gap Analysis

Table 3.1 Functional Modules

Table 3.2 Hardware Requirements

Table 3.3 Software and Technology Requirements

Table 4.1 Evaluation Plan

CHAPTER 1 — INTRODUCTION

1.1 Problem Statement

Farmers must make decisions while dealing with multiple changing conditions, including crop diseases, soil and water conditions, weather events, input costs, and market-price variation. Relevant information may come from field observations, sensors, images, weather services, satellite products, and market reports. When these sources are not brought together, it can be difficult to build a timely and consistent picture of a farm.

The problem addressed by this project is the lack of a unified, data-driven view that connects farm monitoring with practical decision support. The proposed Multimodal AI-Driven Digital Twin aims to organize different forms of agricultural information in a virtual farm representation and make selected insights available through one interface. The system is designed to support human decisions, not to replace farmer expertise or guarantee a particular agricultural outcome.

1.2 Motivation

The motivation for this project is the growing role of digital technologies in precision agriculture. AI can help interpret images and patterns, IoT devices can provide measurements, satellite and weather information can add environmental context, and Digital Twin concepts can organize information as a representation of a physical system. Combining these capabilities may make farm information easier to review and act upon.

The project also provides an opportunity to study how multiple technologies can be connected in a single workflow. It brings together data collection, preprocessing, analysis, visualization, and decision support in an applied agricultural context.

1.3 Objectives

1. Develop a conceptual Digital Twin framework that represents relevant farm conditions.
2. Identify and organize agricultural inputs from sensors, crop images, weather, satellite, and market sources.
3. Support crop-health monitoring and disease-identification assistance using suitable image-analysis methods.
4. Provide irrigation guidance based on available soil, weather, and crop-related information.
5. Present farmer-safety and environmental-risk alerts where reliable data is available.
6. Explore crop-yield estimation and agricultural market-price intelligence.
7. Display outputs through a clear farmer dashboard.
8. Define an evaluation approach for checking data quality, model performance, alert usefulness, and dashboard usability.

1.4 Scope of the Project

The project scope includes a proposed system architecture, functional modules, data-processing workflow, and dashboard-oriented presentation of insights. Potential data inputs include IoT measurements, crop images, weather data, satellite observations, and market prices. Suitable models and integrations depend on data availability and the final implementation.

- Farm-condition representation through a Digital Twin concept.
- Crop-health monitoring and disease-identification support.
- Irrigation planning guidance based on available evidence.
- Weather and environmental risk awareness for farmer safety.
- Yield estimation and market intelligence when suitable data is available.
- Dashboard-based presentation of insights, recommendations, and alerts.

Out of scope for this report are claims of validated field deployment, guaranteed disease diagnosis, autonomous control of irrigation equipment, and quantified improvements in yield or profit. These require implementation, field testing, and appropriate validation.

CHAPTER 2 — LITERATURE SURVEY

2.1 Review of Existing Approaches

Agricultural information systems have used a range of approaches, from manual observation and conventional statistical analysis to sensor networks, remote sensing, machine learning, and dashboard-based reporting. Each approach provides useful capabilities but may offer only a partial view when used independently.

S. No.	Approach	Main purpose	Strengths	Limitations
1	Manual field observation	Assess crop and farm conditions	Uses local experience and context	Can be time-consuming and difficult to scale
2	IoT sensor systems	Collect soil and environmental readings	Frequent, structured measurements	Requires installation, maintenance, and connectivity
3	Computer vision	Analyze crop images for visible symptoms	Can support repeatable image-based checks	Sensitive to image quality, lighting, and dataset coverage
4	Weather and satellite data	Provide climate and field context	Supports broad-area monitoring and risk awareness	Resolution, update frequency, and access may vary
5	Machine learning	Classify, estimate, or predict outcomes	Can detect patterns in suitable datasets	Requires representative data and validation
6	Market information systems	Show prices and market trends	Helps compare available price information	Prices can change quickly and data may be incomplete
7	Dashboards and reporting	Summarize indicators for users	Makes information easier to review	Quality depends on data integration and interface design
8	Digital Twin frameworks	Connect a physical system with a virtual representation	Can unify data and support scenario-oriented decisions	Needs consistent data, a clear model, and ongoing updates

2.2 Technologies and Methods

Artificial Intelligence and Machine Learning

AI and ML methods may be used to classify crop images, identify patterns in farm measurements, estimate yield, or support risk assessment. Model selection should be based on the task, available data, deployment conditions, and evaluation results. Predictions should include appropriate uncertainty and should not be treated as guaranteed outcomes.

Internet of Things (IoT)

IoT sensors can provide measurements such as soil moisture, temperature, humidity, and other environmental variables. Sensor readings need calibration, timestamping, quality checks, and connectivity planning before they can be used reliably.

Digital Twin Technology

A Digital Twin is a digital representation of a physical system that is updated using information about that system. In this project, the virtual farm is intended to bring relevant field, crop, weather, and market information together. The degree to which it reflects real-time conditions depends on the data sources and update mechanisms actually implemented.

Satellite, Weather, Cloud and Dashboard Technologies

Satellite and weather sources can provide contextual information about vegetation, rainfall, temperature, and potential environmental risks. Cloud or local computing may be used to store and process data. A

farmer-facing dashboard can present key indicators, historical trends, recommendations, and alerts in a readable format.

2.3 Research Gap Analysis

Existing approach	Gap or limitation	Proposed project response
Separate data sources	Farm information is distributed across tools	Bring available inputs into a common data workflow
Single-purpose crop tools	May focus only on crop images or one sensor type	Represent multiple farm dimensions in a Digital Twin framework
Static reports	Limited exploration and context	Use a dashboard concept with summaries and filters
Prediction without context	A model output may not explain related conditions	Present outputs alongside source data and limitations
Market data viewed separately	Market information may not connect to farm planning	Include price information as a complementary decision-support input
Unverified automated advice	Recommendations may be unsuitable for local conditions	Require validation, transparency, and farmer judgment

The project's intended contribution is an integrated architecture rather than a claim that any single AI model or sensor is novel. The main research opportunity is to evaluate whether combining available data sources into one farm representation improves information accessibility and decision-support usefulness.

CHAPTER 3 — PROPOSED METHODOLOGY

3.1 System Design

The proposed system is organized as a sequence of data acquisition, preprocessing, AI/ML analysis, Digital Twin updating, decision generation, and dashboard presentation. The design is modular so that individual sources and analytical functions can be introduced as data and implementation resources become available.

Layer	Role	Example inputs/outputs
Data sources	Collect available farm information	Sensor readings, crop images, weather, satellite, market prices
Data processing	Validate, clean, timestamp, and align records	Normalized and quality-checked data
AI/ML analysis	Apply suitable methods to supported tasks	Crop-health indicators, yield estimates, risk signals
Digital Twin	Maintain a virtual view of farm conditions	Current and historical farm state
Decision engine	Convert analysis into understandable outputs	Recommendations, warnings, summaries
Farmer dashboard	Display results for review	Charts, status indicators, alerts, explanations

Figure 3.1 Overall System Architecture

Sensors / Images / Weather / Satellite / Market Data

↓

Data Validation, Cleaning and Integration

↓

AI / ML Analysis ↔ Digital Twin Update

↓

Decision Support: Insights • Recommendations • Alerts

↓

Farmer Dashboard and Human Review

3.1.1 Data Acquisition

The acquisition layer accepts data that is available and permitted for use. Each input should be accompanied by relevant metadata, such as source, timestamp, location or field identifier, units, and quality status. If live sensors or external data feeds are not available, the system may be evaluated with suitable sample or historical datasets, with this limitation documented clearly.

3.1.2 Data Preprocessing and Integration

Preprocessing includes checking missing values, removing invalid records, standardizing units and labels, handling duplicate records, and aligning timestamps. Image data may require resizing, normalization, and labeling. Sensor readings should be checked for impossible values and sudden unexplained changes. The integrated dataset should retain source information so that outputs can be traced back to their inputs.

3.1.3 AI/ML Analysis

The analysis layer applies only those models supported by the selected data. Crop-image classification may support visible disease-symptom screening; sensor and weather data may support irrigation guidance;

historical yield and environmental data may support yield estimation. Model outputs should be tested against a suitable reference set and presented with appropriate caveats.

3.1.4 Digital Twin Representation

The Digital Twin stores or displays a structured view of the farm, including the most recent available measurements, crop observations, weather context, and relevant market information. A timestamp or freshness indicator should make it clear when the information was last updated. A virtual representation is only as reliable as the information and update process behind it.

3.2 Functional Modules

Module	Function	Example output
Crop health	Review crop images and relevant observations	Health status or disease-screening flag
Smart irrigation	Use soil and weather context to support planning	Suggested irrigation review or water-need indicator
Farmer safety	Highlight selected weather or environmental risks	Risk notice or precaution alert
Yield estimation	Analyze suitable historical and current variables	Estimated yield with assumptions
Market intelligence	Summarize available agricultural prices	Price comparison or trend view
Digital Twin manager	Combine and refresh farm-state information	Unified farm status
Dashboard and alerts	Present results for interpretation	Cards, charts, messages, and history

3.3 System Architecture and Data Flow

The data flow begins when a farmer, sensor, image source, or external information service provides input. The system validates and preprocesses the information, routes it to the relevant analytical module, updates the Digital Twin representation, and prepares an output for the dashboard. Where a source is missing or stale, the system should communicate that condition rather than imply that the data is current.

Figure 3.3 Digital Twin Data Flow

Input sources → Data quality checks → Processing and integration → AI/ML analysis → Digital Twin state → Decision support → Dashboard / alerts → Farmer review

3.4 Proposed Workflow

9. Identify the farm information and user needs to be supported.
10. Select accessible sensor, image, weather, satellite, and market data sources.
11. Collect data and record source, timestamp, units, and field identifiers.
12. Clean and validate data; handle missing values and inconsistent formats.
13. Integrate the prepared information into a common representation.
14. Run the relevant analytical models for supported project functions.
15. Update the virtual farm representation with the latest valid information.
16. Generate recommendations or alerts with source context and limitations.
17. Display the results through the farmer dashboard.
18. Evaluate model quality, alert usefulness, data freshness, and usability.

Figure 3.2 Proposed Project Workflow

COLLECT → PREPARE → ANALYZE → UPDATE DIGITAL TWIN → RECOMMEND → DISPLAY

3.5 Requirement Specification

3.5.1 Hardware Requirements

Component	Suggested requirement	Purpose
Computer/laptop	Modern dual-core or better processor	Development and application execution
Memory	8 GB RAM recommended; minimum depends on selected tools	Data preparation and model execution
Storage	Adequate free storage for datasets, images, and models	Store project assets and results
Camera/mobile camera	Required only if capturing crop images directly	Collect image input
IoT sensors	Optional for prototype; depends on scope	Measure soil or environmental conditions
Internet connection	Needed for online data sources and package installation	Access permitted data feeds and services

3.5.2 Software and Technology Requirements

Software/technology	Purpose
Python	Data processing and model development, if selected
Pandas / NumPy	Tabular data handling and numerical operations
OpenCV or image-processing library	Image preparation, if needed
Machine-learning framework	Model training and inference, if required
Database or structured files	Store farm records and analysis outputs
Dashboard framework / web interface	Present indicators, charts, and alerts
Weather / satellite / market data sources	Provide contextual data where access is available
Version control	Track code and documentation changes

These are suggested technologies, not a statement that every component has already been implemented. The final stack should match the working prototype and be updated to reflect the tools actually used.

3.6 Advantages and Design Considerations

- Integrated view of multiple agricultural information sources.
- Potentially faster access to relevant field and environmental context.
- Modular design that can grow as more data sources become available.
- Clearer communication of crop-health, irrigation, safety, yield, and market indicators.
- Potential support for planning and record keeping.
- Need for privacy, consent, data security, source reliability, model validation, and understandable explanations.
- Human review remains necessary before acting on high-impact recommendations.

CHAPTER 4 — IMPLEMENTATION PLAN AND EVALUATION

4.1 Implementation Stages

The implementation should be completed incrementally so that each layer can be checked before integration. The project team should maintain a record of which modules are implemented, which use sample data, and which remain proposed.

Stage	Activities	Deliverable / check
1. Requirements	Define user needs, scope, and available data	Requirements list and scope boundaries
2. Data preparation	Collect, inspect, clean, and document inputs	Prepared dataset and data dictionary
3. Core representation	Define farm/field identifiers and Digital Twin state	Structured virtual farm record
4. Analytical functions	Implement supported image, sensor, or prediction functions	Testable model or rule outputs
5. Dashboard	Build charts, status indicators, and alerts	User-facing view
6. Integration	Connect data processing, analysis, twin, and dashboard	End-to-end workflow
7. Evaluation	Run tests and record evidence	Evaluation report and limitations

4.2 Data Preparation

Data preparation is essential because inconsistent or incomplete inputs can lead to misleading results. The team should document each dataset’s origin, time period, fields, units, missing values, and usage restrictions. Image datasets require labels and a clear split between training and evaluation data when model training is performed.

- Inspect records for missing, duplicated, or invalid values.
- Standardize units, category labels, and timestamps.
- Keep a record of any imputation or exclusion decisions.
- Separate training, validation, and test data where machine learning is used.
- Avoid evaluating a model on the same records used to train it.
- Preserve source metadata and indicate when values are estimated or stale.

4.3 Dashboard and Outputs

The dashboard is intended to provide a concise view of farm conditions and supporting information. It may include a farm-status summary, crop-health observations, irrigation guidance, weather-risk messages, yield estimates, market-price trends, and a history of alerts. Each indicator should identify its time of update and should not hide missing or uncertain data.

Figure 3.4 Farmer Dashboard Concept

Dashboard section	Suggested content
Farm overview	Selected farm/field, last update time, data availability
Crop health	Image review result, observation date, follow-up status
Irrigation	Relevant moisture/weather inputs and guidance status
Safety	Weather/environmental warnings with source and time
Yield	Estimate, time period, assumptions, and uncertainty if available
Market	Available price records, market/date, and comparison view
Alerts history	Message, trigger, timestamp, and acknowledgement status

4.4 Evaluation Strategy

Evaluation should measure implemented functions rather than relying on intended benefits alone. The evaluation method must be matched to the module. If no working model or live data connection exists for a function, it should be reported as proposed and not assigned a fabricated accuracy score.

Area	Evaluation method	Evidence to record
Data quality	Check missingness, invalid values, duplicates, and source freshness	Data-quality summary
Crop-image analysis	Compare predictions with labeled test images, if implemented	Confusion matrix and suitable classification metrics
Yield estimation	Compare estimates with observed yields on held-out cases	Error measures and test conditions
Irrigation guidance	Review outputs against defined agronomic rules or expert feedback	Cases reviewed, agreement, and limitations
Safety alerts	Check trigger correctness, timing, and false alerts	Alert test log
Digital Twin updates	Verify that new valid inputs update the correct farm/field	Update and timestamp tests
Dashboard usability	Ask representative users to complete defined tasks	Task completion, feedback, and issues
System reliability	Test missing sources, stale data, and connection failures	Error handling and recovery log

Figure 4.1 Evaluation Cycle

Define test cases → Run tests → Record evidence → Review errors → Improve system → Retest

4.5 Expected Results

The expected result is a coherent prototype or system design that brings relevant agricultural data into a unified representation and presents useful outputs in a dashboard. Potential benefits include improved access to farm information, support for earlier crop-health review, better-informed irrigation planning, awareness of selected risks, and access to yield or market insights where supported by data.

These are expected outcomes, not measured findings. Quantitative performance claims should be added only after tests have been conducted and the underlying dataset, method, test conditions, and evaluation metrics have been documented.

CHAPTER 5 — DISCUSSION AND CONCLUSION

5.1 Key Contributions

The project presents an integrated framework for agricultural decision support using a Multimodal AI-Driven Digital Twin. Its main contribution is the proposed connection between data sources, preprocessing, AI/ML analysis, a virtual farm representation, a decision layer, and a farmer-facing dashboard.

- Defines a modular architecture for integrating diverse agricultural data.
- Identifies functional areas for crop health, irrigation, farmer safety, yield estimation, and market intelligence.
- Provides a workflow for transforming inputs into understandable decision-support outputs.
- Defines an evaluation plan that distinguishes proposed capabilities from validated results.

5.2 Limitations

- System quality depends on data completeness, accuracy, freshness, and availability.
- Sensor installation, connectivity, and maintenance may add cost and complexity.
- Crop-image models can be affected by lighting, camera quality, crop variety, and local disease conditions.
- Yield estimation requires suitable historical and current data and careful validation.
- Weather and market information may be delayed, incomplete, or unavailable for some locations.
- A dashboard recommendation may not capture all local farming conditions; farmer judgment remains essential.
- This report does not claim validated field performance or numerical model accuracy.

5.3 Future Work

- Connect calibrated IoT sensors and reliable external data sources.
- Add drone or satellite-based crop monitoring where suitable imagery is accessible.
- Improve crop-disease screening with locally representative, well-labeled datasets.
- Evaluate irrigation recommendations with agronomist or farmer feedback.
- Develop and validate yield forecasting models using appropriate historical records.
- Add multilingual voice interaction and accessible mobile dashboard features.
- Introduce explainable alerts, confidence indicators, and data-freshness warnings.
- Conduct pilot testing across different crops, seasons, and farm conditions.
- Explore safe automation only after adequate validation and user approval.

5.4 Conclusion

The Multimodal AI-Driven Digital Twin for Agriculture proposes a unified approach to representing farm conditions and supporting decisions. By connecting sensor data, crop images, weather information, satellite observations, and market prices where available, the framework aims to make agricultural information easier to understand and use. AI/ML methods can support selected analytical tasks, while the Digital Twin and dashboard provide a common context for presenting results.

The project establishes a structured design and implementation plan, but its practical effectiveness depends on the working system, quality of data, and careful evaluation. Future implementation and field testing are required before making claims about accuracy, productivity, water savings, yield improvement, or profitability.

REFERENCES

[1] Food and Agriculture Organization of the United Nations (FAO), “Digital technologies in agriculture and rural areas: status report,” FAO, 2019.

[2] World Bank, “Future of Food: Harnessing Digital Technologies to Improve Food System Outcomes,” World Bank, 2021.

[3] A. K. S. et al., “Digital twin applications in agriculture: a review of concepts and opportunities,” consult and replace with the exact verified paper used during final literature review.

[4] OpenCV, “OpenCV Documentation.” Available: https://docs.opencv.org/

[5] Python Software Foundation, “Python Documentation.” Available: https://docs.python.org/3/

[6] pandas development team, “pandas Documentation.” Available: https://pandas.pydata.org/docs/

[7] NumPy Developers, “NumPy Documentation.” Available: https://numpy.org/doc/

[8] Google, “Google Earth Engine Documentation.” Available: https://developers.google.com/earth-engine

[9] Food and Agriculture Organization of the United Nations, FAOSTAT. Available: https://www.fao.org/faostat/

[10] Microsoft, “Power BI Documentation.” Available: https://learn.microsoft.com/power-bi/ (if Power BI is used for the dashboard).

Note: Reference [3] is a placeholder and must be replaced with a verified publication before final submission. Add the exact sources consulted for any datasets, algorithms, models, weather feeds, satellite services, and market-price feeds used in the implemented system.

APPENDIX A — DATA INPUTS AND DATA DICTIONARY

Data category	Example fields	Purpose	Key checks
Farm/field	Farm ID, field ID, crop, location	Identify the physical unit represented	Valid identifiers and access control
IoT sensor	Timestamp, soil moisture, temperature, humidity	Monitor field and environmental conditions	Units, calibration, missing/stale readings
Crop image	Image ID, timestamp, crop, label if available	Visual crop-health review	Image quality, labels, permission
Weather	Date/time, rainfall, temperature, forecast source	Environmental context and risk awareness	Source, location, forecast horizon
Satellite	Acquisition date, vegetation indicator, field boundary	Broader field-condition context	Resolution, cloud cover, acquisition date
Market	Commodity, market, date, price, unit	Market-price summaries	Currency, unit, date, source

APPENDIX B — SAMPLE TEST CASES

Test ID	Scenario	Expected behavior	Status
TC-01	Valid sensor record received	Record is validated and linked to the correct field	To be tested
TC-02	Sensor value is missing	System flags missing data and avoids false certainty	To be tested
TC-03	Crop image is too blurry	System reports image quality issue or requests a clearer image	To be tested
TC-04	Weather feed is unavailable	Dashboard indicates that weather data is unavailable or stale	To be tested
TC-05	New valid input is received	Digital Twin state and update time are refreshed	To be tested
TC-06	Model output is uncertain	Output includes an uncertainty note or requires human review	To be tested
TC-07	Market price has a different unit	System standardizes or clearly labels the unit before comparison	To be tested

APPENDIX C — IMPLEMENTATION STATUS CHECKLIST

- Confirm the final software stack and list only tools actually used.
- Record datasets, source URLs, dates, and any license or permission requirements.
- Insert screenshots of the actual working application and dashboard.
- Add model metrics only after running and documenting evaluation tests.
- Attach the live demonstration video or a verified demonstration link if required.
- Replace placeholder references with exact verified publications.
- Update the report’s figures, tables, page numbers, and contents after final editing.