
A simple way to create a website with Blogdown

R à Québec Workshop

Mamadou Yauck & Sergio Ewane Ebouele

2019-05-13


GitHub



Create a GitHub repository

- 1. Open your GitHub account and create a new repository (initialize with a README but don't add .gitignore for now).
- 2. Go to the main page of the repository, and under the repository name, click the **Clone or download** button.
- 3. In the **Clone with HTTPs** section, click on the clipboard icon to copy the clone URL for the new repository (we will paste this text into the terminal in the next section.)

Command line/Terminal




Clone the GitHub repository

We are going to create a local copy of the repository on your computer so you can make the two locations communicate (using the command line tool for Windows or the Terminal for Mac OS X).

- 1. Use cd to indicate the directory where you want your repository to be located
- 2. Type: git clone [paste].
- 3. Close the command line/terminal.

For more details, see clone your remote repository.

RStudio



What is Blogdown?



Blogdown and Hugo


- Install the package blogdown from RStudio or use install.packages("devtools") devtools::install_github("rstudio/blogdown")
- Install Hugo:

```
blogdown::install_hugo()
library(blogdown)
install_hugo()
```

- Use the File button in RStudio to select File -> New Project -> Existing Directory, then browse to the directory on your computer where your GitHub repository is and click on **Create Project**.
- Edit the *gitignore file. If you want to use Netlify to deploy your website, you should add the public/ line (for more info.)

```
.Rproj.user
.Rhistory
.RData
.Ruserdata
blogdown
.DS_Store # Thumbs.db for Windows users
public/ # for Netlify
```

Build your site



Choose a theme!

To choose a theme, see Hugo themes. To save time, see Bookdown suggested themes.

• You can use the default lithium theme:

```
blogdown::new_site()
```

• If you choose a theme, you can specify it while calling the new_site function. If you choose the academic theme:

```
blogdown::new_site(theme = "gcushen/hugo-academic", theme_example = TRUE)
```

• If you want to add a theme later:

```
library(blogdown)
new_site() # default theme
install_theme("gcushen/hugo-academic", theme_example = TRUE, update_config = TRUE)
```

Some basic edits

- Update project options by doing Tools -> Project Options and following Bookdown instructions.
- Edit the baseurl in your config. toml file. The URL should always end with a /:


```
baseurl = "https://website.com/"
baseurl = "/"
```

Feel free to edit other elements of the config. toml file! For more details on configuration settings, read Bookdown chapter on configuration.

• To view your new site locally, use the **Serve Site** button, or run

```
blogdown::serve_site
```

Deploy your site in Netlify



Steps to deploy your site

- Commit your changes and push to GitHub.
- Go to Netlify and Sign Up using your GitHub account.
- Login and click on: New site from Git -> Continuous Deployment: GitHub.
- Select the GitHub repository already in use with blogdown, then specify the build command and the publish directory (to public).
- Your website is now deployed! Netlify will assign you a subdomain name of the form somethingbizarre.netlify.com. You can change the subdomai name, for example to mamadouyauck.netlify.com.

When you change your subdomain name, you must update the baseurl in your config.toml file, for example to baseurl = "https://mamadouyauck.netlify.com/".

For more details, see Bookdown deployment instructions, or deploy with Netlify through GitHub.

Reference

Alison Hill's Up and running with Blogdown

Contact me

Personal website GitHub repository Twitter page