KREATIVES PROGRAMMIEREN

PROGRAMMING DATA VISUALISATIONS

A toolkit for Processing
(Siehe Order "Lab7" in ELLI)

Processing ToolKit

Data >> Structure >> Debug >> Refine

Processing ToolKit

Data	Structure	Debug	Refine
CSV	Radial	Framerate	HSB

Processing ToolKit

December
November
October
September
August
July
June
May
April
March
February
January

Data
CSV

Structure
Concentric

Debug
mouseX

Refine
arc

Processing ToolKit

walk   run   cycle

Data	Structure	Debug	Refine
CSV	Bezier	Annotate	Save PDF

Processing Elements

Editor

Console

Canvas

Code Structure

Global Context

Setup

Draw loop

```
// variables, libraries

setup() {
    // code runs once
}


draw() {
    // code repeats
}
```

Editor

Basic Variables

i

```
0
```

```
int i = 0;
// println(i);
```

n

```
0.0
```

```
float n = 0.0;
// println(n);
```

welcome

```
hello world
```

```
String welcome = "hello world"
// println(welcome);
```

Arrays

numbers


```
int[] numbers = { 0, 1, 2 };
// println(i);
```

people


```
String[] people = new String[3];
people[0] = "Mark";
people[1] = "Annie";
people[2] = "David";
// println(people);
```

2d Arrays

numbersMatrix

	0	1	2
0	0	1	2
1	3	4	5
2	6	7	8

```
int[][] numbersMatrix = {
  {0, 1, 2},
  {3, 4, 5},
  {6, 7, 8},
};

// println(numbersMatrix[0][0]);
// println(numbersMatrix[1][1]);
// println(numbersMatrix[2][2]);
```

for() Loops

numbersMatrix

0	1	2
3	4	5
6	7	8

```
for(int i=0; i<3; i++){
// println(numbersMatrix[i][0]);
// println(numbersMatrix[i][1]);
// println(numbersMatrix[i][2]);
};
```

map() Function

```
map(127.55, -180, 180, 0, width);
```

-180   0   127.55 180

Latitude Scale

Canvas Scale

0   341.7 400

Processing Reference

STRUCTURE
()
,
.
/* */
/** */
//
;
=
[]
{}
catch
class
draw()
exit()
extends
false
final
implements
import
loop()
new
noLoop()
null
popStyle()
private
public
pushStyle()
redraw()
return
setup()
static
super
this
true
try
void

ENVIRONMENT
cursor()
displayHeight
displayWidth
focused

frameCount
frameRate()
frameRate
height
noCursor()
size()
width

DATA
Primitive
boolean
byte
char
color
double
float
int
long

Composite
Array
FloatDict
FloatList
HashMap
IntDict
IntList
JSONArray
JSONObjec t
Object
String
StringDict
StringList
Table
TableRow
XML

Conversion
binary()
boolean()
byte()
char()
float()
hex()

int()
str()
unbinary()
unhex()
noCursor()
size()
width

join()
match()
matchAll()
nf()
nfc()
nfp()
nfs()
split()
splitTokens()
trim()

String Functions

Array Functions
append()
arrayCopy()
concat()
expand()
reverse()
shorten()
sort()
splice()
subset()

CONTROL
Relational Operators
!=
<
<=
==
>
>=

Iteration
for
while

Conditionals
?:
break
case
continue
default
else
if
switch

Logical Operators
!
&&
||

SHAPE
createShape()
loadShape()
PShape

2D Primitives
arc()
ellipse()
line()
point()
quad()
rect()
triangle()

Curves
bezier()
bezierDetail()
bezierPoint()
bezierTangent()
curve()
curveDetail()
curvePoint()
curveTangent()
curveTightness()

3D Primitives
box()
sphere()

sphereDetail()

Attributes
ellipseMode()
noSmooth()
rectMode()
smooth()
strokeCap()
strokeJoin()
strokeWeight()

Vertex
beginContour()
beginShape()
bezierVertex()
curveVertex()
endContour()
endShape()
quadraticVertex()
vertex()

Loading & Displaying
shape()
shapeMode()

INPUT
Mouse
mouseButton
mouseClicked()
mouseDragged()
mouseMoved()
mousePressed()
mousePressed
mouseReleased()
mouseWheel()
mouseX
mouseY
pmouseX
pmouseY

Keyboard
key

keyCode
keyPressed()
keyPressed
keyReleased()
keyTyped()

Files
BufferedReader
createInput()
createReader()
loadBytes()
loadJSONArray()
loadJSONObject()
loadStrings()
loadTable()
loadXML()
open()
parseXML()
saveTable()
selectFolder()
selectInput()

Time & Date
day()
hour()
millis()
minute()
month()
second()
year()

OUTPUT
Text Area
print()
println()
Image
save()
saveFrame()

Files
beginRaw()
beginRecord()
createOutput()

createWriter()
endRaw()
endRecord()
PrintWriter
saveBytes()
saveJSONArray()
saveJSONObject()
saveStream()
saveStrings()
saveXML()
selectOutput()

TRANSFORM
applyMatrix()
popMatrix()
printMatrix()
pushMatrix()
resetMatrix()
rotate()
rotateX()
rotateY()
rotateZ()
scale()
shearX()
shearY()
translate()

LIGHTS, CAMERA
Lights
ambientLight()
directionalLight()
lightFalloff()
lights()
lightSpecular()
noLights()
normal()
pointLight()
spotLight()

Camera
beginCamera()
camera()
endCamera()

frustum()
ortho()
perspective()
printCamera()
printProjection()

Coordinates
modelX()
modelY()
modelZ()
screenX()
screenY()
screenZ()

Material Properties
ambient()
emissive()
shininess()
specular()

COLOR
Setting
background()
clear()
colorMode()
fill()
noFill()
noStroke()
stroke()

Creating & Reading
alpha()
blue()
brightness()
color()
green()
hue()
lerpColor()
red()
saturation()

IMAGE
createImage()
PImage

Loading & Displaying
image()
imageMode()
loadImage()
noTint()
requestImage()
tint()

Textures
texture()
textureMode()
textureWrap()

Pixels
blend()
copy()
filter()
get()
loadPixels()
pixels[]
set()
updatePixels()

RENDERING
blendMode()
createGraphics()
PGraphics

Shaders
loadShader()
PShader
resetShader()
shader()

TYPOGRAPHY
PFont

Loading & Displaying
PImage
createFont()
loadFont()
text()
textFont()

Attributes
textAlign()
textLeading()
textMode()
textSize()
textWidth()

Metrics
textAscent()
textDescent()

MATH
PVector

Operators
%
*
*=
+
++
+=
-
--
-=
/
/=

Bitwise Operators
&
<<
>>
|

ceil()
constrain()
dist()
exp()
floor()
lerp()
log()
mag()
map()
max()
min()
norm()
pow()
round()
sq()
sqrt()

Trigonometry
acos()
asin()
atan()
atan2()
cos()
degrees()
radians()
sin()
tan()

Random
noise()
noiseDetail()
noiseSeed()
random()
randomGaussian()
randomSeed()

CONSTANTS
HALF_PI
PI
QUARTER_PI
TAU
TWO_PI

Calculation
abs()

Data Formats

CSV

```
Item, Price, Amount
Apple, $0.50, 3
Milk, $3.00, 1
Chips, $1.00, 1
```

Comma Separated Values

XML

```
<?xml version="1.0" encod-
ing="UTF-8"?>
<Inventory>
  <Item>
    <Name>Apple</Name>
    <Price> $0.50</Price>
    <Amount>3</Amount>
  </Item>
  <Item>
    <Name>Milk</Name>
    <Price> $3.00</Price>
    <Amount>1</Amount>
  </Item>
  <Item>
    <Name>Chips</Name>
    <Price> $1.00</Price>
    <Amount>1</Amount>
  </Item>
</Inventory>
```

Extensible Markup Language

JSON

```
[
  {
    "Name": "Apple",
    "Price": "$0.50",
    "Amount": "3"
  },
  {
    "Name": "Milk",
    "Price": "$3.00",
    "Amount": "1"
  },
  {
    "Name": "Chips",
    "Price": "$1.00",
    "Amount": "1"
  }
]
```

JavaScript Object Notation

Drawing Structures

Rows

Grid

Concentric

Lines

Radial

Coordinates

Writing Better Code

"90% of coding is debugging.
The other 10% is writing bugs"
Bram Cohen, BitTorrent

Writing Better Code

"Debugging is like being the detective
in a crime movie
where you are also the murderer."
Filipe Fortes, Flipboard

Writing Better Code

How to avoid code that is valid,
but doesn't work the way you intended?

Variables: Constants

Fast but can lead to errors:

```
ellipse(posX, posY, 10*data[i], 10*data[i]);
```

Establish constants once:

```
int rectScale = 10;
rect(posX, posY, rectScale*data[i], rectScale*data[i]);
```

Variables: Naming

Fast but cryptic:

```
int s = 10;
int m = 50;
```

Use precise and concise names:

```
int globalScale = 10;
int margin = 50;
```

DRY: Don't Repeat Yourself

Repetitive and fragile:

```
ellipse(posX, posY, 2*sqrt(area/PI), 2*sqrt(area/PI));
```

Easier to read, safer and less redundant:

```
float markerSize = 2*sqrt(area/PI);
ellipse(posX, posY, markerSize, markerSize);
```

DRY: Don't Repeat Yourself

Create a function when code repeats frequently:

```
void draw(){
  float markerSize = circleDiameter(area);
}

float circleDiameter(float area) {
  area = 2*sqrt(area/PI);
  return area;
}
```

Neatness Counts: Proper Undentation

Unformatted code:

```
void draw(){
int x = 10;
for(int i=0; i<x; i++){
text("hi", x, height/2);
}
}
```

Formatted with Command-T:

```
void draw() {
    int x = 10;
    for (int i=0; i<x; i++) {
        text("hi", x, height/2);
    }
}
```

Neatness Counts: Remove Unused Elements

Unused elements:

```
int rectPosX = 10;
int rectPosY = 10;
int ellipsePosX = 20;
int ellipsePosY = 20;
int markerSize = 4;

ellipse(ellipsePosX,
ellipsePosY, markerSize,
markerSize);
```

Cleaned Code:

```
int posX = 10;
int posY = 10;
int markerSize = 4;

ellipse(posX, posY,
markerSize, markerSize);
```

Debugging

- ArrayIndexOutOfBoundsException
- println()
- Transparency
- stroke()
- Annotations (text or handles)
- Precision issues (float vs int)
- frameRate & frameCount

Refinements

- Shapes
- Custom font
- textMode(MODEL)
- Rounded rects
- HSB vs RGB color mode
- Save PNG / JPG / TGA / TIF
- Save PDF
- randomSeed()
- Conditional Labeling
- Formatting Numbers (rounding & commas)