Coding Notes Iterations and Functions

Mamata K C

2025-03-27

Contents


```
# Convert Fahrenheit to Celsius mathematically using the formula
(5*(32-32)/9)
```

```
## [1] 0
```

```
(5*(40-32)/9)
```

```
## [1] 4.444444
```

```
(5*(80-32)/9)
```

```
## [1] 26.66667
```

```
(5*(120-32)/9)
```

```
## [1] 48.88889
```

- problem in reproducibility is copy paste might cause error in complex examples.
- to solve this problem, we can write a function for the formula.

Functions

```r
# Writing a function to convert Fahrenheit to Celsius

F_to_C <- function(f_temp){
  celsius <- (5*(f_temp-32)/9)
  return(celsius)
}


F_to_C(32)
```

```
## [1] 0
```

```r
F_to_C(46)
```

```
## [1] 7.777778
```

```r
F_to_C(90)
```

```
## [1] 32.22222
```

- In this function, we are creating a function such that we want to ask what the Fahrenheit temperature is and we want function to do the calculation and return celsius value.

```r
# Writing a function to convert Celsius to Fahrenheit

C_To_F <- function(c_temp){
  fahrenheit <- (c_temp*(9/5)+32)
  return(fahrenheit)
}

C_To_F(2)
```

```
## [1] 35.6
```

```r
C_To_F(30)
```

```
## [1] 86
```

Iterations

```r
# iteration function in base R
rep("A",3)   #repeat A three times
```

```
## [1] "A" "A" "A"
```

```r
rep(c("A","B"), 10) #repeat A and B ten times
```

```
##  [1] "A" "B" "A" "B" "A" "B" "A" "B" "A" "B" "A" "B" "A" "B" "A" "B" "A" "B" "A"
## [20] "B"
```

```r
rep(c(1,2,5,3),4, each = 5) #repeat each number in sequence of 4 five times
```

```
##  [1] 1 1 1 1 1 2 2 2 2 2 5 5 5 5 5 3 3 3 3 3 1 1 1 1 1 2 2 2 2 2 5 5 5 5 5 3 3 3
## [39] 3 3 1 1 1 1 1 2 2 2 2 2 5 5 5 5 5 3 3 3 3 3 1 1 1 1 1 2 2 2 2 2 5 5 5 5 5 3
## [77] 3 3 3 3
```

```r
1:7
```

```
## [1] 1 2 3 4 5 6 7
```

```r
seq(from = 1, to = 7) #does same thing as 1:7
```

```
## [1] 1 2 3 4 5 6 7
```

```r
seq(from = 0, to = 10, by = 2) #can get into complicated examples such as maintaining gap within sequen
```

```
## [1]  0  2  4  6  8 10
```

```r
# combined seq() and rep()
rep(seq(from = 0, to = 10, by = 2), times = 3, each = 2)
```

```
##  [1]  0  0  2  2  4  4  6  6  8  8 10 10  0  0  2  2  4  4  6  6  8  8 10 10  0
## [26]  0  2  2  4  4  6  6  8  8 10 10
```

```r
LETTERS
```

```
##  [1] "A" "B" "C" "D" "E" "F" "G" "H" "I" "J" "K" "L" "M" "N" "O" "P" "Q" "R" "S"
## [20] "T" "U" "V" "W" "X" "Y" "Z"
```

```r
seq_along(LETTERS)
```

```
##  [1]  1  2  3  4  5  6  7  8  9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25
## [26] 26
```

The for loop

```r
for (i in 1:10){
  print(i*2)      #takes each value from 1 to 10 and multiplies it with 2 and prints the value
}
```

```
## [1] 2
## [1] 4
## [1] 6
## [1] 8
## [1] 10
## [1] 12
## [1] 14
## [1] 16
## [1] 18
## [1] 20
```

```
for (i in -30:100){
  result <- F_to_C(i)
  print(result)
}
```

```
## [1] -34.44444
## [1] -33.88889
## [1] -33.33333
## [1] -32.77778
## [1] -32.22222
## [1] -31.66667
## [1] -31.11111
## [1] -30.55556
## [1] -30
## [1] -29.44444
## [1] -28.88889
## [1] -28.33333
## [1] -27.77778
## [1] -27.22222
## [1] -26.66667
## [1] -26.11111
## [1] -25.55556
## [1] -25
## [1] -24.44444
## [1] -23.88889
## [1] -23.33333
## [1] -22.77778
## [1] -22.22222
## [1] -21.66667
## [1] -21.11111
## [1] -20.55556
## [1] -20
## [1] -19.44444
## [1] -18.88889
## [1] -18.33333
## [1] -17.77778
## [1] -17.22222
## [1] -16.66667
## [1] -16.11111
## [1] -15.55556
## [1] -15
## [1] -14.44444
## [1] -13.88889
```

```
## [1] -13.33333
## [1] -12.77778
## [1] -12.22222
## [1] -11.66667
## [1] -11.11111
## [1] -10.55556
## [1] -10
## [1] -9.444444
## [1] -8.888889
## [1] -8.333333
## [1] -7.777778
## [1] -7.222222
## [1] -6.666667
## [1] -6.111111
## [1] -5.555556
## [1] -5
## [1] -4.444444
## [1] -3.888889
## [1] -3.333333
## [1] -2.777778
## [1] -2.222222
## [1] -1.666667
## [1] -1.111111
## [1] -0.5555556
## [1] 0
## [1] 0.5555556
## [1] 1.111111
## [1] 1.666667
## [1] 2.222222
## [1] 2.777778
## [1] 3.333333
## [1] 3.888889
## [1] 4.444444
## [1] 5
## [1] 5.555556
## [1] 6.111111
## [1] 6.666667
## [1] 7.222222
## [1] 7.777778
## [1] 8.333333
## [1] 8.888889
## [1] 9.444444
## [1] 10
## [1] 10.55556
## [1] 11.11111
## [1] 11.66667
## [1] 12.22222
## [1] 12.77778
## [1] 13.33333
## [1] 13.88889
## [1] 14.44444
## [1] 15
## [1] 15.55556
## [1] 16.11111
```

```
## [1] 16.66667
## [1] 17.22222
## [1] 17.77778
## [1] 18.33333
## [1] 18.88889
## [1] 19.44444
## [1] 20
## [1] 20.55556
## [1] 21.11111
## [1] 21.66667
## [1] 22.22222
## [1] 22.77778
## [1] 23.33333
## [1] 23.88889
## [1] 24.44444
## [1] 25
## [1] 25.55556
## [1] 26.11111
## [1] 26.66667
## [1] 27.22222
## [1] 27.77778
## [1] 28.33333
## [1] 28.88889
## [1] 29.44444
## [1] 30
## [1] 30.55556
## [1] 31.11111
## [1] 31.66667
## [1] 32.22222
## [1] 32.77778
## [1] 33.33333
## [1] 33.88889
## [1] 34.44444
## [1] 35
## [1] 35.55556
## [1] 36.11111
## [1] 36.66667
## [1] 37.22222
## [1] 37.77778
```

- The result we obtained are just displayed in console but they are not saved as any object.

```
celsius.df <- NULL   #create a null object
for (i in -30:100){
  result <- data.frame(F_to_C(i), i)    #create a dataframe named result with two columns (one as input
  celsius.df <- rbind.data.frame(celsius.df, result)  #each time iteration happens, previous result is
}

celsius.df
```

```
##       F_to_C.i.   i
## 1   -34.4444444 -30
## 2   -33.8888889 -29
```

```
## 3   -33.3333333 -28
## 4   -32.7777778 -27
## 5   -32.2222222 -26
## 6   -31.6666667 -25
## 7   -31.1111111 -24
## 8   -30.5555556 -23
## 9   -30.0000000 -22
## 10  -29.4444444 -21
## 11  -28.8888889 -20
## 12  -28.3333333 -19
## 13  -27.7777778 -18
## 14  -27.2222222 -17
## 15  -26.6666667 -16
## 16  -26.1111111 -15
## 17  -25.5555556 -14
## 18  -25.0000000 -13
## 19  -24.4444444 -12
## 20  -23.8888889 -11
## 21  -23.3333333 -10
## 22  -22.7777778  -9
## 23  -22.2222222  -8
## 24  -21.6666667  -7
## 25  -21.1111111  -6
## 26  -20.5555556  -5
## 27  -20.0000000  -4
## 28  -19.4444444  -3
## 29  -18.8888889  -2
## 30  -18.3333333  -1
## 31  -17.7777778   0
## 32  -17.2222222   1
## 33  -16.6666667   2
## 34  -16.1111111   3
## 35  -15.5555556   4
## 36  -15.0000000   5
## 37  -14.4444444   6
## 38  -13.8888889   7
## 39  -13.3333333   8
## 40  -12.7777778   9
## 41  -12.2222222  10
## 42  -11.6666667  11
## 43  -11.1111111  12
## 44  -10.5555556  13
## 45  -10.0000000  14
## 46   -9.4444444  15
## 47   -8.8888889  16
## 48   -8.3333333  17
## 49   -7.7777778  18
## 50   -7.2222222  19
## 51   -6.6666667  20
## 52   -6.1111111  21
## 53   -5.5555556  22
## 54   -5.0000000  23
## 55   -4.4444444  24
## 56   -3.8888889  25
```

```
## 57   -3.3333333  26
## 58   -2.7777778  27
## 59   -2.2222222  28
## 60   -1.6666667  29
## 61   -1.1111111  30
## 62   -0.5555556  31
## 63    0.0000000  32
## 64    0.5555556  33
## 65    1.1111111  34
## 66    1.6666667  35
## 67    2.2222222  36
## 68    2.7777778  37
## 69    3.3333333  38
## 70    3.8888889  39
## 71    4.4444444  40
## 72    5.0000000  41
## 73    5.5555556  42
## 74    6.1111111  43
## 75    6.6666667  44
## 76    7.2222222  45
## 77    7.7777778  46
## 78    8.3333333  47
## 79    8.8888889  48
## 80    9.4444444  49
## 81   10.0000000  50
## 82   10.5555556  51
## 83   11.1111111  52
## 84   11.6666667  53
## 85   12.2222222  54
## 86   12.7777778  55
## 87   13.3333333  56
## 88   13.8888889  57
## 89   14.4444444  58
## 90   15.0000000  59
## 91   15.5555556  60
## 92   16.1111111  61
## 93   16.6666667  62
## 94   17.2222222  63
## 95   17.7777778  64
## 96   18.3333333  65
## 97   18.8888889  66
## 98   19.4444444  67
## 99   20.0000000  68
## 100  20.5555556  69
## 101  21.1111111  70
## 102  21.6666667  71
## 103  22.2222222  72
## 104  22.7777778  73
## 105  23.3333333  74
## 106  23.8888889  75
## 107  24.4444444  76
## 108  25.0000000  77
## 109  25.5555556  78
## 110  26.1111111  79
```

```
## 111  26.6666667  80
## 112  27.2222222  81
## 113  27.7777778  82
## 114  28.3333333  83
## 115  28.8888889  84
## 116  29.4444444  85
## 117  30.0000000  86
## 118  30.5555556  87
## 119  31.1111111  88
## 120  31.6666667  89
## 121  32.2222222  90
## 122  32.7777778  91
## 123  33.3333333  92
## 124  33.8888889  93
## 125  34.4444444  94
## 126  35.0000000  95
## 127  35.5555556  96
## 128  36.1111111  97
## 129  36.6666667  98
## 130  37.2222222  99
## 131  37.7777778 100
```

Practical example

```
library(ggplot2)
library(drc)
```

```
## Loading required package: MASS

##
## 'drc' has been loaded.

## Please cite R and 'drc' if used for a publication,

## for references type 'citation()' and 'citation('drc')'.

##
## Attaching package: 'drc'

## The following objects are masked from 'package:stats':
##
##     gaussian, getInitial
```

```
library(tidyverse)
```

```
## -- Attaching core tidyverse packages ------------------------ tidyverse 2.0.0 --
## v dplyr     1.1.4     v readr     2.1.5
## v forcats   1.0.0     v stringr   1.5.1
## v lubridate 1.9.3     v tibble    3.2.1
## v purrr     1.0.2     v tidyr     1.3.1
```

```
## -- Conflicts ---------------------------------------- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()    masks stats::lag()
## x dplyr::select() masks MASS::select()
## i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become errors
```

```
EC50.data <- read.csv("EC50_all.csv")


isolate1 <- drm(100 * EC50.data$relgrowth[EC50.data$is == "ILSO_5-41c"] ~
        EC50.data$conc[EC50.data$is == "ILSO_5-41c"],
                        fct = LL.4(fixed = c(NA, NA, NA, NA),
                                   names = c("Slope", "Lower", "Upper", "EC50")),
                        na.action = na.omit)
# outputs the summary of the paramters including the estimate, standard
# error, t-value, and p-value outputs it into a data frame called
# summary.mef.fit for 'summary of fit'
summary.fit <- data.frame(summary(isolate1)[[3]])
# outputs the summary of just the EC50 data including the estimate, standard
# error, upper and lower bounds of the 95% confidence intervals around the
# EC50
EC50 <- ED(isolate1, respLev = c(50), type = "relative",
        interval = "delta")[[1]]
```

```
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1070318  0.0055365 0.0957543 0.1183094
```

```
nm <- unique(EC50.data$is)

for (i in seq_along(nm)) {
  isolate1 <- drm(100 * EC50.data$relgrowth[EC50.data$is == nm[[i]]] ~
        EC50.data$conc[EC50.data$is == nm[[i]]],
                        fct = LL.4(fixed = c(NA, NA, NA, NA),
                                   names = c("Slope", "Lower", "Upper", "EC50")),
                        na.action = na.omit)
  print(nm[[i]])
    # outputs the summary of the paramters including the estimate, standard
    # error, t-value, and p-value outputs it into a data frame called
    # summary.mef.fit for 'summary of fit'
    summary.fit <- data.frame(summary(isolate1)[[3]])
    # outputs the summary of just the EC50 data including the estimate, standard
    # error, upper and lower bounds of the 95% confidence intervals around the
    # EC50
    EC50 <- ED(isolate1, respLev = c(50), type = "relative",
        interval = "delta")[[1]]

    EC50
}
```

```
## [1] "ILSO_5-41c"
```

```
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1070318  0.0055365 0.0957543 0.1183094
## [1] "ILSO_5-42c"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.248655   0.028485 0.190633 0.306678
## [1] "ILSO_5-49b"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.167592   0.010197 0.146821 0.188362
## [1] "ILSO_6-1"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1082677  0.0051459 0.0977858 0.1187495
## [1] "ILSO_6-12B"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.184271   0.036047 0.110846 0.257695
## [1] "ILSO_6-2b"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.227432   0.040614 0.144704 0.310160
## [1] "ILSO_6-33C"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.101863   0.003487 0.094760 0.108965
## [1] "ILSO_6-39C"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1102721  0.0033354 0.1034780 0.1170661
## [1] "ILSO_6-15b"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.123288   0.014018 0.094735 0.151841
## [1] "ILSO_6-28C"
```

```
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0998727  0.0044787 0.0907498 0.1089956
## [1] "ILSO_6-34c"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50  0.69465    0.39164 -0.10310  1.49240
## [1] "ILSO_6-35b"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.113975   0.012773 0.087958 0.139993
## [1] "ILSO_6-36b"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.217436   0.027934 0.160536 0.274335
## [1] "INSO_1-13D"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1432333  0.0093132 0.1242629 0.1622036
## [1] "INSO_1-17C"
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
## e:1:50  0.18336    0.01293 0.15695 0.20977
## [1] "INSO_1-17D"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.186929   0.034023 0.117626 0.256232
## [1] "INSO_1-23-C"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0299288  0.0017812 0.0263007 0.0335569
## [1] "INSO_1-28-C"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.200379   0.020104 0.159429 0.241329
## [1] "INSO_1-28-D"
```

```
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50  0.30812    0.24033 -0.18142  0.79765
## [1] "INSO_1-52-B"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.227103   0.019697 0.186983 0.267224
## [1] "INSO_1-53A"
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
## e:1:50  0.20009    0.01448 0.17059 0.22958
## [1] "INSO_2-57"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.223966   0.058089 0.105642 0.342290
## [1] "INSO_3-45"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.288001   0.074597 0.136052 0.439951
## [1] "INSO_3-49"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.369422   0.077015 0.212549 0.526296
## [1] "IASO_1-16.1h"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.118335   0.011733 0.094404 0.142265
## [1] "IASO_1-16.2r"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.189945   0.013146 0.163097 0.216793
## [1] "IASO_1-20.44rt"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0483296  0.0022658 0.0437143 0.0529448
## [1] "IASO_10-28.24rt"
```

```
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.190146   0.027182 0.134779 0.245514
## [1] "IASO_2-11.8"
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
## e:1:50  0.16580    0.01082 0.14376 0.18784
## [1] "IASO_6-10.15h"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.183297   0.017237 0.148187 0.218407
## [1] "IASO_6-34.31r"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.130147   0.010705 0.108342 0.151951
## [1] "IASO_9-10.4h"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1915200  0.0077369 0.1757605 0.2072795
## [1] "IASO_9-11.1h"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.123034   0.006696 0.109395 0.136673
## [1] "IASO_9-24.27rd"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1935594  0.0094277 0.1743559 0.2127629
## [1] "IASO_9-29.33h"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.198000   0.019219 0.158853 0.237148
## [1] "IASO_9-31.37h"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1114482  0.0070542 0.0970793 0.1258172
## [1] "IASO_9-36.42rd"
```

```
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.159440   0.010423 0.138209 0.180671
## [1] "IASO_9-4.8h"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1372654  0.0070847 0.1228343 0.1516965
## [1] "KSSO_3-34"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50  0.427766   0.230327 -0.041395  0.896926
## [1] "KSSO_5-21"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0991738  0.0040323 0.0909603 0.1073874
## [1] "C-MISO2_1-19"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.106855   0.022010 0.062022 0.151687
## [1] "MISO_5-9"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.156127   0.021551 0.112229 0.200025
## [1] "MISO_8-23"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.308127   0.019233 0.268951 0.347304
## [1] "C-MNSO_6-4"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.117014   0.012255 0.092052 0.141977
## [1] "C-MNSO2_1-1"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.177036   0.011915 0.152767 0.201305
## [1] "C-MNSO2_1-19"
```

```
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.234268   0.017095 0.199447 0.269088
## [1] "C-MNSO2_2-10"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0172659  0.0012838 0.0146508 0.0198809
## [1] "MNSO_2-11"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.201737   0.012113 0.176998 0.226476
## [1] "MNSO_2-31"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.306968   0.078617 0.146831 0.467105
## [1] "MNSO_2-52"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.289597   0.081347 0.123464 0.455730
## [1] "MNSO_5-20"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.213191   0.024013 0.164278 0.262104
## [1] "NESO_1-27"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50  0.42728    0.28840 -0.16016  1.01472
## [1] "NESO_3-20"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0900834  0.0021351 0.0857344 0.0944324
## [1] "NESO_4-20"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1573077  0.0065037 0.1440602 0.1705553
## [1] "NESO_4-38"
```

```
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
## e:1:50  0.16319    0.01761 0.12732 0.19906
## [1] "NESO_4-40"
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
## e:1:50  0.20914    0.01403 0.18056 0.23772
## [1] "NESO_4-42"
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
## e:1:50  0.17905    0.00849 0.16171 0.19639
## [1] "NESO_4-47"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1587569  0.0098007 0.1387411 0.1787727
## [1] "NDSO_4-1"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1352667  0.0074545 0.1200824 0.1504511
## [1] "NDSO_4-18"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.247784   0.036714 0.173000 0.322567
## [1] "NDSO_4-2"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.235268   0.026532 0.181223 0.289313
## [1] "NDSO_4-43"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.066926   0.010213 0.046123 0.087728
## [1] "NDSO_4-45"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.174492   0.010501 0.153102 0.195882
## [1] "NDSO_5-22"
```

```
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.181951   0.028336 0.124233 0.239669
## [1] "NDSO_5-36"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.195576   0.013476 0.168125 0.223027
## [1] "NDSO_5-46"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.168410   0.010795 0.146421 0.190399
## [1] "NDSO_5-49"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1546980  0.0093702 0.1354373 0.1739588
## [1] "NDSO_5-9"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.162666   0.011066 0.140126 0.185206
## [1] "C-SDSO2_5-16"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.147113   0.008233 0.130343 0.163883
## [1] "C-SDSO2_5-17"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1376907  0.0077899 0.1218232 0.1535582
## [1] "C-SDSO2_5-29"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.118886   0.004502 0.109716 0.128057
## [1] "C-SDSO2_5-8"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.206342   0.016866 0.171988 0.240696
## [1] "C-SDSO2_5-9"
```

```
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.175509   0.013954 0.147086 0.203932
## [1] "C-SDSO2_6-33"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50  0.65376    0.63282 -0.63525  1.94277
## [1] "V-SDSO2_5-41"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.211026   0.012571 0.185419 0.236633
```

```
#to solve the problem of results being displayed only in colsole

EC50.ll4 <- NULL
nm <- unique(EC50.data$is)
for (i in seq_along(nm)) {
  isolate1 <- drm(100 * EC50.data$relgrowth[EC50.data$is == nm[[i]]] ~
        EC50.data$conc[EC50.data$is == nm[[i]]],
                        fct = LL.4(fixed = c(NA, NA, NA, NA),
                                   names = c("Slope", "Lower", "Upper", "EC50")),
                        na.action = na.omit)
  print(nm[[i]])
    # outputs the summary of the paramters including the estimate, standard
    # error, t-value, and p-value outputs it into a data frame called
    # summary.mef.fit for 'summary of fit'
    summary.fit <- data.frame(summary(isolate1)[[3]])
    # outputs the summary of just the EC50 data including the estimate, standard
    # error, upper and lower bounds of the 95% confidence intervals around the
    # EC50
    EC50 <- ED(isolate1, respLev = c(50), type = "relative",
        interval = "delta")[[1]]
    isolate.ec_1 <- data.frame(nm[[i]], EC50)
    EC50.ll4 <- rbind.data.frame(EC50.ll4, isolate.ec_1)
    EC50
}
```

```
## [1] "ILSO_5-41c"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1070318  0.0055365 0.0957543 0.1183094
## [1] "ILSO_5-42c"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
```

```
## e:1:50 0.248655   0.028485 0.190633 0.306678
## [1] "ILSO_5-49b"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.167592   0.010197 0.146821 0.188362
## [1] "ILSO_6-1"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1082677  0.0051459 0.0977858 0.1187495
## [1] "ILSO_6-12B"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.184271   0.036047 0.110846 0.257695
## [1] "ILSO_6-2b"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.227432   0.040614 0.144704 0.310160
## [1] "ILSO_6-33C"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.101863   0.003487 0.094760 0.108965
## [1] "ILSO_6-39C"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1102721  0.0033354 0.1034780 0.1170661
## [1] "ILSO_6-15b"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.123288   0.014018 0.094735 0.151841
## [1] "ILSO_6-28C"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0998727  0.0044787 0.0907498 0.1089956
## [1] "ILSO_6-34c"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
```

```
## e:1:50  0.69465    0.39164 -0.10310  1.49240
## [1] "ILSO_6-35b"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.113975   0.012773 0.087958 0.139993
## [1] "ILSO_6-36b"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.217436   0.027934 0.160536 0.274335
## [1] "INSO_1-13D"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1432333  0.0093132 0.1242629 0.1622036
## [1] "INSO_1-17C"
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
## e:1:50  0.18336    0.01293 0.15695 0.20977
## [1] "INSO_1-17D"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.186929   0.034023 0.117626 0.256232
## [1] "INSO_1-23-C"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0299288  0.0017812 0.0263007 0.0335569
## [1] "INSO_1-28-C"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.200379   0.020104 0.159429 0.241329
## [1] "INSO_1-28-D"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50  0.30812    0.24033 -0.18142  0.79765
## [1] "INSO_1-52-B"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
```

```
## e:1:50 0.227103   0.019697 0.186983 0.267224
## [1] "INSO_1-53A"
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
## e:1:50  0.20009    0.01448 0.17059 0.22958
## [1] "INSO_2-57"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.223966   0.058089 0.105642 0.342290
## [1] "INSO_3-45"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.288001   0.074597 0.136052 0.439951
## [1] "INSO_3-49"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.369422   0.077015 0.212549 0.526296
## [1] "IASO_1-16.1h"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.118335   0.011733 0.094404 0.142265
## [1] "IASO_1-16.2r"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.189945   0.013146 0.163097 0.216793
## [1] "IASO_1-20.44rt"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0483296  0.0022658 0.0437143 0.0529448
## [1] "IASO_10-28.24rt"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.190146   0.027182 0.134779 0.245514
## [1] "IASO_2-11.8"
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
```

```
## e:1:50  0.16580    0.01082 0.14376 0.18784
## [1] "IASO_6-10.15h"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.183297   0.017237 0.148187 0.218407
## [1] "IASO_6-34.31r"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.130147   0.010705 0.108342 0.151951
## [1] "IASO_9-10.4h"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1915200  0.0077369 0.1757605 0.2072795
## [1] "IASO_9-11.1h"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.123034   0.006696 0.109395 0.136673
## [1] "IASO_9-24.27rd"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1935594  0.0094277 0.1743559 0.2127629
## [1] "IASO_9-29.33h"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.198000   0.019219 0.158853 0.237148
## [1] "IASO_9-31.37h"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1114482  0.0070542 0.0970793 0.1258172
## [1] "IASO_9-36.42rd"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.159440   0.010423 0.138209 0.180671
## [1] "IASO_9-4.8h"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
```

```
## e:1:50 0.1372654  0.0070847 0.1228343 0.1516965
## [1] "KSSO_3-34"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50  0.427766   0.230327 -0.041395  0.896926
## [1] "KSSO_5-21"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0991738  0.0040323 0.0909603 0.1073874
## [1] "C-MISO2_1-19"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.106855   0.022010 0.062022 0.151687
## [1] "MISO_5-9"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.156127   0.021551 0.112229 0.200025
## [1] "MISO_8-23"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.308127   0.019233 0.268951 0.347304
## [1] "C-MNSO_6-4"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.117014   0.012255 0.092052 0.141977
## [1] "C-MNSO2_1-1"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.177036   0.011915 0.152767 0.201305
## [1] "C-MNSO2_1-19"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.234268   0.017095 0.199447 0.269088
## [1] "C-MNSO2_2-10"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
```

```
## e:1:50 0.0172659  0.0012838 0.0146508 0.0198809
## [1] "MNSO_2-11"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.201737   0.012113 0.176998 0.226476
## [1] "MNSO_2-31"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.306968   0.078617 0.146831 0.467105
## [1] "MNSO_2-52"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.289597   0.081347 0.123464 0.455730
## [1] "MNSO_5-20"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.213191   0.024013 0.164278 0.262104
## [1] "NESO_1-27"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50  0.42728    0.28840 -0.16016  1.01472
## [1] "NESO_3-20"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0900834  0.0021351 0.0857344 0.0944324
## [1] "NESO_4-20"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1573077  0.0065037 0.1440602 0.1705553
## [1] "NESO_4-38"
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
## e:1:50  0.16319    0.01761 0.12732 0.19906
## [1] "NESO_4-40"
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
```

```
## e:1:50  0.20914    0.01403 0.18056 0.23772
## [1] "NESO_4-42"
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
## e:1:50  0.17905    0.00849 0.16171 0.19639
## [1] "NESO_4-47"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1587569  0.0098007 0.1387411 0.1787727
## [1] "NDSO_4-1"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1352667  0.0074545 0.1200824 0.1504511
## [1] "NDSO_4-18"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.247784   0.036714 0.173000 0.322567
## [1] "NDSO_4-2"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.235268   0.026532 0.181223 0.289313
## [1] "NDSO_4-43"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.066926   0.010213 0.046123 0.087728
## [1] "NDSO_4-45"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.174492   0.010501 0.153102 0.195882
## [1] "NDSO_5-22"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.181951   0.028336 0.124233 0.239669
## [1] "NDSO_5-36"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
```

```
## e:1:50 0.195576   0.013476 0.168125 0.223027
## [1] "NDSO_5-46"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.168410   0.010795 0.146421 0.190399
## [1] "NDSO_5-49"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1546980  0.0093702 0.1354373 0.1739588
## [1] "NDSO_5-9"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.162666   0.011066 0.140126 0.185206
## [1] "C-SDSO2_5-16"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.147113   0.008233 0.130343 0.163883
## [1] "C-SDSO2_5-17"
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1376907  0.0077899 0.1218232 0.1535582
## [1] "C-SDSO2_5-29"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.118886   0.004502 0.109716 0.128057
## [1] "C-SDSO2_5-8"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.206342   0.016866 0.171988 0.240696
## [1] "C-SDSO2_5-9"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.175509   0.013954 0.147086 0.203932
## [1] "C-SDSO2_6-33"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
```

```
## e:1:50  0.65376    0.63282 -0.63525  1.94277
## [1] "V-SDSO2_5-41"
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.211026   0.012571 0.185419 0.236633
```

```
#Another way to do the same thing using tidyverse

EC50.data %>%
  group_by(is) %>%
  nest() %>%    #nest allows you to make a sub dataframe within a dataframe
  mutate(ll.4.mod = map(data, ~drm(.$relgrowth ~ .$conc,     #map function tells us we want to iterate
                                fct = LL.4(fixed = c(NA, NA, NA, NA),
                                           names = c("Slope", "Lower", "Upper", "EC50"))))) %>%
  mutate(ec50 = map(ll.4.mod, ~ED(.,
                                respLev = c(50),
                                type = "relative",
                                interval = "delta")[[1]])) %>%
  unnest(ec50)
```

```
## Warning: There were 19 warnings in `mutate()`.
## The first warning was:
## i In argument: `ll.4.mod = map(...)`.
## i In group 4: `is = "C-MNSO2_2-10"`.
## Caused by warning in `log()`:
## ! NaNs produced
## i Run `dplyr::last_dplyr_warnings()` to see the 18 remaining warnings.
```

```
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.106855   0.022010 0.062022 0.151687
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.177036   0.011915 0.152767 0.201305
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.234268   0.017095 0.199447 0.269088
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0172659  0.0012838 0.0146508 0.0198809
##
## Estimated effective doses
##
```

```
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.117014   0.012255 0.092052 0.141977
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.147113   0.008233 0.130343 0.163883
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1376907  0.0077899 0.1218232 0.1535582
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.118886   0.004502 0.109716 0.128057
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.206342   0.016866 0.171988 0.240696
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.175509   0.013954 0.147086 0.203932
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50  0.65376    0.63282 -0.63525  1.94277
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.118335   0.011733 0.094404 0.142265
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.189945   0.013146 0.163097 0.216793
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0483296  0.0022658 0.0437143 0.0529448
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.190146   0.027182 0.134779 0.245514
##
## Estimated effective doses
```

```
##
##        Estimate Std. Error   Lower   Upper
## e:1:50  0.16580    0.01082 0.14376 0.18784
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.183297   0.017237 0.148187 0.218407
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.130147   0.010705 0.108342 0.151951
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1915200  0.0077369 0.1757605 0.2072795
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.123034   0.006696 0.109395 0.136673
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1935594  0.0094277 0.1743559 0.2127629
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.198000   0.019219 0.158853 0.237148
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1114482  0.0070542 0.0970793 0.1258172
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.159440   0.010423 0.138209 0.180671
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1372654  0.0070847 0.1228343 0.1516965
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1070318  0.0055365 0.0957543 0.1183094
##
```

```
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.248655   0.028485 0.190633 0.306678
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.167592   0.010197 0.146821 0.188362
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1082677  0.0051459 0.0977858 0.1187495
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.184271   0.036047 0.110846 0.257695
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.123288   0.014018 0.094735 0.151841
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0998727  0.0044787 0.0907498 0.1089956
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.227432   0.040614 0.144704 0.310160
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.101863   0.003487 0.094760 0.108965
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50  0.69465    0.39164 -0.10310  1.49240
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.113975   0.012773 0.087958 0.139993
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.217436   0.027934 0.160536 0.274335
```

```
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1102721  0.0033354 0.1034780 0.1170661
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1432333  0.0093132 0.1242629 0.1622036
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
## e:1:50  0.18336    0.01293 0.15695 0.20977
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.186929   0.034023 0.117626 0.256232
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0299288  0.0017812 0.0263007 0.0335569
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.200379   0.020104 0.159429 0.241329
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50  0.30812    0.24033 -0.18142  0.79765
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.227103   0.019697 0.186983 0.267224
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
## e:1:50  0.20009    0.01448 0.17059 0.22958
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.223966   0.058089 0.105642 0.342290
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
```

```
## e:1:50 0.288001   0.074597 0.136052 0.439951
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.369422   0.077015 0.212549 0.526296
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50  0.427766   0.230327 -0.041395  0.896926
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0991738  0.0040323 0.0909603 0.1073874
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.156127   0.021551 0.112229 0.200025
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.308127   0.019233 0.268951 0.347304
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.201737   0.012113 0.176998 0.226476
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.306968   0.078617 0.146831 0.467105
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.289597   0.081347 0.123464 0.455730
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.213191   0.024013 0.164278 0.262104
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1352667  0.0074545 0.1200824 0.1504511
##
## Estimated effective doses
##
```

```
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.247784   0.036714 0.173000 0.322567
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.235268   0.026532 0.181223 0.289313
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.066926   0.010213 0.046123 0.087728
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.174492   0.010501 0.153102 0.195882
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.181951   0.028336 0.124233 0.239669
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.195576   0.013476 0.168125 0.223027
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.168410   0.010795 0.146421 0.190399
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1546980  0.0093702 0.1354373 0.1739588
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.162666   0.011066 0.140126 0.185206
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50  0.42728    0.28840 -0.16016  1.01472
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.0900834  0.0021351 0.0857344 0.0944324
##
## Estimated effective doses
```

```
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1573077  0.0065037 0.1440602 0.1705553
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
## e:1:50  0.16319    0.01761 0.12732 0.19906
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
## e:1:50  0.20914    0.01403 0.18056 0.23772
##
## Estimated effective doses
##
##        Estimate Std. Error   Lower   Upper
## e:1:50  0.17905    0.00849 0.16171 0.19639
##
## Estimated effective doses
##
##         Estimate Std. Error     Lower     Upper
## e:1:50 0.1587569  0.0098007 0.1387411 0.1787727
##
## Estimated effective doses
##
##        Estimate Std. Error    Lower    Upper
## e:1:50 0.211026   0.012571 0.185419 0.236633

## # A tibble: 75 x 4
## # Groups:   is [75]
##    is          data               ll.4.mod   ec50
##    <chr>       <list>             <list>    <dbl>
##  1 ILSO_5-41c <tibble [36 x 11]> <drc>    0.107
##  2 ILSO_5-42c <tibble [36 x 11]> <drc>    0.249
##  3 ILSO_5-49b <tibble [36 x 11]> <drc>    0.168
##  4 ILSO_6-1   <tibble [36 x 11]> <drc>    0.108
##  5 ILSO_6-12B <tibble [36 x 11]> <drc>    0.184
##  6 ILSO_6-2b  <tibble [36 x 11]> <drc>    0.227
##  7 ILSO_6-33C <tibble [36 x 11]> <drc>    0.102
##  8 ILSO_6-39C <tibble [36 x 11]> <drc>    0.110
##  9 ILSO_6-15b <tibble [36 x 11]> <drc>    0.123
## 10 ILSO_6-28C <tibble [36 x 11]> <drc>    0.0999
## # i 65 more rows
```