Powder Coatings

Product / Application	BIS	ISO	ASTM	DIN	Other Standards(SSPC,AMPP, REACH, FDA)
Epoxy Powder Coating	IS 13871	ISO 8130 Series (Coating Powders); ISO 2808 (Film Thickness); ISO 2409 (Adhesion); ISO 12944 (Corrosion Protection),ISO 2815	ASTM D3451 (Testing of Coating Powders and Powder Coatings); ASTM D5965 (Testing Coating Powders and Powder Coatings); ASTM D2794 (Impact Resistance); ASTM D3359 (Adhesion); ASTM D4060 (Abrasion Resistance); ASTM B117 (Salt Spray Corrosion Resistance),ASTM D2967; ASTM D4242; ASTM D5382; ASTM D7334	DIN EN ISO 8130 series (Coating Powders Testing); DIN EN ISO 8130-2 (Determination of Density); DIN EN ISO 8130-3 (Determination of Density by Liquid Displacement); DIN EN ISO 8130-5 (Flow Properties); DIN EN ISO 8130-6 (Gel Time); DIN EN ISO 2409 (Adhesion); DIN EN ISO 2813 (Gloss); DIN EN ISO 6272 (Impact Resistance); DIN EN ISO 9227 (Corrosion Resistance)	AMPP: SP 1; AMPP: SP 6/NACE No.3; AMPP: SP 10/NACE No.2 where corrosion protection is required; REACH: Regulation (EC) No. 1907/2006 (epoxy resins, curing agents, pigments); FDA: 21 CFR 175.300 where food-contact coating application exists
Polyester Powder Coating	IS 13871	ISO 8130 Series (Coating Powders); ISO 2813 (Gloss); ISO 2409 (Adhesion); ISO 11507 (Artificial Weathering),ISO 2815	ASTM D3451 (Powder Coating Testing); ASTM D5965 (Powder Coating Evaluation); ASTM D523 (Gloss); ASTM D2794 (Impact Resistance); ASTM D3359 (Adhesion); ASTM G154 (UV Weathering),ASTM D2967; ASTM D4242; ASTM D5382; ASTM D7334	DIN EN ISO 8130 series (Powder Coatings); DIN EN ISO 2409 (Adhesion); DIN EN ISO 2813 (Gloss); DIN EN ISO 16474 (Artificial Weathering); DIN EN ISO 4892 (UV Exposure); DIN EN ISO 6272 (Impact Resistance)	AMPP: SP 1; AMPP: SP 6/NACE No.3 where metallic substrate preparation applies; REACH: Regulation (EC) No. 1907/2006 (polyester resins, pigments, additives); FDA: 21 CFR 175.300 where food-contact use applies
Epoxy-Polyester Hybrid Powder Coating	IS 13871	ISO 8130 Series (Coating Powders); ISO 2808 (Film Thickness); ISO 2409 (Adhesion); ISO 12944 (Corrosion Protection),ISO 2815	ASTM D3451 (Powder Coating Testing); ASTM D5965 (Powder Coating Evaluation); ASTM D3359 (Adhesion); ASTM D2794 (Impact Resistance); ASTM B117 (Corrosion Resistance),ASTM D2967; ASTM D4242; ASTM D5382; ASTM D7334	DIN EN ISO 8130 series; DIN EN ISO 2409; DIN EN ISO 6272; DIN EN ISO 2813; DIN EN ISO 9227	AMPP: SP 1; AMPP: SP 6/NACE No.3; REACH: Regulation (EC) No. 1907/2006 (epoxy/polyester chemistry, pigments, additives); FDA: 21 CFR 175.300 where food-contact use applies
Polyurethane Powder Coating	IS 13871	ISO 8130 Series (Coating Powders); ISO 2813 (Gloss); ISO 2409 (Adhesion); ISO 4624 (Pull-Off Adhesion),ISO 2815	ASTM D3451 (Powder Coating Testing); ASTM D5965 (Powder Coating Evaluation); ASTM D523 (Gloss); ASTM D4060 (Abrasion Resistance); ASTM D3359 (Adhesion),ASTM D2967; ASTM D4242; ASTM D5382; ASTM D7334	DIN EN ISO 8130 series; DIN EN ISO 2409; DIN EN ISO 15184 (Hardness); DIN EN ISO 2813; DIN EN ISO 16474	AMPP: SP 1; AMPP: SP 6/NACE No.3; REACH: Regulation (EC) No. 1907/2006 (isocyanate-based chemistry, additives); REACH Annex XVII (diisocyanates where applicable)
Acrylic Powder Coating	IS 13871	ISO 8130 Series (Coating Powders); ISO 2813 (Gloss); ISO 11507 (Weathering Resistance); ISO 2409 (Adhesion),ISO 2815	ASTM D3451 (Powder Coating Testing); ASTM D5965 (Powder Coating Evaluation); ASTM G154 (Accelerated Weathering); ASTM D523 (Gloss); ASTM D3359 (Adhesion),ASTM D2967; ASTM D4242; ASTM D5382; ASTM D7334	DIN EN ISO 8130 series; DIN EN ISO 2409; DIN EN ISO 16474; DIN EN ISO 2813; DIN EN ISO 4628	AMPP: SP 1; AMPP: SP 6/NACE No.3; REACH: Regulation (EC) No. 1907/2006 (acrylic resins, pigments, additives)
Fluoropolymer Powder Coating	IS 13871	ISO 8130 Series (Coating Powders); ISO 11507 (Artificial Weathering); ISO 16474 (Exposure to Artificial Radiation); ISO 12944 (Protective Coating Systems),ISO 2815	ASTM D3451 (Powder Coating Testing); ASTM G154 (UV Exposure); ASTM G155 (Xenon Arc Weathering); ASTM D523 (Gloss Retention); ASTM D3359 (Adhesion),ASTM D2967; ASTM D4242; ASTM D5382; ASTM D5965; ASTM D7334	DIN EN ISO 16474 series (Artificial Weathering); DIN EN ISO 4892 series (UV Exposure); DIN EN ISO 2813 (Gloss Retention); DIN EN ISO 2409 (Adhesion); DIN EN ISO 6272 (Impact Resistance)	AMPP: SP 1; AMPP: SP 6/NACE No.3; REACH: Regulation (EC) No. 1907/2006 (fluoropolymers, additives); REACH restrictions applicable to specific PFAS substances
Anti-Corrosive Powder Coating	IS 13871	ISO 12944 (Corrosion Protection); ISO 8130 Series (Coating Powders); ISO 9227 (Salt Spray Testing); ISO 2409 (Adhesion),ISO 2815	ASTM B117 (Salt Spray); ASTM D1654 (Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments); ASTM D610 (Rust	DIN EN ISO 12944 series (Corrosion Protection); DIN EN ISO 8130 series (Powder Testing); DIN EN ISO 9227 (Salt Spray); DIN EN ISO 4628	AMPP: SP 5/NACE No.1; AMPP: SP 6/NACE No.3; AMPP: SP 10/NACE No.2; REACH: Regulation (EC) No. 1907/2006 (anticorrosive pigments,

Product / Application	BIS	ISO	ASTM	DIN	Other Standards(SSPC,AMPP, REACH, FDA)
			Evaluation); ASTM D714 (Blister Evaluation); ASTM D3451 (Powder Coating Testing),ASTM D2967; ASTM D4242; ASTM D5382; ASTM D5965; ASTM D7334	series; DIN EN ISO 2409	zinc compounds, additives)
Architectural Powder Coating	IS 13871	ISO 8130 Series (Coating Powders); ISO 2813 (Gloss); ISO 11507 (Weathering Resistance); ISO 12944 (Protective Coatings),ISO 2815	ASTM D3451 (Powder Coating Testing); ASTM D523 (Gloss); ASTM D3359 (Adhesion); ASTM G154 (UV Weathering); ASTM B117 (Corrosion Resistance),ASTM D2967; ASTM D4242; ASTM D5382; ASTM D5965; ASTM D7334	DIN EN 12206-1 (Coatings on Aluminium for Architectural Applications); DIN EN ISO 8130 series; DIN EN ISO 2409; DIN EN ISO 2813; DIN EN ISO 16474; DIN EN ISO 9227	AMPP: SP 1; AMPP: SP 6/NACE No.3 for aluminium/steel substrate preparation; REACH: Regulation (EC) No. 1907/2006 (pigments, heavy metals, additives)
Automotive Powder Coating	IS 13871	ISO 8130 Series (Coating Powders); ISO 2409 (Adhesion); ISO 4624 (Pull-Off Adhesion); ISO 16750 (Automotive Environmental Testing where applicable),ISO 2815	ASTM D3451 (Powder Coating Testing); ASTM D3359 (Adhesion); ASTM D4060 (Abrasion Resistance); ASTM D523 (Gloss); ASTM G154 (Weathering Resistance),ASTM D2967; ASTM D4242; ASTM D5382; ASTM D5965; ASTM D7334	DIN EN ISO 2409; DIN EN ISO 2813; DIN EN ISO 6272; DIN EN ISO 9227; DIN EN ISO 16474; DIN EN ISO 15184	AMPP: SP 1; AMPP: SP 6/NACE No.3; REACH: Regulation (EC) No. 1907/2006 (automotive restricted substances, pigments, additives)
Appliance Powder Coating	IS 13871	ISO 8130 Series (Coating Powders); ISO 6270 (Humidity Resistance); ISO 2813 (Gloss); ISO 2409 (Adhesion),ISO 2815	ASTM D3451 (Powder Coating Testing); ASTM D2794 (Impact Resistance); ASTM D3359 (Adhesion); ASTM D4060 (Abrasion Resistance); ASTM D2247 (Humidity Resistance),ASTM D2967; ASTM D4242; ASTM D5382; ASTM D5965; ASTM D7334	DIN EN ISO 8130 series; DIN EN ISO 2409; DIN EN ISO 2813; DIN EN ISO 6272; DIN EN ISO 9227	AMPP: SP 1; AMPP: SP 6/NACE No.3; REACH: Regulation (EC) No. 1907/2006 (coating chemicals, additives); FDA: 21 CFR 175.300 only for food-contact appliance surfaces
Heat Resistant Powder Coating	IS 13871	ISO 8130 Series (Coating Powders); ISO 12944 (Protective Coatings); ISO 2813 (Gloss); ISO 4628 Series (Degradation Evaluation),ISO 2815	ASTM D3451 (Powder Coating Testing); ASTM D2485 (Resistance to Heat of Coatings); ASTM D3359 (Adhesion); ASTM D4060 (Abrasion Resistance),ASTM D2967; ASTM D4242; ASTM D5382; ASTM D5965; ASTM D7334	DIN EN ISO 8130 series; DIN EN ISO 2812 (Resistance to Liquids); DIN EN ISO 15184 (Hardness); DIN EN ISO 2409 (Adhesion)	AMPP: SP 1; AMPP: SP 6/NACE No.3; REACH: Regulation (EC) No. 1907/2006 (thermal-resistant pigments, fillers, binders)
UV Resistant Powder Coating	IS 13871	ISO 8130 Series (Coating Powders); ISO 11507 (Artificial Weathering); ISO 16474 (Artificial Radiation Exposure); ISO 2813 (Gloss),ISO 2815	ASTM G154 (Fluorescent UV Exposure); ASTM G155 (Xenon Arc Exposure); ASTM D4587 (UV Condensation Weathering); ASTM D523 (Gloss Retention); ASTM D2244 (Colour Change),ASTM D2967; ASTM D3451; ASTM D4242; ASTM D5382; ASTM D5965; ASTM D7334	DIN EN ISO 16474 series; DIN EN ISO 4892 series; DIN EN ISO 2813 (Gloss Retention); DIN EN ISO 4628 (Degradation Evaluation)	AMPP: SP 1; AMPP: SP 6/NACE No.3; REACH: Regulation (EC) No. 1907/2006 (UV stabilisers, pigments, additives)
Antimicrobial Powder Coating	IS 13871	ISO 22196 (Antibacterial Activity on Non-Porous Surfaces); ISO 846 (Microbial Action Evaluation); ISO 8130 Series (Coating Powders),ISO 2815	ASTM E2180 (Antimicrobial Activity of Immobilized Agents); ASTM E2149 (Antimicrobial Activity under Dynamic Contact Conditions); ASTM D3451 (Powder Coating Testing),ASTM D2967; ASTM D4242; ASTM D5382; ASTM D5965; ASTM D7334	DIN EN ISO 22196 (Antibacterial Activity on Non-Porous Surfaces); DIN EN ISO 846 (Evaluation of Antimicrobial Activity); DIN EN ISO 8130 series	REACH: Regulation (EC) No. 1907/2006 (biocides, antimicrobial additives); EU Biocidal Products Regulation (EU) No. 528/2012; FDA: only where coating is intended for FDA-regulated food-contact antimicrobial applications
Food Contact Powder Coating	IS 13871	ISO 1186 Series (Overall Migration Testing); ISO 8130 Series (Coating Powders),ISO 2815	ASTM D3359 (Adhesion); ASTM D1308 (Chemical Resistance); ASTM D543 (Chemical Resistance of Plastics where applicable); ASTM F1249 (Water Vapour Transmission where barrier packaging/coating application	DIN EN 1186 series (Materials and Articles in Contact with Foodstuffs — Plastics); DIN EN 13130 series (Specific Migration); DIN EN ISO 8130 series; DIN EN ISO 2409 (Adhesion)	FDA: 21 CFR 175.300 (Resinous and Polymeric Coatings); FDA 21 CFR 177 series where polymer systems require; REACH: Regulation (EC) No. 1907/2006 (SVHC, restricted substances)

Product / Application	BIS	ISO	ASTM	DIN	Other Standards(SSPC,AMPP, REACH, FDA)
			applies),ASTM D2967; ASTM D3451; ASTM D4242; ASTM D5382; ASTM D5965; ASTM D7334		
Functional Powder Coating	IS 13871	ISO 8130 Series (Coating Powders); ISO 2808 (Film Thickness); ISO 2409 (Adhesion); Application-specific functional testing,ISO 2815	ASTM D3451 (Powder Coating Testing); ASTM D3359 (Adhesion); ASTM D4060 (Abrasion Resistance); Application-specific ASTM electrical, thermal, or chemical resistance tests,ASTM D2967; ASTM D4242; ASTM D5382; ASTM D5965; ASTM D7334	DIN EN ISO 8130 series; DIN EN ISO 2409; DIN EN ISO 2808; DIN EN ISO 2813; application-specific electrical/thermal DIN EN ISO standards	AMPP: SP 1/SP 6 where protective substrate preparation is required; REACH: Regulation (EC) No. 1907/2006 (functional additives, pigments, fillers)

Source field: Dyes and Pigments