Primers

Product / Application	BIS	ISO	ASTM	DIN	Other Standards(SSPC,AMPP, REACH, FDA)
Red Oxide Primer	IS 2074,IS 3536	ISO 12944 (Corrosion Protection); ISO 8501 (Surface Preparation); ISO 2808 (Film Thickness); ISO 2409 (Adhesion),	ASTM D520 (Zinc Dust Pigment where zinc-based primers apply); ASTM D3359 (Adhesion); ASTM B117 (Salt Spray); ASTM D610 (Rust Evaluation); ASTM D7091 (Dry Film Thickness),ASTM D1640; ASTM D2371; ASTM D4541	DIN EN ISO 12944 series; DIN EN ISO 2409 (Adhesion); DIN EN ISO 9227 (Salt Spray); DIN EN ISO 4628 series (Corrosion Evaluation); DIN EN ISO 2808 (Thickness)	AMPP: SP 1 (Solvent Cleaning); AMPP: SP 6/NACE No.3 (Commercial Blast Cleaning) where steel preparation is required; REACH: Regulation (EC) No. 1907/2006 (iron oxide pigments, solvents, additives)
Zinc Chromate Primer	IS 2074,IS 3536	ISO 12944 (Corrosion Protection); ISO 8501 (Surface Preparation); ISO 9227 (Salt Spray Testing); ISO 2409 (Adhesion),	ASTM B117 (Salt Spray); ASTM D1654 (Corrosion Evaluation); ASTM D3359 (Adhesion); ASTM D7091 (Dry Film Thickness); ASTM D610 (Rust Rating),ASTM D1640; ASTM D2371; ASTM D4541	DIN EN ISO 12944; DIN EN ISO 9227; DIN EN ISO 4628; DIN EN ISO 2409; DIN EN ISO 8501-1 (Surface Preparation)	AMPP: SP 1; AMPP: SP 6/NACE No.3; AMPP: SP 10/NACE No.2 for high-performance systems; REACH: Regulation (EC) No. 1907/2006; REACH Annex XVII (chromates, chromium VI compounds restrictions)
Zinc Phosphate Primer	IS 2074; IS 3536	ISO 12944 (Protective Paint Systems); ISO 9227 (Salt Spray Resistance); ISO 8501 (Surface Preparation); ISO 4624 (Adhesion),ISO 2409	ASTM B117 (Salt Spray); ASTM D1654 (Corrosion Resistance); ASTM D3359 (Adhesion); ASTM D4060 (Abrasion Resistance),ASTM D1640; ASTM D2371; ASTM D4541	DIN EN ISO 12944; DIN EN ISO 9227; DIN EN ISO 2409; DIN EN ISO 4624; DIN EN ISO 8501 series	AMPP: SP 1; AMPP: SP 6/NACE No.3; REACH: Regulation (EC) No. 1907/2006 (zinc compounds, pigments, additives)
Epoxy Primer	IS 2074; IS 3536	ISO 12944 (Corrosion Protection); ISO 9227 (Salt Spray); ISO 4624 (Pull-Off Adhesion); ISO 2409 (Adhesion),	ASTM D4541 (Pull-Off Adhesion); ASTM B117 (Salt Spray); ASTM D3359 (Adhesion); ASTM D1308 (Chemical Resistance); ASTM D4060 (Abrasion Resistance),ASTM D1640; ASTM D2371	DIN EN ISO 12944; DIN EN ISO 2409; DIN EN ISO 4624; DIN EN ISO 2812; DIN EN ISO 9227	AMPP: SP 1 (Solvent Cleaning); AMPP: SP 5/NACE No.1 (White Metal Blast Cleaning); AMPP: SP 6/NACE No.3; AMPP: SP 10/NACE No.2; REACH: Regulation (EC) No. 1907/2006 (epoxy resins, curing agents, VOC, SVHC substances)
PU Primer	IS 2074; IS 3536	ISO 12944 (Protective Coating Systems); ISO 2808 (Film Thickness); ISO 2409 (Adhesion); ISO 4624,	ASTM D4541 (Pull-Off Adhesion); ASTM D3359 (Adhesion); ASTM D523 (Gloss); ASTM G154 (Weathering Resistance),ASTM B117; ASTM D1640; ASTM D2371	DIN EN ISO 12944; DIN EN ISO 2409; DIN EN ISO 2813; DIN EN ISO 16474	AMPP: SP 1; AMPP: SP 6/NACE No.3; AMPP: SP 10/NACE No.2 where protective systems are required; REACH: Regulation (EC) No. 1907/2006 (isocyanates, solvents); REACH Annex XVII (diisocyanate restrictions)
Acrylic Primer	IS 2074; IS 3536	ISO 2409 (Adhesion); ISO 2813 (Gloss); ISO 2808 (Film Thickness),ISO 12944	ASTM D3359 (Adhesion); ASTM D523 (Gloss); ASTM D4060 (Abrasion Resistance); ASTM G154 (Weathering Resistance),ASTM B117; ASTM D1640; ASTM D2371; ASTM D4541	DIN EN ISO 2409; DIN EN ISO 2813; DIN EN ISO 16474; DIN EN ISO 4628	AMPP: SP 1; AMPP: SP 6/NACE No.3 for metallic substrates; REACH: Regulation (EC) No. 1907/2006 (acrylic polymers, solvents, additives)
Metal Primer	IS 2074 (where applicable); IS 3536	ISO 12944 (Corrosion Protection); ISO 8501 (Surface Preparation); ISO 9227 (Salt Spray),ISO 2409	ASTM B117 (Salt Spray); ASTM D610 (Rust Evaluation); ASTM D1654 (Corrosion Evaluation); ASTM D3359 (Adhesion),ASTM D1640; ASTM D2371; ASTM D4541	DIN EN ISO 12944; DIN EN ISO 9227; DIN EN ISO 2409; DIN EN ISO 4628	AMPP: SP 1; AMPP: SP 2 (Hand Tool Cleaning); AMPP: SP 3 (Power Tool Cleaning); AMPP: SP 6/NACE No.3; AMPP: SP 10/NACE No.2 for severe corrosion environments; REACH: Regulation (EC) No. 1907/2006
Wood Primer	IS 2074; IS 3536	ISO 2409 (Adhesion); ISO 2813 (Gloss); ISO 11507 (Weathering Resistance),ISO 12944	ASTM D3023 (Evaluation of Coatings Applied to Wood Products); ASTM D4446 (Water Repellency of Wood); ASTM D3359 (Adhesion),ASTM B117; ASTM D1640; ASTM D2371; ASTM D4541	DIN EN 927 series (Coating Materials for Exterior Wood); DIN EN ISO 2409; DIN EN ISO 2813; DIN EN ISO 4628	REACH: Regulation (EC) No. 1907/2006 (wood preservatives, biocides, solvents, pigments)
Wall Primer	IS 2074; IS 3536	ISO 11998 (Wet Scrub Resistance); ISO 2409 (Adhesion); ISO 2808	ASTM D2486 (Scrub Resistance); ASTM D3359 (Adhesion); ASTM D2805	DIN EN ISO 11998 (Wet Scrub Resistance); DIN EN ISO 2409;	REACH: Regulation (EC) No. 1907/2006 (VOC, pigments, fillers,

Product / Application	BIS	ISO	ASTM	DIN	Other Standards(SSPC,AMPP, REACH, FDA)
		(Film Thickness),ISO 12944	(Hiding Power); ASTM D523 (Gloss),ASTM B117; ASTM D1640; ASTM D2371; ASTM D4541	DIN EN ISO 2813; DIN EN ISO 2808	additives)
Concrete Primer	IS 2074; IS 3536	ISO 4624 (Pull-Off Adhesion); ISO 12944 (Protective Coating Systems); ISO 6270 (Humidity Resistance),ISO 2409	ASTM D7234 (Pull-Off Adhesion Strength of Coatings on Concrete); ASTM C1583 (Tensile Strength of Concrete Surfaces); ASTM D4541 (Pull-Off Adhesion); ASTM D4259 (Preparation of Concrete Surfaces),ASTM B117; ASTM D1640; ASTM D2371; ASTM D3359	DIN EN 1504-2 (Concrete Surface Protection); DIN EN ISO 4624; DIN EN ISO 2409; DIN EN ISO 7783	AMPP: SP 13/NACE No.6 (Surface Preparation of Concrete); REACH: Regulation (EC) No. 1907/2006 (epoxy/acrylic binders, additives)
Masonry Primer	IS 2074; IS 3536	ISO 12944 (Protective Coatings); ISO 6270 (Humidity Resistance); ISO 4628 Series,ISO 2409	ASTM D4541 (Pull-Off Adhesion); ASTM D4446 (Water Repellency); ASTM D1308 (Chemical Resistance); ASTM D7234 (Concrete Adhesion),ASTM B117; ASTM D1640; ASTM D2371; ASTM D3359	DIN EN 1062 series; DIN EN ISO 7783; DIN EN ISO 2409; DIN EN ISO 4628	AMPP: SP 13/NACE No.6 (Concrete and Masonry Surface Preparation); REACH: Regulation (EC) No. 1907/2006
Etching Primer	IS 2074; IS 3536	ISO 8501 (Surface Preparation); ISO 2409 (Adhesion); ISO 12944 (Corrosion Protection),	ASTM D3359 (Adhesion); ASTM B117 (Corrosion Resistance); ASTM D4541 (Adhesion Strength); ASTM D7091 (Thickness),ASTM D1640; ASTM D2371	DIN EN ISO 2409; DIN EN ISO 12944; DIN EN ISO 9227; DIN EN ISO 8501	AMPP: SP 1; AMPP: SP 6/NACE No.3 where applied on metal; REACH: Regulation (EC) No. 1907/2006 (acid components, solvents, chromates where applicable)
Wash Primer	IS 2074; IS 3536	ISO 8501 (Surface Preparation); ISO 2409 (Adhesion); ISO 12944,	ASTM D3359 (Adhesion); ASTM B117 (Corrosion Resistance); ASTM D1654 (Corrosion Evaluation),ASTM D1640; ASTM D2371; ASTM D4541	DIN EN ISO 2409; DIN EN ISO 12944; DIN EN ISO 4628; DIN EN ISO 9227	AMPP: SP 1; AMPP: SP 6/NACE No.3; REACH: Regulation (EC) No. 1907/2006 (chromates, acids, solvents); REACH Annex XVII (chromate restrictions where applicable)
High Build Primer	IS 2074; IS 3536	ISO 2808 (Film Thickness); ISO 12944 (Protective Coating Systems); ISO 4624 (Adhesion),ISO 2409	ASTM D7091 (Dry Film Thickness); ASTM D4541 (Pull-Off Adhesion); ASTM D4060 (Abrasion Resistance); ASTM B117 (Salt Spray),ASTM D1640; ASTM D2371; ASTM D3359	DIN EN ISO 2808 (Film Thickness); DIN EN ISO 4624 (Pull-Off Adhesion); DIN EN ISO 12944; DIN EN ISO 9227	AMPP: SP 5/NACE No.1; AMPP: SP 6/NACE No.3; AMPP: SP 10/NACE No.2; AMPP coating system practices; REACH: Regulation (EC) No. 1907/2006
Anti-Corrosive Primer	IS 2074; IS 3536	ISO 12944; ISO 8501; ISO 9227; ISO 4628 Series,ISO 2409	ASTM B117 (Salt Spray); ASTM D610 (Rust Evaluation); ASTM D714 (Blister Evaluation); ASTM D1654 (Corrosion Evaluation); ASTM D7091 (Thickness),ASTM D1640; ASTM D2371; ASTM D3359; ASTM D4541	DIN EN ISO 12944; DIN EN ISO 9227; DIN EN ISO 4628; DIN EN ISO 2409	AMPP: SP 1; AMPP: SP 5/NACE No.1; AMPP: SP 6/NACE No.3; AMPP: SP 10/NACE No.2; REACH: Regulation (EC) No. 1907/2006 (anticorrosive pigments, heavy metals, solvents)
Automotive Primer	IS 2074; IS 3536	ISO 2409 (Adhesion); ISO 2813 (Gloss); ISO 16750 (Automotive Environmental Testing where applicable),ISO 12944	ASTM D3359 (Adhesion); ASTM D3363 (Pencil Hardness); ASTM D523 (Gloss); ASTM G154 (Weathering); ASTM B117 (Corrosion Resistance),ASTM D1640; ASTM D2371; ASTM D4541	DIN EN ISO 2409; DIN EN ISO 15184; DIN EN ISO 2813; DIN EN ISO 16474; DIN EN ISO 9227	REACH: Regulation (EC) No. 1907/2006 (VOC, pigments, solvents, isocyanates where applicable); REACH Annex XVII (diisocyanates for PU systems)
Floor Primer	IS 2074; IS 3536	ISO 4624 (Adhesion); ISO 7784 Series (Abrasion Resistance); ISO 2409,ISO 12944	ASTM D4541 (Pull-Off Adhesion); ASTM D4060 (Abrasion Resistance); ASTM D2047 (Slip Resistance); ASTM D4259 (Surface Preparation),ASTM B117; ASTM D1640; ASTM D2371; ASTM D3359	DIN EN 1504-2; DIN EN ISO 4624; DIN EN ISO 2409; DIN 51130 (Slip Resistance where applicable)	AMPP: SP 13/NACE No.6 (Concrete Surface Preparation); REACH: Regulation (EC) No. 1907/2006 (epoxy, PU, additives)
Waterproofing Primer	IS 2074; IS 3536	ISO 6270 (Humidity Resistance); ISO 12944 (Protective Coatings); ISO 2808 (Film Thickness),ISO 2409	ASTM D2247 (Humidity Resistance); ASTM D870 (Water Immersion Resistance); ASTM D4541 (Adhesion); ASTM D3359 (Adhesion),ASTM B117;	DIN EN ISO 1062 series; DIN EN ISO 7783; DIN EN ISO 2409; DIN EN ISO 4624	AMPP: SP 13/NACE No.6 for concrete substrates; REACH: Regulation (EC) No. 1907/2006 (resins, additives, VOC)

Product / Application	BIS	ISO	ASTM	DIN	Other Standards(SSPC,AMPP, REACH, FDA)
			ASTM D1640; ASTM D2371		

Source field: Dyes and Pigments