Foam Products

Product / Application	BIS (IS)	ISO	ASTM	DIN	Other Standards
EPS Board (Thermal Insulation)	IS 4671 (Thermal Insulation Materials)	ISO 4898 (Thermal Insulating Products for Building Applications — Factory-made Rigid Cellular Polymeric Thermal Insulation Products — Specification); ISO 29469 (Thermal Insulating Products for Building Applications — Determination of Compression Behaviour)	ASTM C578 (Rigid, Cellular Polystyrene Thermal Insulation); ASTM D1621 (Compressive Properties of Rigid Cellular Plastics); ASTM C203 (Breaking Load and Flexural Properties of Block-Type Thermal Insulation); ASTM D2126 (Response of Rigid Cellular Plastics to Thermal and Humid Aging)	DIN EN 13163 (Thermal Insulation Products for Buildings — Factory Made Expanded Polystyrene (EPS) Products); DIN EN 1602 (Determination of Apparent Density); DIN EN 826 (Compression Behaviour); DIN EN 12086 (Water Vapour Transmission Properties)	UL 94; FM Approvals (Building Insulation Applications); ICC Building Product Acceptance Requirements
EPS Packaging	IS 17399 (Protective Packaging Applications)	ISO 4898 (Rigid Cellular Polymeric Thermal Insulation Products — Specification, where EPS material properties apply); ISO 8611-1 (Pallets for Materials Handling — Test Methods, where packaging support applications apply)	ASTM D6251 (Packaging Applications); ASTM D1621 (Compressive Properties of Rigid Cellular Plastics); ASTM D3575 (Flexible Cellular Materials — Sponge and Expanded Cellular Materials, where applicable); ASTM D1596 (Dynamic Shock Cushioning Characteristics of Packaging Materials)	DIN EN 13163 (Expanded Polystyrene Thermal Insulation Products, where applicable); DIN EN ISO 845 (Cellular Plastics — Apparent Density); DIN EN ISO 844 (Rigid Cellular Plastics — Compression Properties); DIN EN ISO 1926 (Rigid Cellular Plastics — Tensile Properties)	FDA 21 CFR 177 (Food Contact Applications); Packaging Industry Association Guidelines; EPS Industry Alliance Guidelines
XPS Insulation Board	IS 4671 (Thermal Insulation Materials)	ISO 4898 (Thermal Insulating Products for Building Applications — Factory-made Rigid Cellular Polymeric Thermal Insulation Products — Specification)	ASTM C578 (Rigid, Cellular Polystyrene Thermal Insulation); ASTM D1621 (Compressive Properties of Rigid Cellular Plastics); ASTM D2126 (Thermal and Humid Aging of Rigid Cellular Plastics); ASTM C518 (Steady-State Thermal Transmission Properties by Heat Flow Meter Apparatus)	DIN EN 13164 (Thermal Insulation Products for Buildings — Extruded Polystyrene Foam (XPS)); DIN EN 1602 (Apparent Density); DIN EN 826 (Compression Behaviour); DIN EN 12087 (Water Absorption by Immersion)	UL 94; FM Approvals; ICC Building Code Acceptance Criteria; Energy Star Building Requirements
EPE Foam Sheet; EPE Foam Roll; Cross-linked PE Foam	IS 17399 (Protective Packaging Applications); IS 4671 (Thermal Insulation Applications); IS 9650; IS 17928; IS 17988; IS 16646; IS 5253; IS 5717; IS 11704; IS 11705; IS 13010; IS 14424; IS 14434; IS 14751; IS 14753; IS 15894	ISO 7214 (Cellular Plastics — Polyethylene Cellular Materials — Methods of Test); ISO 1923 (Cellular Plastics and Rubbers — Determination of Linear Dimensions)	ASTM D3575 (Flexible Cellular Materials — Sponge and Expanded Cellular Materials); ASTM D1621 (Compressive Properties of Rigid Cellular Plastics); ASTM D1667 (Flexible Cellular Materials — Poly(Vinyl Chloride) Foam, where applicable); ASTM D1056 (Flexible Cellular Materials — Sponge or Expanded Rubber)	DIN EN ISO 845 (Cellular Plastics — Apparent Density); DIN EN ISO 1798 (Flexible Cellular Polymeric Materials — Tensile Strength and Elongation); DIN EN ISO 1856 (Compression Set); DIN EN ISO 3385 (Fatigue Test by Constant-Load Pounding)	FDA 21 CFR 177 (Food Contact Applications); UL 94 (where flame requirements apply); Foam Industry Alliance Guidelines
EPP Automotive Foam	AIS Standards (Automotive Interior Components); IS 17399 (Protective Packaging, where applicable); IS 8008; IS 12224; IS 2267; IS 13449; IS 17148; IS 5210; IS 7328; IS 8034; IS 8543; IS 10129; IS 10951; IS 11461; IS 12253; IS	ISO 845 (Cellular Plastics and Rubbers — Determination of Apparent Density); ISO 3385 (Flexible Cellular Polymeric Materials — Fatigue Test)	ASTM D3575 (Flexible Cellular Materials); ASTM D1621 (Compressive Properties of Rigid Cellular Plastics); ASTM D3574 (Flexible Cellular Materials — Standard Test Methods); ASTM D3763 (High-Speed Puncture Properties of Plastics)	DIN EN ISO 845 (Cellular Plastics — Apparent Density); DIN EN ISO 844 (Compression Properties of Rigid Cellular Plastics); DIN EN ISO 1798 (Tensile Strength and Elongation); DIN EN ISO 4892-3 (Artificial Weathering, where applicable)	FMVSS 302 (Automotive Interior Flammability); OEM Automotive Material Specifications; SAE Automotive Guidelines

Product / Application	BIS (IS)	ISO	ASTM	DIN	Other Standards
	14125; IS 14315; IS 14352				
EVA Foam Sheet	IS 4671 (Thermal Insulation Applications); IS 17399 (Protective Packaging Applications); IS 9650; IS 17928; IS 17988; IS 16646; IS 5253; IS 5717; IS 11704; IS 11705; IS 13010; IS 14424; IS 14434; IS 14751; IS 14753; IS 15894	ISO 845 (Cellular Plastics and Rubbers — Determination of Apparent Density); ISO 1798 (Flexible Cellular Polymeric Materials — Determination of Tensile Strength and Elongation at Break)	ASTM D3575 (Flexible Cellular Materials — Sponge and Expanded Cellular Materials); ASTM D2240 (Rubber Property — Durometer Hardness); ASTM D412 (Tensile Properties of Rubber and Thermoplastic Elastomers); ASTM D1056 (Flexible Cellular Materials — Sponge or Expanded Rubber)	DIN EN ISO 845 (Apparent Density of Cellular Plastics); DIN EN ISO 1798 (Tensile Strength and Elongation); DIN EN ISO 1856 (Compression Set); DIN EN ISO 868 (Hardness of Plastics and Ebonite by Durometer)	FDA 21 CFR 177 (Food Contact Grades); UL 94; Footwear Industry Material Specifications
PU Flexible Foam	IS 7888 (Flexible Polyurethane Foam)	ISO 3385 (Flexible Cellular Polymeric Materials — Fatigue Test); ISO 2439 (Flexible Cellular Polymeric Materials — Determination of Hardness)	ASTM D3574 (Flexible Cellular Materials — Standard Test Methods); ASTM D1622 (Apparent Density of Rigid Cellular Plastics); ASTM D3575 (Flexible Cellular Materials); ASTM D3676 (Flexible Cellular Materials — Urethane Foam)	DIN EN ISO 3385 (Flexible Cellular Materials — Fatigue Test by Constant-Load Pounding); DIN EN ISO 845 (Cellular Plastics — Apparent Density); DIN EN ISO 1798 (Flexible Cellular Polymeric Materials — Tensile Strength and Elongation); DIN EN ISO 1856 (Compression Set of Flexible Cellular Materials)	CertiPUR-US (Foam Product Safety); CA TB117-2013 (Furniture Flammability, where applicable); GREENGUARD Gold Certification
PU Rigid Foam	IS 12436 (Rigid Polyurethane Foam for Thermal Insulation)	ISO 4898 (Thermal Insulating Products for Building Applications — Rigid Cellular Polymeric Thermal Insulation Products — Specification); ISO 844 (Rigid Cellular Plastics — Determination of Compression Properties)	ASTM C1029 (Spray-Applied Rigid Cellular Polyurethane Thermal Insulation); ASTM D1621 (Compressive Properties of Rigid Cellular Plastics); ASTM D1622 (Apparent Density of Rigid Cellular Plastics); ASTM C518 (Thermal Transmission Properties by Heat Flow Meter Apparatus)	DIN EN 13165 (Thermal Insulation Products — Rigid Polyurethane Foam); DIN EN ISO 845 (Apparent Density of Cellular Plastics); DIN EN ISO 844 (Compression Properties of Rigid Cellular Plastics); DIN EN ISO 11925-2 (Ignitability of Building Products)	UL 94; FM Approvals (Building Insulation); ICC Building Product Acceptance Requirements
Anti-static Packaging Foam; Conductive Packaging Foam	IS 17399 (Protective Packaging Applications); IS 17387 (ESD-Sensitive Medical/Electronic Packaging Applications, where applicable); IS 4985; IS 13592; IS 15778; IS 12231; IS 12818; IS 14182; IS 16087; IS 4984; IS 14333; IS 14885; IS 16088; IS 15225; IS 15265; IS 15801; IS 16098; IS 14402; IS 7834; IS 14735; IS 17546; IS 10124; IS 13593; IS 8008; IS 17424; IS 12235; IS 7634; IS	IEC 61340-5-1 (Electrostatics — Protection of Electronic Devices from Electrostatic Phenomena); ISO 845 (Cellular Plastics and Rubbers — Determination of Apparent Density)	ASTM D257 (DC Resistance or Conductance of Insulating Materials); ASTM D991 (Volume Resistivity of Electrically Conductive and Antistatic Products); ASTM D3574 (Flexible Cellular Materials); ASTM D1622 (Apparent Density of Rigid Cellular Plastics)	DIN EN 61340-2-3 (Methods for Determining Resistance and Resistivity of Materials); DIN EN 61340-5-1 (Electrostatic Control Requirements); DIN EN ISO 845 (Apparent Density); DIN EN ISO 1798 (Tensile Strength and Elongation)	IEC 61340 Series (Electrostatic Control); ANSI/ESD S20.20; Electronics Packaging Industry Requirements

Product / Application	BIS (IS)	ISO	ASTM	DIN	Other Standards
	5382				

Source field: Plastic and Plastic Products