Plastic Bags

Product / Application	BIS (IS)	ISO	ASTM	DIN	Other Standards
Carry Bag (HDPE); Carry Bag (LDPE)	IS 17399; IS 9738 (Polyethylene Carrier Bags for generic commercial purposes); IS 16558 (Oxo-biodegradable Plastic Carry Bags and intermediate films); IS 16703 (Polyethylene flexible bags used for water-retention structures);IS 11652; IS 14534; IS 17088; IS 13426; IS 11871; IS 8356; IS 10186; IS 14211; IS 14887; IS 14968; IS 16008; IS 16202	ISO 527-3 (Plastics — Film and Sheeting — Determination of Tensile Properties); ISO 4593 (Plastics — Film and Sheeting — Determination of Thickness); ISO 17556 (Plastics parameters — Ultimate aerobic biodegradability tracking of bag materials inside organic soil arrays)	ASTM D1709 (Impact Resistance of Plastic Film); ASTM D882 (Tensile Properties of Thin Plastic Sheeting); ASTM D6988 (Standard Guide for Determination of Thickness of Plastic Film Test Specimens); ASTM D1894 (Coefficient of Friction of Plastic Film and Sheeting)	DIN EN ISO 527-1 (Tensile Properties of Plastics); DIN EN ISO 7765-1 (Impact Resistance by Falling Dart Method); DIN EN ISO 6383-2 (Tear Resistance of Plastic Films); DIN EN ISO 4593 (Thickness Measurement of Plastic Film)	FDA 21 CFR 177 (Food Contact Applications); Flexible Packaging Association Guidelines; APR Recycling Design Guidelines
Garbage Bag	IS 17399;IS 9738; IS 11652; IS 14534; IS 17088; IS 13426; IS 11871; IS 8356; IS 10186; IS 14211; IS 14887; IS 14968; IS 16008; IS 16202; IS 16558; IS 16703	ISO 527-3 (Plastics — Film and Sheeting — Tensile Properties); ISO 4593 (Plastics — Film and Sheeting — Thickness Determination); ISO 17556 (Plastics parameters — Ultimate aerobic biodegradability tracking of bag materials inside organic soil arrays)	ASTM D1709 (Impact Resistance of Plastic Film); ASTM D882 (Tensile Properties of Thin Plastic Sheeting); ASTM D1004 (Initial Tear Resistance of Plastic Film and Sheeting); ASTM D1922 (Propagation Tear Resistance of Plastic Film and Thin Sheeting)	DIN EN ISO 527-1 (Tensile Properties of Plastics); DIN EN ISO 7765-1 (Impact Resistance of Plastic Films); DIN EN ISO 6383-2 (Tear Resistance); DIN EN ISO 21898 (Packaging — Flexible Intermediate Bulk Containers, where applicable)	EPA Waste Management Guidelines; ASTM-based excluded; Plastic Waste Management Industry Guidelines
Biomedical Waste Bag	IS 17399; IS 14968 (Plastic Bags for the disposal of Bio-Medical and Clinical Waste);IS 9738; IS 11652; IS 14534; IS 17088; IS 13426; IS 11871; IS 8356; IS 10186; IS 14211; IS 14887; IS 16008; IS 16202; IS 16558; IS 16703	ISO 23908 (Sharps Injury Protection — Requirements and Test Methods); ISO 527-3 (Plastics Film Tensile Properties); ISO 17556 (Plastics parameters — Ultimate aerobic biodegradability tracking of bag materials inside organic soil arrays)	ASTM D1709 (Impact Resistance of Plastic Film); ASTM D882 (Tensile Properties of Thin Plastic Sheeting); ASTM D1004 (Initial Tear Resistance of Plastic Film); ASTM D638 (Tensile Properties of Plastics)	DIN EN ISO 7765-1 (Impact Resistance of Plastic Films); DIN EN ISO 527-1 (Tensile Properties); DIN EN ISO 6383-2 (Tear Resistance); DIN EN ISO 23907 (Sharps Containers, where applicable for medical waste systems)	WHO Healthcare Waste Management Guidelines; OSHA Biohazard Waste Requirements; CDC Healthcare Waste Guidelines
Compostable Carry Bag	IS 17088 (Biodegradable and Compostable Plastic Shopping Bags); IS 16558 (Oxo-biodegradable Plastic Carry Bags and intermediate films);IS 9738; IS 11652; IS 14534; IS	ISO 17088 (Specifications for Compostable Plastics); ISO 14855-1 (Ultimate aerobic biodegradability of plastic bags under controlled high-temperature composting conditions); ISO 17556 (Plastics parameters — Ultimate aerobic biodegradability tracking of bag materials inside organic soil arrays)	ASTM D6400 (Standard Specification for Labeling of Plastics Designed to be Aerobically Composted in Municipal or Industrial Facilities); ASTM D5338 (Aerobic Biodegradation of Plastics Under Controlled Composting Conditions); ASTM D6868 (Biodegradable Plastics Used as Coatings on Paper and Other Compostable Substrates); ASTM D882 (Tensile Properties of Thin Plastic	DIN EN 13432 (Packaging Recoverable Through Composting and Biodegradation); DIN EN ISO 17088 (Specifications for Compostable Plastics); DIN EN ISO 14855-1 (Aerobic Biodegradation Under Controlled Composting Conditions); DIN EN ISO 527-1 (Tensile Properties)	BPI Compostable Certification; TÜV OK Compost Certification; European Bioplastics Compostability Certification

Product / Application	BIS (IS)	ISO	ASTM	DIN	Other Standards
	13426; IS 11871; IS 8356; IS 10186; IS 14211; IS 14887; IS 14968; IS 16008; IS 16202; IS 16703		Sheeting)		
Courier Bag; Security Bag	IS 17399 (Tamper Evident Security Bags); IS 14636 (Flexible Packaging Applications); IS 9738; IS 11652; IS 14534; IS 17088; IS 13426; IS 11871; IS 8356; IS 10186; IS 14211; IS 14887; IS 14968; IS 16008; IS 16202; IS 16558; IS 16703	ISO 21898 (Packaging framework — Flexible Intermediate Bulk Containers (FIBCs) for non-hazardous materials); ISO 18601 ((Packaging and the Environment — General Requirements); ISO 17556 (Plastics parameters — Ultimate aerobic biodegradability tracking of bag materials inside organic soil arrays)	ASTM D1709 (Impact Resistance of Plastic Film); ASTM D882 (Tensile Properties of Thin Plastic Sheeting); ASTM D1004 (Initial Tear Resistance of Plastic Film and Sheeting); ASTM F88 (Standard Test Method for Seal Strength of Flexible Barrier Materials)	DIN EN ISO 527-1 (Tensile Properties of Plastics); DIN EN ISO 7765-1 (Impact Resistance); DIN EN ISO 6383-2 (Tear Resistance); DIN EN ISO 18606 (Packaging and Environment — Organic Recycling of Packaging)	Packaging Industry Security Guidelines; UN Packaging Requirements (where applicable); Tamper Evident Packaging Guidelines
Vacuum Packaging Bag	IS 14636 (Flexible Packaging for Food Products); IS 15609 (Multilayer Plastic Pouches for Packaged Drinking Water); IS 11652 (Woven HDPE / Polypropylene (PP) Sacks for Cement packaging);IS 9738; IS 14534; IS 17088; IS 13426; IS 11871; IS 8356; IS 10186; IS 14211; IS 14887; IS 14968; IS 16008; IS 16202; IS 16558; IS 16703	ISO 11607-1 (Packaging for Terminally Sterilized Medical Devices — Requirements for Materials, Sterile Barrier Systems and Packaging Systems, where medical application applies); ISO 527-3 (Plastics — Film and Sheeting — Tensile Properties); ISO 16104 (Transport packaging for dangerous goods — Safety test structural setups for flexible plastic bags); ISO 17556 (Plastics parameters — Ultimate aerobic biodegradability tracking of bag materials inside organic soil arrays); ISO 21898 (Packaging framework — Flexible Intermediate Bulk Containers (FIBCs) for non-hazardous materials)	ASTM F88 (Standard Test Method for Seal Strength of Flexible Barrier Materials); ASTM F1249 (Water Vapour Transmission Rate Through Plastic Film and Sheeting); ASTM D3985 (Oxygen Gas Transmission Rate Through Plastic Film and Sheeting); ASTM D882 (Tensile Properties of Thin Plastic Sheeting)	DIN EN ISO 11607-1 (Packaging for Terminally Sterilized Medical Devices, where medical use applies); DIN EN ISO 15105-1 (Gas Transmission Rate Through Plastic Films); DIN EN ISO 15106-1 (Water Vapour Transmission Rate); DIN EN ISO 527-1 (Tensile Properties)	FDA 21 CFR 177 (Food Contact Plastics); EU 10/2011; Flexible Packaging Association Guidelines
Retort Pouch	IS 14636 (Flexible Packaging for Food Products); IS 15609 (Multilayer Plastic Pouches for Packaged Drinking Water); IS 9738; IS 11652; IS 14534; IS 17088; IS 13426; IS 11871; IS 8356; IS 10186; IS 14211; IS 14887; IS 14968; IS 16008; IS 16202; IS 16558; IS 16703	ISO 11607-1 (Packaging for Terminally Sterilized Medical Devices, where applicable); ISO 18601 (Packaging and the Environment — General Requirements); ISO 22000 (Food Safety Management Systems, for food applications)	ASTM F88 (Standard Test Method for Seal Strength of Flexible Barrier Materials); ASTM F2029 (Heat Sealability of Flexible Webs); ASTM F1921 (Hot Tack of Flexible Webs and Laminates); ASTM D3985 (Oxygen Gas Transmission Rate Through Plastic Film and Sheeting)	DIN EN 1186 (Materials and Articles in Contact with Foodstuffs); DIN EN ISO 527-1 (Tensile Properties); DIN EN ISO 15105-1 (Gas Transmission Rate); DIN EN ISO 15106-1 (Water Vapour Transmission Rate)	FDA 21 CFR 177; EU 10/2011; Retort Packaging Industry Guidelines; Flexible Packaging Association Guidelines
Stand-up Pouch	IS 14636 (Flexible Packaging for Food Products); IS 15609 (Multilayer Plastic	ISO 18601 (Packaging and the Environment — General Requirements); ISO 527-3 (Plastics — Film and Sheeting —	ASTM F88 (Standard Test Method for Seal Strength of Flexible Barrier Materials); ASTM D882 (Tensile Properties of Thin Plastic Sheeting);	DIN EN 1186 (Food Contact Materials); DIN EN ISO 527-1 (Tensile Properties); DIN EN ISO 15105-1 (Oxygen/Gas Transmission	FDA 21 CFR 177; EU 10/2011; Flexible Packaging Association Guidelines

Product / Application	BIS (IS)	ISO	ASTM	DIN	Other Standards
	Pouches for Packaged Drinking Water); IS 9738; IS 11652; IS 14534; IS 17088; IS 13426; IS 11871; IS 8356; IS 10186; IS 14211; IS 14887; IS 14968; IS 16008; IS 16202; IS 16558; IS 16703	Determination of Tensile Properties)	ASTM F1249 (Water Vapour Transmission Rate); ASTM D3985 (Oxygen Gas Transmission Rate)	Rate); DIN EN ISO 15106-1 (Water Vapour Transmission Rate)	
Zip Lock Bag; Frozen Food Bag; Bread Bag; Shrink Bag	IS 14636 (Flexible Packaging for Food Products); IS 15609 (Multilayer Plastic Pouches for Packaged Drinking Water); IS 13426 (Woven Polypropylene Sacks for packaging Food Grains); IS 10186 (High-Density Polyethylene (HDPE) Film Bags for food item storage);IS 9738; IS 11652; IS 14534; IS 17088; IS 11871; IS 8356; IS 14211; IS 14887; IS 14968; IS 16008; IS 16202; IS 16558; IS 16703	ISO 527-3 (Plastics — Film and Sheeting — Determination of Tensile Properties); ISO 4593 (Plastics — Film and Sheeting — Determination of Thickness); ISO 22000 (Food Safety Management Systems, where food-contact application applies); ISO 17556 (Plastics parameters — Ultimate aerobic biodegradability tracking of bag materials inside organic soil arrays)	ASTM F88 (Standard Test Method for Seal Strength of Flexible Barrier Materials); ASTM D882 (Tensile Properties of Thin Plastic Sheeting); ASTM D1709 (Impact Resistance of Plastic Film); ASTM D1894 (Coefficient of Friction of Plastic Film and Sheeting)	DIN EN 1186 (Food Contact Materials, where food applications apply); DIN EN ISO 527-1 (Tensile Properties); DIN EN ISO 4593 (Thickness Measurement of Plastic Film); DIN EN ISO 8295 (Coefficient of Friction of Plastic Films)	FDA 21 CFR 177; EU 10/2011; Flexible Packaging Association Guidelines
Milk Packaging Film	IS 11805 (Packaging of Milk and Milk Products); IS 14636 (Flexible Packaging for Food Products); IS 11652 (Woven HDPE / Polypropylene (PP) Sacks for Cement packaging); IS 13426 (Woven Polypropylene Sacks for packaging Food Grains); IS 10186 (High-Density Polyethylene (HDPE) Film Bags for food item storage);IS 2508; IS 10141; IS 10146; IS 10910; IS 12211; IS	ISO 22000 (Food Safety Management Systems); ISO 527-3 (Plastics — Film and Sheeting — Tensile Properties); ISO 4593 (Film Thickness Determination); ISO 16104 (Transport packaging for dangerous goods — Safety test structural setups for flexible plastic bags); ISO 21898 (Packaging framework — Flexible Intermediate Bulk Containers (FIBCs) for non-hazardous materials)	ASTM F1249 (Water Vapour Transmission Rate Through Plastic Film and Sheeting); ASTM D3985 (Oxygen Gas Transmission Rate Through Plastic Film and Sheeting); ASTM F88 (Standard Test Method for Seal Strength of Flexible Barrier Materials); ASTM D882 (Tensile Properties of Thin Plastic Sheeting)	DIN EN 1186 (Materials and Articles in Contact with Foodstuffs); DIN EN ISO 15105-1 (Gas Transmission Rate); DIN EN ISO 15106-1 (Water Vapour Transmission Rate); DIN EN ISO 527-1 (Tensile Properties)	FDA 21 CFR 177; EU 10/2011; 3-A Sanitary Standards (Dairy Applications)

Product / Application	BIS (IS)	ISO	ASTM	DIN	Other Standards
	13583; IS 6169; IS 6911; IS 7028; IS 8645; IS 9845; IS 11356; IS 11434; IS 11581; IS 12247; IS 12795; IS 13193; IS 13244; IS 13575; IS 14619; IS 15152; IS 15395; IS 16731				

Source field: Plastic and Plastic Products