Plastic Containers

Product / Application	BIS (IS)	ISO	ASTM	DIN	Other Standards
PP Food Storage Container	IS 10910 (Polypropylene and its Copolymers for Safe Use in Contact with Foodstuffs, Pharmaceuticals and Drinking Water) (Food Contact); IS 14887:2014 (Textiles — High Density Polyethylene (HDPE)/Polypropylene (PP) Woven Sacks for Packing 50 kg/25 kg Foodgrains — Specification);IS 15410; IS 7408; IS 6312; IS 11584; IS 9681	ISO 22000 (Food Contact Containers); ISO 18601 (Packaging and the Environment); ISO 11712 (Anaesthetic and respiratory container fittings)	ASTM D4101 (Polypropylene Injection and Extrusion Materials); ASTM D638 (Tensile Properties of Plastics); ASTM D256 (Izod Impact Resistance of Plastics); ASTM D543 (Resistance of Plastics to Chemical Reagents)	DIN EN 1186 (Materials and Articles in Contact with Foodstuffs); DIN EN ISO 527 (Tensile Properties); DIN EN ISO 1873-1 (Polypropylene Materials); DIN EN ISO 179-1 (Impact Strength)	FDA 21 CFR 177; EU 10/2011; NSF/ANSI 51; LFGB
Microwaveable Food Container	IS 10910 (Polypropylene and its Copolymers for Safe Use in Contact with Foodstuffs, Pharmaceuticals and Drinking Water) (Food Contact);IS 15410; IS 7408; IS 6312; IS 11584; IS 14887; IS 9681	ISO 22000 (Food Contact Containers); ISO 18601 (Food Packaging for Microwave Applications); ISO 11712 (Anaesthetic and respiratory container fittings)	ASTM D4101 (Polypropylene Injection and Extrusion Materials); ASTM D648 (Deflection Temperature of Plastics Under Flexural Load); ASTM D638 (Tensile Properties of Plastics); ASTM D543 (Resistance of Plastics to Chemical Reagents)	DIN EN 1186 (Food Contact Materials); DIN EN ISO 2577 (Thermosetting Moulding Materials — Shrinkage, where applicable); DIN EN ISO 527 (Tensile Properties); DIN EN ISO 175 (Chemical Resistance)	FDA 21 CFR 177; EU 10/2011; NSF/ANSI 51; LFGB Food Contact Requirements
Freezer Storage Container	IS 10910 (Polypropylene and its Copolymers for Safe Use in Contact with Foodstuffs, Pharmaceuticals and Drinking Water) (Food Contact);IS 15410; IS 7408; IS 6312; IS 11584; IS 14887; IS 9681	ISO 22000 (Food Storage Containers); ISO 18601 (Food Packaging for Frozen Foods); ISO 11712 (Anaesthetic and respiratory container fittings)	ASTM D4101 (Polypropylene Injection and Extrusion Materials); ASTM D256 (Izod Impact Resistance of Plastics); ASTM D638 (Tensile Properties of Plastics); ASTM D746 (Brittleness Temperature of Plastics and Elastomers)	DIN EN 1186 (Food Contact Materials); DIN EN ISO 527 (Tensile Properties); DIN EN ISO 179-1 (Impact Strength); DIN EN ISO 4892-3 (Weathering, where applicable)	FDA 21 CFR 177; EU 10/2011; LFGB; NSF/ANSI 51
Take-away Food Container; Disposable Food Container (PP)	IS 10910 (Polypropylene and its Copolymers for Safe Use in Contact with Foodstuffs, Pharmaceuticals and Drinking Water) (Food Contact); IS 14636 (Food Packaging Applications); IS	ISO 22000 (Food Contact Containers); ISO 18601 (Food Packaging – Take-away & Disposable Food Containers); ISO 11712 (Anaesthetic and respiratory container fittings)	ASTM D4101 (Polypropylene Injection and Extrusion Materials); ASTM D638 (Tensile Properties of Plastics); ASTM D256 (Izod Impact Resistance of Plastics); ASTM D543 (Resistance of Plastics to Chemical Reagents)	DIN EN 1186 (Materials and Articles in Contact with Foodstuffs); DIN EN ISO 527 (Tensile Properties); DIN EN ISO 1873-1 (Polypropylene Materials); DIN EN ISO 179-1 (Impact Strength)	FDA 21 CFR 177; EU 10/2011; BRCGS Packaging Materials Standard; NSF/ANSI 51

Product / Application	BIS (IS)	ISO	ASTM	DIN	Other Standards
	14887:2014 (Textiles — High Density Polyethylene (HDPE)/Polypropylene (PP) Woven Sacks for Packing 50 kg/25 kg Foodgrains — Specification);IS 15410; IS 7408; IS 6312; IS 11584; IS 9681				
Meal Tray (PP)	IS 10910 (Polypropylene and its Copolymers for Safe Use in Contact with Foodstuffs, Pharmaceuticals and Drinking Water) (Food Contact); IS 14636 (Flexible Packaging for Food Products) (Food Packaging Applications); IS 14887:2014 (Textiles — High Density Polyethylene (HDPE)/Polypropylene (PP) Woven Sacks for Packing 50 kg/25 kg Foodgrains — Specification);IS 17290; IS 16568; IS 17409; IS 17616	ISO 22000 (Food Contact Meal Trays); ISO 18601 (Food Packaging)	ASTM D4101 (Polypropylene Injection and Extrusion Materials); ASTM D638 (Tensile Properties of Plastics); ASTM D790 (Flexural Properties of Plastics); ASTM D256 (Izod Impact Resistance of Plastics)	DIN EN 1186 (Food Contact Materials); DIN EN ISO 527 (Tensile Properties); DIN EN ISO 178 (Flexural Properties); DIN EN ISO 179-1 (Impact Strength)	FDA 21 CFR 177; EU 10/2011; NSF/ANSI 51; BRCGS Packaging Materials Standard
Ice Cream Container; Dairy Product Container; Yogurt Cup; Margarine Tub; Meat Container; Bakery Container	IS 10910 (Polypropylene and its Copolymers for Safe Use in Contact with Foodstuffs, Pharmaceuticals and Drinking Water) (Food Contact); IS 14636 (Flexible Packaging for Food Products) (Food Packaging Applications); IS 4985; IS 13592; IS 15778; IS 12231; IS 12818; IS 14182; IS 16087; IS 4984; IS 14333; IS 14885; IS 16088; IS 15225; IS 15265; IS 15801; IS 16098; IS 14402; IS 7834; IS 14735; IS 17546; IS 10124; IS 13593; IS	;ISO 22000 (Food Packaging); ISO 18601 (Packaging and the Environment); ISO 11712 (Anaesthetic and respiratory container fittings)	ASTM D4101 (Polypropylene Injection and Extrusion Materials – material classification); ASTM D638 (Tensile Properties of Plastics – supporting material test); ASTM D256 (Izod Impact Resistance of Plastics); ASTM D543 (Resistance of Plastics to Chemical Reagents – where applicable); ASTM D2659 (Column Crush Properties of Blown Thermoplastic Containers – where the container is blow-molded); ASTM D2463 (Drop Impact Resistance of Blow-Molded Thermoplastic Containers – where blow-molded)	DIN EN 1186 (Food Contact Materials); DIN EN ISO 527 (Tensile Properties); DIN EN ISO 1873-1 (Polypropylene Materials); DIN EN ISO 179-1 (Impact Strength)	FDA 21 CFR 177; EU 10/2011; 3-A Sanitary Standards; NSF/ANSI 51

Product / Application	BIS (IS)	ISO	ASTM	DIN	Other Standards
	8008; IS 17424; IS 12235; IS 7634; IS 5382				
Paint Container (PP)	IS 10910 (Polypropylene and its Copolymers) (PP Material); IS 14887:2014 (Textiles — High Density Polyethylene (HDPE)/Polypropylene (PP) Woven Sacks for Packing 50 kg/25 kg Foodgrains — Specification);IS 15410; IS 7408; IS 6312; IS 11584; IS 9681	ISO 18601 (Packaging and the Environment); ISO 9001 (Manufacture of Plastic Packaging); ISO 11712 (Anaesthetic and respiratory container fittings)	ASTM D4101 (Polypropylene Injection and Extrusion Materials); ASTM D638 (Tensile Properties of Plastics); ASTM D256 (Izod Impact Resistance of Plastics); ASTM D2463 (Standard Test Method for Drop Impact Resistance of Blow-Molded Thermoplastic Containers)	DIN EN ISO 527 (Tensile Properties of Plastics); DIN EN ISO 1873-1 (Polypropylene Moulding and Extrusion Materials); DIN EN ISO 175 (Resistance to Chemicals); DIN EN ISO 179-1 (Impact Strength)	UN Dangerous Goods Packaging Requirements; DOT 49 CFR Packaging Requirements; EPA Chemical Container Guidelines
Paint Pail (HDPE); Acid Container; Solvent Container	IS 7328 (High Density Polyethylene for Safe Use in Contact with Foodstuffs, Pharmaceuticals and Drinking Water) (HDPE Material); IS 6312:1994 (Polyethylene Containers for the Transport of Materials — Specification); IS 14887:2014 (Textiles — High Density Polyethylene (HDPE)/Polypropylene (PP) Woven Sacks for Packing 50 kg/25 kg Foodgrains — Specification);IS 15410; IS 7408; IS 11584; IS 9681	;ISO 16103 (Packaging for Dangerous Goods); ISO 18601 (Packaging and the Environment); ISO 11712 (Anaesthetic and respiratory container fittings)	ASTM D4976 (Polyethylene Plastics Molding and Extrusion Materials); ASTM D543 (Resistance of Plastics to Chemical Reagents); ASTM D1693 (Environmental Stress-Cracking of Ethylene Plastics); ASTM D2463 (Standard Test Method for Drop Impact Resistance of Blow-Molded Thermoplastic Containers)	DIN EN ISO 527 (Tensile Properties); DIN EN ISO 1872-1 (Polyethylene Moulding and Extrusion Materials); DIN EN ISO 175 (Chemical Resistance); DIN EN ISO 1183-1 (Density of Plastics)	UN Packaging Codes; ADR Dangerous Goods Packaging; DOT 49 CFR Requirements
Chemical Container (HDPE)	IS 7328 (High Density Polyethylene) (HDPE Material); IS 6312:1994 (Polyethylene Containers for the Transport of Materials — Specification); IS 14887:2014 (Textiles — High Density Polyethylene (HDPE)/Polypropylene (PP) Woven Sacks for Packing 50 kg/25 kg Foodgrains —	;ISO 16103 (Packaging for Dangerous Goods); ISO 18601 (Packaging and the Environment); ISO 11712 (Anaesthetic and respiratory container fittings)	ASTM D4976 (Polyethylene Plastics Molding and Extrusion Materials); ASTM D543 (Resistance of Plastics to Chemical Reagents); ASTM D1693 (Environmental Stress-Cracking of Ethylene Plastics); ASTM D638 (Tensile Properties of Plastics)	DIN EN ISO 527 (Tensile Properties); DIN EN ISO 175 (Resistance to Chemical Liquids); DIN EN ISO 1872-1 (Polyethylene Materials); DIN EN ISO 1183-1 (Density)	UN Dangerous Goods Packaging; EPA Chemical Container Requirements; DOT 49 CFR

Product / Application	BIS (IS)	ISO	ASTM	DIN	Other Standards
	Specification);IS 15410; IS 7408; IS 11584; IS 9681				
Agrochemical Container	IS 7328 (HDPE Material); IS 8190 (Pesticide Packaging Applications); IS 15410; IS 7408; IS 6312; IS 11584; IS 14887; IS 9681	;ISO 16103 (Packaging for Dangerous Goods); ISO 19932 (Packaging of Pesticides and Agrochemicals); ISO 11712 (Anaesthetic and respiratory container fittings)	ASTM D4976 (Polyethylene Plastics Molding and Extrusion Materials); ASTM D543 (Resistance of Plastics to Chemical Reagents); ASTM D1693 (Environmental Stress-Cracking of Ethylene Plastics); ASTM D2463 (Standard Test Method for Drop Impact Resistance of Blow-Molded Thermoplastic Containers)	DIN EN ISO 527 (Tensile Properties); DIN EN ISO 175 (Chemical Resistance); DIN EN ISO 1628-3 (Viscosity Number of Polyethylene); DIN EN ISO 16101 (Packaging — Transport Packaging for Dangerous Goods)	UN Packaging Certification; CropLife International Container Management Guidelines; EPA Pesticide Container Regulations
Fertilizer Container	IS 7328 (HDPE Material);IS 15410; IS 7408; IS 6312; IS 11584; IS 14887; IS 9681	;ISO 18601 (Packaging and the Environment); ISO 9001 (Manufacture of Industrial Packaging); ISO 11712 (Anaesthetic and respiratory container fittings)	ASTM D4976 (Polyethylene Plastics Molding and Extrusion Materials); ASTM D543 (Resistance of Plastics to Chemical Reagents); ASTM D638 (Tensile Properties of Plastics); ASTM D1693 (Environmental Stress-Cracking of Ethylene Plastics)	DIN EN ISO 527 (Tensile Properties); DIN EN ISO 175 (Chemical Resistance); DIN EN ISO 1183-1 (Density); DIN EN ISO 1872-1 (Polyethylene Materials)	UN Packaging Requirements (where hazardous fertilizers apply); EPA Agricultural Packaging Guidelines
Jerry Can (Plastic)	IS 14636 (Packaging Applications); IS 16098 (Dangerous Goods Packaging, where applicable); IS 7408; IS 12252; IS 15473; IS 15609; IS 14622; IS 14623; IS 14811; IS 14856	ISO 16106 (Transport Packages for Dangerous Goods – Application of ISO 9001); ISO 16103 (Packaging for Dangerous Goods)	ASTM D4976 (Polyethylene Plastics Molding and Extrusion Materials); ASTM D2463 (Standard Test Method for Drop Impact Resistance of Blow-Molded Thermoplastic Containers); ASTM D642 (Compressive Resistance of Shipping Containers); ASTM D543 (Resistance of Plastics to Chemical Reagents)	DIN EN ISO 16101 (Packaging — Transport Packaging for Dangerous Goods); DIN EN ISO 16495 (Packaging — Transport Packaging for Dangerous Goods); DIN EN ISO 527 (Tensile Properties); DIN EN ISO 1183-1 (Density)	UN Dangerous Goods Packaging; DOT 49 CFR Packaging; ADR Transport Packaging Requirements
Stackable Industrial Container; Foldable Plastic Crate; Attached Lid Container (ALC); Warehouse Storage Bin; Plastic Tote Box	IS 14636 (Industrial Packaging Applications); IS 15532; IS 11584; IS 12613; IS 16843; IS 14318	ISO 8611-1 (Pallets & Industrial Handling Systems); ISO 18616-1 (Reusable Packaging); ISO 11712 (Anaesthetic and respiratory container fittings)	ASTM D6251 (Packaging Applications); ASTM D642 (Compressive Resistance of Shipping Containers); ASTM D790 (Flexural Properties of Plastics); ASTM D638 (Tensile Properties of Plastics)	DIN EN ISO 8611-1 (Pallets for Materials Handling — Test Methods); DIN EN ISO 8611-2 (Performance Requirements); DIN EN ISO 178 (Flexural Properties of Plastics); DIN EN ISO 179-1 (Impact Strength)	NSF/ANSI 51 (Food Equipment Materials, where food handling applies); FDA 21 CFR 177 (Food Contact Plastics, where applicable); UL 94 (Flammability Classification, electrical/storage applications)
Fish Container	IS 10910 (Food Contact); IS 14636 (Food Packaging Applications); IS 15410; IS 7408; IS 6312; IS 11584; IS 14887; IS 9681	ISO 22000 (Food Contact Containers – Fish Handling); ISO 18616-1 (Reusable Packaging); ISO 11712 (Anaesthetic and respiratory container fittings)	ASTM D6251 (Packaging Applications); ASTM D642 (Compressive Resistance of Shipping Containers); ASTM D256 (Izod Impact Resistance of Plastics); ASTM D638 (Tensile Properties of Plastics)	DIN EN ISO 8611-1 (Load Testing of Transport Units, where applicable); DIN EN ISO 527 (Tensile Properties); DIN EN ISO 179-1 (Impact Strength); DIN EN ISO 178 (Flexural Properties)	FDA 21 CFR 177 (Food Contact Plastics); NSF/ANSI 51 (Food Equipment Materials); EU 10/2011 (Food Contact Materials); HACCP Packaging Requirements
Fruit & Vegetable Crate; Bread Crate; Milk Crate; Beverage Crate	IS 10910 (Polypropylene and its Copolymers for Safe Use in Contact with Foodstuffs, Pharmaceuticals and Drinking Water) (Food Contact); IS 14636 (Food Packaging Applications); IS 15532; IS 11584; IS 12613; IS 16843; IS 14318	ISO 22000 (Food Contact Crates); ISO 18616-1 (Reusable Packaging)	ASTM D6251 (Packaging Applications); ASTM D1185 (Sampling and Testing of Pallets and Related Structures); ASTM D642 (Compressive Resistance of Shipping Containers); ASTM D256 (Izod Impact Resistance of Plastics)	DIN EN ISO 8611-1 (Pallet and Transport Unit Testing); DIN EN ISO 178 (Flexural Properties); DIN EN ISO 179-1 (Impact Strength); DIN EN ISO 527 (Tensile Properties)	FDA 21 CFR 177; NSF/ANSI 51; EU 10/2011; 3-A Sanitary Standards (Dairy/Food Handling Applications)

Product / Application	BIS (IS)	ISO	ASTM	DIN	Other Standards
Plastic Drum (Open Head)	IS 1783 (HDPE Drums for Packing Dangerous Goods); IS 16098 (Packaging of Dangerous Goods); IS 15410; IS 7408; IS 6312; IS 11584; IS 14887; IS 9681	ISO 15750-1 (Packaging — Steel Drums); ISO 16103 (Packaging for Dangerous Goods – Plastic Drums)	ASTM D6251 (Packaging Applications); ASTM D2463 (Standard Test Method for Drop Impact Resistance of Blow-Molded Thermoplastic Containers); ASTM D642 (Compressive Resistance of Shipping Containers); ASTM D1693 (Environmental Stress-Cracking of Ethylene Plastics)	DIN EN ISO 16495 (Packaging — Transport Packaging for Dangerous Goods); DIN EN ISO 16101 (Dangerous Goods Packaging); DIN EN ISO 527 (Tensile Properties); DIN EN ISO 175 (Chemical Resistance)	UN Recommendations on Transport of Dangerous Goods (UN Packaging Codes); DOT 49 CFR Packaging Requirements; ADR Dangerous Goods Packaging Requirements
Plastic Drum (Tight Head)	IS 1783 (HDPE Drums for Packing Dangerous Goods); IS 16098 (Packaging of Dangerous Goods); IS 15410; IS 7408; IS 6312; IS 11584; IS 14887; IS 9681	ISO 15750-2 (Packaging — Tight-head Drums); ISO 16103 (Packaging for Dangerous Goods – Plastic Drums)	ASTM D6251 (Packaging Applications); ASTM D2463 (Standard Test Method for Drop Impact Resistance of Blow-Molded Thermoplastic Containers); ASTM D543 (Resistance of Plastics to Chemical Reagents); ASTM D1693 (Environmental Stress-Cracking of Ethylene Plastics)	DIN EN ISO 16495 (Transport Packaging for Dangerous Goods); DIN EN ISO 16101 (Packaging for Dangerous Goods); DIN EN ISO 527 (Tensile Properties); DIN EN ISO 1183-1 (Density)	UN Packaging Codes for Dangerous Goods; DOT 49 CFR Transport Packaging; ADR Packaging Regulations
Intermediate Bulk Container (IBC)	IS 16098 (Packaging of Dangerous Goods) (IBC Applications);IS 7408; IS 12252; IS 15473; IS 15609; IS 14622; IS 14623; IS 14811; IS 14856	ISO 16104 (Packaging — Intermediate Bulk Containers (IBCs) for Non-dangerous Goods); ISO 16106 (Dangerous Goods Packaging Quality Systems); ISO 11712 (Anaesthetic and respiratory container fittings)	ASTM D6251 (Packaging Applications); ASTM D642 (Compressive Resistance of Shipping Containers); ASTM D2463 (Standard Test Method for Drop Impact Resistance of Blow-Molded Thermoplastic Containers); ASTM D1998 (Polyethylene Upright Storage Tanks, where applicable)	DIN EN ISO 21898 (Packaging — Flexible Intermediate Bulk Containers); DIN EN ISO 16101 (Packaging for Dangerous Goods); DIN EN ISO 2248 (Vertical Impact Test by Dropping); DIN EN ISO 2872 (Packaging — Compression Testing of Transport Packages)	UN Recommendations on Dangerous Goods Packaging; DOT 49 CFR 178 (Transport Packaging Standards); ADR Packaging Requirements; IMDG Code (Marine Transport of Dangerous Goods)
Medical Waste Container	IS 17313 (Bio-medical Waste Management — Containers & Segregation Applications); IS 15410; IS 7408; IS 6312; IS 11584; IS 14887; IS 9681	ISO 23907-1 (Sharps Injury Protection — Sharps Containers); ISO 13485 (Medical Device Quality Management); ISO 11712 (Anaesthetic and respiratory container fittings)	ASTM D638 (Tensile Properties of Plastics); ASTM D256 (Izod Impact Resistance of Plastics); ASTM D5420 (Impact Resistance of Flat Rigid Plastic Specimens); ASTM D543 (Resistance of Plastics to Chemical Reagents)	DIN EN ISO 23907-1 (Sharps Injury Protection — Requirements and Test Methods, where applicable); DIN EN ISO 527 (Tensile Properties); DIN EN ISO 179-1 (Impact Strength); DIN EN ISO 175 (Chemical Resistance)	OSHA Bloodborne Pathogen Requirements; UN Dangerous Goods Packaging (Biohazard Transport); WHO Healthcare Waste Guidelines
Sharps Container	IS 17313 (Bio-medical Waste Management — Sharps Disposal Applications); IS 15410; IS 7408; IS 6312; IS 11584; IS 14887; IS 9681	ISO 23907-1 (Sharps Containers for Medical Waste); ISO 11712 (Anaesthetic and respiratory container fittings)	ASTM F2132 (Puncture Resistance of Containers for Sharps Disposal); ASTM D638 (Tensile Properties of Plastics); ASTM D256 (Izod Impact Resistance of Plastics); ASTM D5420 (Impact Resistance of Flat Rigid Plastic Specimens)	DIN EN ISO 23907-1 (Sharps Containers — Requirements and Test Methods); DIN EN ISO 23907-2 (Sharps Containers for Reprocessing, where applicable); DIN EN ISO 527 (Tensile Properties); DIN EN ISO 179-1 (Impact Strength)	FDA 21 CFR 880.5570 (Sharps Disposal Containers); OSHA Bloodborne Pathogen Standard; CDC Healthcare Waste Guidelines
Pharmaceutical Storage Container	IS 10910 (Polypropylene and its Copolymers for Safe Use in Contact with Foodstuffs, Pharmaceuticals and Drinking Water) (Pharmaceutical Contact);IS 15410; IS 7408; IS 6312; IS 11584; IS 14887; IS 9681	ISO 15378 (Primary Packaging Materials for Medicinal Products); ISO 9001 (Pharmaceutical Packaging Manufacture); ISO 11712 (Anaesthetic and respiratory container fittings)	ASTM D4976 (Polyethylene Plastics Molding and Extrusion Materials); ASTM D638 (Tensile Properties of Plastics); ASTM D543 (Resistance of Plastics to Chemical Reagents); ASTM D2463 (Standard Test Method for Drop Impact Resistance of Blow-Molded Thermoplastic Containers)	DIN EN ISO 15378 (Primary Packaging Materials for Medicinal Products); DIN EN ISO 527 (Tensile Properties); DIN EN ISO 175 (Chemical Resistance); DIN EN ISO 1183-1 (Density)	USP <661> (Plastic Packaging Systems); USP Class VI (Biocompatibility); FDA 21 CFR 177; EU GMP Packaging Requirements

Product / Application	BIS (IS)	ISO	ASTM	DIN	Other Standards
Cosmetic Cream Jar	IS 10910 (Polypropylene and its Copolymers) / IS 12252 (PET) / IS 7328 (HDPE) (Depending on Material);IS 15410; IS 7408; IS 6312; IS 11584; IS 14887; IS 9681	ISO 22716 (Cosmetics — Good Manufacturing Practices); ISO 18601 (Packaging and the Environment)	ASTM D4101 (Polypropylene Injection and Extrusion Materials); ASTM D4976 (Polyethylene Plastics Molding and Extrusion Materials); ASTM D638 (Tensile Properties of Plastics); ASTM D256 (Izod Impact Resistance of Plastics)	DIN EN ISO 527 (Tensile Properties); DIN EN ISO 175 (Chemical Resistance); DIN EN ISO 1183-1 (Density of Plastics); DIN EN ISO 179-1 (Impact Strength)	FDA Cosmetic Packaging Regulations; EU Cosmetic Regulation (EC) No. 1223/2009; IKW Guidelines (Cosmetic Packaging Requirements)

Source field: Plastic and Plastic Products