

Bandit Level 0 ---> Level 1

1. Connection Details

- **Host:** bandit.labs.overthewire.org
- **Port:** 2220
- **Username:** bandit1
- **Password:** ZjLjTmM6FvvyRnrb2rfNWOZOTa6ip5If (which you got from previous level0)

```
cyres@ubuntu-GUI:~$ ssh bandit1@bandit.labs.overthewire.org -p 2220
                         _                     _ _ _
                        | |__   __ _ _ __   __| (_) |_
                        | '_ \ / _` | '_ \ / _` | | __|
                        | |_) | (_| | | | | (_| | | |_
                        |_.__/ \__,_|_| |_|\__,_|_|\__|


                      This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit1@bandit.labs.overthewire.org's password:
```

entered into the **bandit1** level, so lets explore this level

```
bandit1@bandit:~$ ls
-
bandit1@bandit:~$
```

Exploration: You used the **ls** (list) command to see what files were in your home directory.

Discovery: You identified something like this "-" which we don't know what it is, so let's find out what it is ?

```
bandit1@bandit:~$ ls
-
bandit1@bandit:~$ ls -l
total 4
-rw-r----- 1 bandit2 bandit1 33 Apr  3 15:17 -
bandit1@bandit:~$
```

so we see it is a file which is having **33 bytes** in size, let open it using **cat**

```
bandit1@bandit:~$ ls
-
bandit1@bandit:~$ ls -l
total 4
-rw-r----- 1 bandit2 bandit1 33 Apr  3 15:17 -
bandit1@bandit:~$ cat -
```

The terminal will just hang. This is because in Linux, a dash (-) usually tells a command to read from **stdin** (keyboard input) rather than a file. The command thinks you're going to type the data yourself.

so what we do now? their are 2 ways to read this type of file

method 1: using **cat ./-**

```
bandit1@bandit:~$ cat ./-
263JGJPfgU6LtdEvgfWU1XP5yac29mFx
bandit1@bandit:~$
```

To tell Linux you are referring to a **file** and not a command option, you must specify the **path**. Since the file is in your current directory, use ./ (which means "right here").

method 1: using **more** command

```
bandit1@bandit:~$ more -
263JGJPfgU6LtdEvgfWU1XP5yac29mFx
bandit1@bandit:~$
```

Pagination: If a file is 1,000 lines long, cat would scroll past everything to the very end. more stops at the first page and waits for you to press the **Spacebar** to see more.

Navigation: You can press **Enter** to go down line by line or **q** to quit whenever you want.

so we got the password for next level bandit2 **263JGJPfgU6LtdEvgfWU1XP5yac29mFx**