STEP 1: Install Required Libraries

```
!pip install -U pinecone-client sentence-transformers
```

```
Collecting pinecone-client
  Downloading pinecone_client-6.0.0-py3-none-any.whl.metadata (3.4 kB)
Requirement already satisfied: sentence-transformers in /usr/local/lib/python3.11/dist-packages (4.1.0)
Collecting sentence-transformers
  Downloading sentence_transformers-5.0.0-py3-none-any.whl.metadata (16 kB)
Requirement already satisfied: certifi>=2019.11.17 in /usr/local/lib/python3.11/dist-packages (from pinecone-client) (2025.6.1
Collecting pinecone-plugin-interface<0.0.8,>=0.0.7 (from pinecone-client)
  Downloading pinecone_plugin_interface-0.0.7-py3-none-any.whl.metadata (1.2 kB)
Requirement already satisfied: python-dateutil>=2.5.3 in /usr/local/lib/python3.11/dist-packages (from pinecone-client) (2.9.0
Requirement already satisfied: typing-extensions>=3.7.4 in /usr/local/lib/python3.11/dist-packages (from pinecone-client) (4.14
Requirement already satisfied: urllib3>=1.26.0 in /usr/local/lib/python3.11/dist-packages (from pinecone-client) (2.4.0)
Requirement already satisfied: transformers<5.0.0,>=4.41.0 in /usr/local/lib/python3.11/dist-packages (from sentence-transforme
Requirement already satisfied: tqdm in /usr/local/lib/python3.11/dist-packages (from sentence-transformers) (4.67.1)
Requirement already satisfied: torch>=1.11.0 in /usr/local/lib/python3.11/dist-packages (from sentence-transformers) (2.6.0+cu1
Requirement already satisfied: scikit-learn in /usr/local/lib/python3.11/dist-packages (from sentence-transformers) (1.6.1)
Requirement already satisfied: scipy in /usr/local/lib/python3.11/dist-packages (from sentence-transformers) (1.15.3)
Requirement already satisfied: huggingface-hub>=0.20.0 in /usr/local/lib/python3.11/dist-packages (from sentence-transformers)
Requirement already satisfied: Pillow in /usr/local/lib/python3.11/dist-packages (from sentence-transformers) (11.2.1)
Requirement already satisfied: filelock in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.20.0->sentence-tran
Requirement already satisfied: fsspec>=2023.5.0 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.20.0->sente
Requirement already satisfied: packaging>=20.9 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.20.0->senter
Requirement already satisfied: pyyaml>=5.1 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.20.0->sentence-t
Requirement already satisfied: requests in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.20.0->sentence-tran
Requirement already satisfied: hf-xet<2.0.0,>=1.1.2 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.20.0->
Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.11/dist-packages (from python-dateutil>=2.5.3->pinecone-clien
Requirement already satisfied: networkx in /usr/local/lib/python3.11/dist-packages (from torch>=1.11.0->sentence-transformers)
Requirement already satisfied: jinja2 in /usr/local/lib/python3.11/dist-packages (from torch>=1.11.0->sentence-transformers) (3
Collecting nvidia-cuda-nvrtc-cu12==12.4.127 (from torch>=1.11.0->sentence-transformers)
  Downloading nvidia_cuda_nvrtc_cu12-12.4.127-py3-none-manylinux2014_x86_64.whl.metadata (1.5 kB)
Collecting nvidia-cuda-runtime-cu12==12.4.127 (from torch>=1.11.0->sentence-transformers)
  Downloading nvidia_cuda_runtime_cu12-12.4.127-py3-none-manylinux2014_x86_64.whl.metadata (1.5 kB)
Collecting nvidia-cuda-cupti-cu12==12.4.127 (from torch>=1.11.0->sentence-transformers)
  Downloading nvidia_cuda_cupti_cu12-12.4.127-py3-none-manylinux2014_x86_64.whl.metadata (1.6 kB)
Collecting nvidia-cudnn-cu12==9.1.0.70 (from torch>=1.11.0->sentence-transformers)
  Downloading nvidia_cudnn_cu12-9.1.0.70-py3-none-manylinux2014_x86_64.whl.metadata (1.6 kB)
Collecting nvidia-cublas-cu12==12.4.5.8 (from torch>=1.11.0->sentence-transformers)
  Downloading nvidia_cublas_cu12-12.4.5.8-py3-none-manylinux2014_x86_64.whl.metadata (1.5 kB)
Collecting nvidia-cufft-cu12==11.2.1.3 (from torch>=1.11.0->sentence-transformers)
  Downloading nvidia_cufft_cu12-11.2.1.3-py3-none-manylinux2014_x86_64.whl.metadata (1.5 kB)
Collecting nvidia-curand-cu12==10.3.5.147 (from torch>=1.11.0->sentence-transformers)
  Downloading nvidia_curand_cu12-10.3.5.147-py3-none-manylinux2014_x86_64.whl.metadata (1.5 kB)
Collecting nvidia-cusolver-cu12==11.6.1.9 (from torch>=1.11.0->sentence-transformers)
  Downloading nvidia_cusolver_cu12-11.6.1.9-py3-none-manylinux2014_x86_64.whl.metadata (1.6 kB)
Collecting nvidia-cusparse-cu12==12.3.1.170 (from torch>=1.11.0->sentence-transformers)
  Downloading nvidia_cusparse_cu12-12.3.1.170-py3-none-manylinux2014_x86_64.whl.metadata (1.6 kB)
Requirement already satisfied: nvidia-cusparselt-cu12==0.6.2 in /usr/local/lib/python3.11/dist-packages (from torch>=1.11.0->se
Requirement already satisfied: nvidia-nccl-cu12==2.21.5 in /usr/local/lib/python3.11/dist-packages (from torch>=1.11.0->senten
Requirement already satisfied: nvidia-nvtx-cu12==12.4.127 in /usr/local/lib/python3.11/dist-packages (from torch>=1.11.0->sente
Collecting nvidia-nvjitlink-cu12==12.4.127 (from torch>=1.11.0->sentence-transformers)
  Downloading nvidia_nvjitlink_cu12-12.4.127-py3-none-manylinux2014_x86_64.whl.metadata (1.5 kB)
Requirement already satisfied: triton==3.2.0 in /usr/local/lib/python3.11/dist-packages (from torch>=1.11.0->sentence-transfor
Requirement already satisfied: sympy==1.13.1 in /usr/local/lib/python3.11/dist-packages (from torch>=1.11.0->sentence-transfor
Requirement already satisfied: mpmath<1.4,>=1.1.0 in /usr/local/lib/python3.11/dist-packages (from sympy==1.13.1->torch>=1.11.0
Requirement already satisfied: numpy>=1.17 in /usr/local/lib/python3.11/dist-packages (from transformers<5.0.0,>=4.41.0->senter
Requirement already satisfied: regex!=2019.12.17 in /usr/local/lib/python3.11/dist-packages (from transformers<5.0.0,>=4.41.0-
Requirement already satisfied: tokenizers<0.22,>=0.21 in /usr/local/lib/python3.11/dist-packages (from transformers<5.0.0,>=4.4
Requirement already satisfied: safetensors>=0.4.3 in /usr/local/lib/python3.11/dist-packages (from transformers<5.0.0,>=4.41.0
```

❓ Why I Shifted from OpenAI Embeddings to Hugging Face Sentence Transformers Initially, I planned to use OpenAI's text-embedding-3-small model for generating embeddings in my Retrieval-Augmented Generation (RAG) system. However, during implementation, I encountered the following issue:

❌ RateLimitError: "You exceeded your current quota..."

This error occurred because I had exhausted my free quota on the OpenAI API and had not set up a paid billing method. Since the assignment required a working RAG model — and I wanted to continue without incurring costs — I decided to shift to a free and reliable alternative.

```
!pip uninstall -y pinecone-client
!pip install pinecone
```

```
Found existing installation: pinecone-client 6.0.0
Uninstalling pinecone-client-6.0.0:
  Successfully uninstalled pinecone-client-6.0.0
Collecting pinecone
  Downloading pinecone-7.3.0-py3-none-any.whl.metadata (9.5 kB)
Requirement already satisfied: certifi>=2019.11.17 in /usr/local/lib/python3.11/dist-packages (from pinecone) (2025.6.15)
Collecting pinecone-plugin-assistant<2.0.0,>=1.6.0 (from pinecone)
  Downloading pinecone_plugin_assistant-1.7.0-py3-none-any.whl.metadata (28 kB)
Requirement already satisfied: pinecone-plugin-interface<0.0.8,>=0.0.7 in /usr/local/lib/python3.11/dist-packages (from pinecone
Requirement already satisfied: python-dateutil>=2.5.3 in /usr/local/lib/python3.11/dist-packages (from pinecone) (2.9.0.post0)
Requirement already satisfied: typing-extensions>=3.7.4 in /usr/local/lib/python3.11/dist-packages (from pinecone) (4.14.0)
Requirement already satisfied: urllib3>=1.26.0 in /usr/local/lib/python3.11/dist-packages (from pinecone) (2.4.0)
Requirement already satisfied: packaging<25.0,>=24.2 in /usr/local/lib/python3.11/dist-packages (from pinecone-plugin-assistant<
Requirement already satisfied: requests<3.0.0,>=2.32.3 in /usr/local/lib/python3.11/dist-packages (from pinecone-plugin-assistan
Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.11/dist-packages (from python-dateutil>=2.5.3->pinecone) (1.17
Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python3.11/dist-packages (from requests<3.0.0,>=2.32.3
Requirement already satisfied: idna<4,>=2.5 in /usr/local/lib/python3.11/dist-packages (from requests<3.0.0,>=2.32.3->pinecone-p
Downloading pinecone-7.3.0-py3-none-any.whl (587 kB)
   ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 587.6/587.6 kB 18.0 MB/s eta 0:00:00
Downloading pinecone_plugin_assistant-1.7.0-py3-none-any.whl (239 kB)
   ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 240.0/240.0 kB 24.3 MB/s eta 0:00:00
Installing collected packages: pinecone-plugin-assistant, pinecone
Successfully installed pinecone-7.3.0 pinecone-plugin-assistant-1.7.0
```

✅ STEP 2: Import Libraries and Set API Keys

✅ STEP 3: Create or Connect to Pinecone Index

```
from pinecone import Pinecone, ServerlessSpec

# Create Pinecone client object
pc = Pinecone(api_key="pcsk_22VKRh_NVKxv12BGVpzsbqBKCnma5Jok5M48h4P8QLGquumK1RzJefKbU8uGYtFwXinhvb")

# Create index if it doesn't exist
if "rag-qa-bot" not in pc.list_indexes().names():
    pc.create_index(
        name="rag-qa-bot",
        dimension=384,  # For sentence-transformers model
        metric="cosine",
        spec=ServerlessSpec(cloud="aws", region="us-east-1")
    )

# Connect to the index
index = pc.Index("rag-qa-bot")
```

✅ STEP 4: Prepare Business FAQs

```
docs = [
    "Our business hours are 9 AM to 5 PM, Monday through Friday.",
    "You can contact our customer support by emailing support@ourcompany.com.",
    "We offer a 30-day return policy for all products purchased through our website.",
    "Shipping typically takes 5-7 business days for standard delivery.",
    "Our company specializes in custom software solutions for e-commerce businesses.",
    "You can reset your account password using the 'Forgot Password' link on the login page.",
    "We provide onboarding sessions for new clients every Monday at 11 AM via Zoom.",
    "Invoices are generated automatically at the end of each billing cycle and can be downloaded from your dashboard.",
    "Employees are eligible for health insurance benefits after 3 months of full-time employment.",
    "To cancel your subscription, go to the billing settings in your account dashboard and click 'Cancel Plan'.",
    "We provide 24/7 live chat support for premium customers.",
    "Our data privacy policy complies with GDPR and CCPA regulations.",
    "Bulk orders above 100 units are eligible for custom discounts. Contact sales@ourcompany.com for more info.",
    "You can track your order status using the tracking link sent to your registered email.",
    "Our mobile app is available on both iOS and Android platforms.",
    "We host monthly webinars on topics like business automation and AI in CRM systems.",
    "All employees are required to complete annual security awareness training.",
    "Technical documentation for our APIs is available on our developer portal.",
    "Refunds are processed within 5-10 business days after receiving returned items.",
    "We partner with Stripe for secure online payments and subscription management."
]
```

✅ STEP 5: Generate Embeddings & Upload to Pinecone (Free + Fast)

```
if "rag-qa-bot" in pc.list_indexes().names():
    pc.delete_index("rag-qa-bot")
```

I am deleting the existing Pinecone index because it was created using OpenAI embeddings with a dimension of 1536. Since I am now switching to a Hugging Face model, which uses a different embedding dimension, I need to create a new index with the appropriate configuration.

```
from pinecone import ServerlessSpec

pc.create_index(
    name="rag-qa-bot",
    dimension=384,  # ✅ Matches Hugging Face embedding size
    metric="cosine",
    spec=ServerlessSpec(
        cloud="aws",
        region="us-east-1"
    )
)
```

```
{
    "name": "rag-qa-bot",
    "metric": "cosine",
    "host": "rag-qa-bot-28mdvhu.svc.aped-4627-b74a.pinecone.io",
    "spec": {
        "serverless": {
            "cloud": "aws",
            "region": "us-east-1"
        }
    },
    "status": {
        "ready": true,
        "state": "Ready"
    },
    "vector_type": "dense",
    "dimension": 384,
    "deletion_protection": "disabled",
    "tags": null
}
```

```
index = pc.Index("rag-qa-bot")
```

```
# Load Hugging Face model
from sentence_transformers import SentenceTransformer
model = SentenceTransformer('all-MiniLM-L6-v2')

# Generate 384-dim embeddings
vectors = model.encode(docs).tolist()

# Upload to Pinecone using new SDK format
for i, (text, vector) in enumerate(zip(docs, vectors)):
    index.upsert(
        vectors=[
            {
                "id": str(i),
                "values": vector,
                "metadata": {"text": text}
            }
        ]
    )
```

✅ STEP 6: Answer Generation using Flan-T5 (Free Hugging Face Model)

```
from transformers import AutoTokenizer, AutoModelForSeq2SeqLM
import torch
```

```
# Load FLAN-T5 (small model for speed on Colab)
model_name = "google/flan-t5-base"
```

```
tokenizer = AutoTokenizer.from_pretrained(model_name)
hf_model = AutoModelForSeq2SeqLM.from_pretrained(model_name)
```

```
tokenizer_config.json:        2.54k/?  [00:00<00:00,  91.0kB/s]

spiece.model:  100%                                                    792k/792k  [00:00<00:00,  1.56MB/s]

tokenizer.json:        2.42M/?  [00:00<00:00,  14.3MB/s]

special_tokens_map.json:        2.20k/?  [00:00<00:00,  38.7kB/s]

config.json:        1.40k/?  [00:00<00:00,  26.6kB/s]

model.safetensors:  100%                                               990M/990M  [00:25<00:00,  93.5MB/s]

generation_config.json:  100%                                              147/147  [00:00<00:00,  12.6kB/s]
```

```
def generate_answer_flant5(question, context):
    # Create the prompt with context
    prompt = f"Context: {context}\nQuestion: {question}\nAnswer:"

    # Tokenize the prompt
    inputs = tokenizer(prompt, return_tensors="pt", max_length=512, truncation=True)

    # Generate answer
    outputs = hf_model.generate(**inputs, max_new_tokens=100)

    # Decode the output
    answer = tokenizer.decode(outputs[0], skip_special_tokens=True)

    return answer
```

```
def retrieve_relevant_docs(question, top_k=3):
    question_vector = model.encode(question).tolist()
    results = index.query(vector=question_vector, top_k=top_k, include_metadata=True)
    return [match['metadata']['text'] for match in results['matches']]
```

```
def rag_pipeline_free(question):
    # Retrieve similar docs
    retrieved_docs = retrieve_relevant_docs(question)

    # Combine as single context block
    context = "\n".join(retrieved_docs)

    # Generate answer using Flan-T5
    answer = generate_answer_flant5(question, context)

    return answer
```

```
question = "How can I reset my password?"
answer = rag_pipeline_free(question)

print("Q:", question)
print("A:", answer)
```

```
Q: How can I reset my password?
A: Forgot Password
```

```
!pip install gradio

import gradio as gr

def rag_ui(question):
    return rag_pipeline_free(question)

# Build the Gradio interface
interface = gr.Interface(
    fn=rag_ui,
    inputs=gr.Textbox(lines=2, placeholder="Ask a business-related question..."),
    outputs="text",
```

```
    title="🤖 Business FAQ RAG Bot (Free)",
    description="Ask your business-related questions — powered by Hugging Face + Pinecone."
)

# Launch and get link
interface.launch(share=True)
```

```
Requirement already satisfied: gradio in /usr/local/lib/python3.11/dist-packages (5.31.0)
Requirement already satisfied: aiofiles<25.0,>=22.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (24.1.0)
Requirement already satisfied: anyio<5.0,>=3.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (4.9.0)
Requirement already satisfied: fastapi<1.0,>=0.115.2 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.115.14)
Requirement already satisfied: ffmpy in /usr/local/lib/python3.11/dist-packages (from gradio) (0.6.0)
Requirement already satisfied: gradio-client==1.10.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (1.10.1)
Requirement already satisfied: groovy~=0.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.1.2)
Requirement already satisfied: httpx>=0.24.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.28.1)
Requirement already satisfied: huggingface-hub>=0.28.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.33.1)
Requirement already satisfied: jinja2<4.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.1.6)
Requirement already satisfied: markupsafe<4.0,>=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.0.2)
Requirement already satisfied: numpy<3.0,>=1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.0.2)
Requirement already satisfied: orjson~=3.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.10.18)
Requirement already satisfied: packaging in /usr/local/lib/python3.11/dist-packages (from gradio) (24.2)
Requirement already satisfied: pandas<3.0,>=1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.2.2)
Requirement already satisfied: pillow<12.0,>=8.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (11.2.1)
Requirement already satisfied: pydantic<2.12,>=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.11.7)
Requirement already satisfied: pydub in /usr/local/lib/python3.11/dist-packages (from gradio) (0.25.1)
Requirement already satisfied: python-multipart>=0.0.18 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.0.20)
Requirement already satisfied: pyyaml<7.0,>=5.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (6.0.2)
Requirement already satisfied: ruff>=0.9.3 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.12.1)
Requirement already satisfied: safehttpx<0.2.0,>=0.1.6 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.1.6)
Requirement already satisfied: semantic-version~=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.10.0)
Requirement already satisfied: starlette<1.0,>=0.40.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.46.2)
Requirement already satisfied: tomlkit<0.14.0,>=0.12.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.13.3)
Requirement already satisfied: typer<1.0,>=0.12 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.16.0)
Requirement already satisfied: typing-extensions~=4.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (4.14.0)
Requirement already satisfied: uvicorn>=0.14.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.35.0)
Requirement already satisfied: fsspec in /usr/local/lib/python3.11/dist-packages (from gradio-client==1.10.1->gradio) (2025.3.
Requirement already satisfied: websockets<16.0,>=10.0 in /usr/local/lib/python3.11/dist-packages (from gradio-client==1.10.1->
Requirement already satisfied: idna>=2.8 in /usr/local/lib/python3.11/dist-packages (from anyio<5.0,>=3.0->gradio) (3.10)
Requirement already satisfied: sniffio>=1.1 in /usr/local/lib/python3.11/dist-packages (from anyio<5.0,>=3.0->gradio) (1.3.1)
Requirement already satisfied: certifi in /usr/local/lib/python3.11/dist-packages (from httpx>=0.24.1->gradio) (2025.6.15)
Requirement already satisfied: httpcore==1.* in /usr/local/lib/python3.11/dist-packages (from httpx>=0.24.1->gradio) (1.0.9)
Requirement already satisfied: h11>=0.16 in /usr/local/lib/python3.11/dist-packages (from httpcore==1.*->httpx>=0.24.1->gradio
Requirement already satisfied: filelock in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio) (3.1
Requirement already satisfied: requests in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio) (2.3
Requirement already satisfied: tqdm>=4.42.1 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio)
Requirement already satisfied: hf-xet<2.0.0,>=1.1.2 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->
Requirement already satisfied: python-dateutil>=2.8.2 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio
Requirement already satisfied: pytz>=2020.1 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2025.2
Requirement already satisfied: tzdata>=2022.7 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2025
Requirement already satisfied: annotated-types>=0.6.0 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gra
Requirement already satisfied: pydantic-core==2.33.2 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->grad
Requirement already satisfied: typing-inspection>=0.4.0 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->
Requirement already satisfied: click>=8.0.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (8.2.1)
Requirement already satisfied: shellingham>=1.3.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (
Requirement already satisfied: rich>=10.11.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (13.9.
Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.11/dist-packages (from python-dateutil>=2.8.2->pandas<3.0,>=
Requirement already satisfied: markdown-it-py>=2.2.0 in /usr/local/lib/python3.11/dist-packages (from rich>=10.11.0->typer<1.0
Requirement already satisfied: pygments<3.0.0,>=2.13.0 in /usr/local/lib/python3.11/dist-packages (from rich>=10.11.0->typer<1
Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python3.11/dist-packages (from requests->huggingface
Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.11/dist-packages (from requests->huggingface-hub>=
Requirement already satisfied: mdurl~=0.1 in /usr/local/lib/python3.11/dist-packages (from markdown-it-py>=2.2.0->rich>=10.11.
Colab notebook detected. To show errors in colab notebook, set debug=True in launch()
* Running on public URL: https://f7b0f0671192d40755.gradio.live
```

```
This share link expires in 1 week. For free permanent hosting and GPU upgrades, run `gradio deploy` from the terminal in the wo
```

gradio

No interface is running right now