

FORMAT A: PRIMARY COMPETITION VIDEO SCRIPT (90–120 SECONDS)

Target Duration: ~108s (242 Words @ 135 WPM)

The primary video submission asset designed for high-impact, credible competition jury review. Its emotional arc is clear and restrained: *Brazil already monitors forests at scale; this prototype explores organizing multiple spatial signals into a structured risk-screening workflow.* The script emphasizes demonstrated prototype functionality, dual-track scientific integrity, and practical verification planning—without speculative claims or commercial hype.

NARRATIVE STRUCTURE ARC (7 STAGES)

01 PROBLEM Context	02 IDEA Workflow	03 TECH 150k Grid	04 PROTOTYPE Hotspots	05 EVIDENCE Dual-Track	06 VALUE Decision	07 CLOSE Verification
-----------------------	---------------------	----------------------	--------------------------	---------------------------	----------------------	--------------------------

VERBATIM 90–120 SECOND COMPETITION VOICE-OVER SCRIPT

SCENE 1: CONTEXT 0:00–0:12 (12s) index.html (Hero)	<i>"Brazil already monitors forests at scale through systems like PRODES. This project explores how multiple spatial signals can be organized into a proactive risk-screening workflow for the state of Rondônia."</i>	Opening establishing shot over Rondônia. Calm, authoritative opening. Ground in sovereign context.
SCENE 2: SURFACE 0:12–0:28 (16s) index.html (btn3d/...	<i>"Across approximately 150,000 precomputed cells, the platform transforms multi-source spatial indicators into a relative risk surface that reveals where screening priority is higher."</i>	Tilt 3D Deck.gl layer to reveal extruded risk field. Do not describe extrusion as terrain elevation.
SCENE 3: HOTSPOT 0:28–0:42 (14s) index.html (focusH...	<i>"The platform surfaces high-priority cells for screening based on their relative spatial risk score, focusing attention along active agricultural frontiers and access corridors."</i>	Camera auto-flies to Rondônia Arc Hotspot (84% Risk Score (Heuristic)). Do NOT call it a confirmed clearing event.
SCENE 4: DUAL-TRACK 0:42–1:02 (20s) pages/ai-model.html	<i>"Under the hood, an offline XGBoost classifier evaluates multi-source spatial features. We maintain two distinct evidence tracks: a documented production benchmark with a 0.82 ROC-AUC, and an independent research evaluation on held-out PRODES 2024 data achieving a 0.7474 ROC-AUC with 5.0x retrospective top-decile enrichment."</i>	Show Tree Ensemble and Dual-Track KPI grids. Enforce strict distinction between Track 1 and Track 2.
SCENE 5: EXPLAIN 1:02–1:16 (14s) pages/historical-i...	<i>"The project does not simply rank locations; it examines the spatial signals behind those rankings. TreeSHAP helps expose the signals behind the research model, with historical-loss proximity contributing 41.3% of the measured attribution in this evaluation. This evidence is complemented by a longer 25-year PRODES record and documented regional driver analysis."</i>	Show TreeSHAP bar chart and PRODES historical continuum. Do not make broad universal causal claims.
SCENE 6: SCENARIO 1:16–1:30 (14s) pages/scenario-sim...	<i>"This simulator explores how changing assumptions can shift relative spatial priorities. It is an exploratory sensitivity model, not live forecasting, designed to evaluate policy trade-offs."</i>	Adjust road expansion slider and toggle reserve policy. Reinforce sensitivity guardrail.
SCENE 7: WORKFLOW 1:30–1:45 (15s) index.html (Decisi...	<i>"The result is a structured decision-support workflow for spatial screening, prioritization, contextual analysis, and verification planning."</i>	Show inspection planning window in Decision Story sidebar. Frame around verification planning.
SCENE 8: CLOSE 1:45–2:00 (15s) Branded Closing Ca...	<i>"The goal is not to replace established forest-monitoring systems, but to organize spatial evidence into an interpretable workflow that helps decision-makers focus attention where further verification may be most useful."</i>	Display closing card: Title, Mamdouh Alwakil, Bibliotheca Alexandrina Award 2026, URL. Fade to black.

242 Words TOTAL SCRIPT LENGTH	~108 Seconds DURATION @ 135 WPM	90–120s TARGET VIDEO WINDOW	8 Scenes VERIFIED PRODUCTION BEATS
----------------------------------	------------------------------------	--------------------------------	---------------------------------------

MASTER 8-SCENE PRODUCTION SPECIFICATION MATRIX

SCENE	TIMECODE	SCREEN / COMPONENT	VISUAL PRESENTER ACTION	VOICE-OVER TEXT (VERBATIM)	ON-SCREEN TEXT SUPERS	TRANSITION
SCENE 1	0:00–0:12 (12s)	index.html (Hero & status indicator)	Establishing wide view of Rondônia state boundary; slow cinematic push-in.	“Brazil already monitors forests at scale through systems like PRODES. This project explores how multiple spatial signals can be organized into a proactive risk-screening workflow for the state of Rondônia.”	GeoAI Deforestation Risk Platform Study Area: Rondônia, Brazilian Amazon	Fade in from black
SCENE 2	0:12–0:28 (16s)	index.html (Deck.gl controls: btn3d)	Tilt 3D Deck.gl perspective; reveal extruded columns along Highway BR-364 corridor.	“Across approximately 150,000 precomputed cells, the platform transforms multi-source spatial indicators into a relative risk surface that reveals where screening priority is higher.”	150,000 Precomputed Grid Cells Relative Spatial Risk Score (0–100%)	Smooth 3D camera pan
SCENE 3	0:28–0:42 (14s)	Sidebar Story Tab \$\\rightarrow\$ focusTopHotspot()	Click Target Highest-Risk Hotspot; camera auto-flies to Rondônia Arc Hotspot.	“The platform surfaces high-priority cells for screening based on their relative spatial risk score, focusing attention along active agricultural frontiers and access corridors.”	Priority Hotspot Screening LAT -11.9182 LON -63.8722 (84% Risk Score (Heuristic))	Dynamic camera transition
SCENE 4	0:42–1:02 (20s)	pages/ai-model.html	Scroll to Tree Ensemble diagram and side-by-side Dual-Track KPI benchmarks.	“Under the hood, an offline XGBoost classifier evaluates multi-source spatial features. We maintain two distinct evidence tracks: a documented production benchmark with a 0.82 ROC-AUC, and an independent research evaluation on held-out PRODES 2024 data achieving a 0.7474 ROC-AUC with 5.0x retrospective top-decile enrichment.”	Dual-Track Scientific Evidence Track 1: ROC-AUC 0.82 Track 2: ROC-AUC 0.7474 5.0x Retrospective Enrichment	Clean cut to AI Model page
SCENE 5	1:02–1:16 (14s)	pages/ai-model.html & pages/historical-intelligence.html	Highlight TreeSHAP feature importance bars and 25-year official PRODES time series.	“The project does not simply rank locations; it examines the spatial signals behind those rankings. TreeSHAP helps expose the signals behind the research model, with historical-loss proximity contributing 41.3% of the measured attribution in this evaluation. This evidence is complemented by a longer 25-year PRODES record and documented regional driver analysis.”	Model Explainability & History Historical Loss Proximity: 41.3% SHAP PRODES Continuum: 2001–2025	Smooth pan to PRODES chart
SCENE 6	1:16–1:30 (14s)	pages/scenario-simulator.html	Adjust road slider (+20%); toggle strict forest reserve switch; observe risk shift.	“This simulator explores how changing assumptions can shift relative spatial priorities. It is an exploratory sensitivity model, not live forecasting, designed to evaluate policy trade-offs.”	Exploratory Scenario Simulation Analytical Sensitivity (Not Live Forecasting)	Quick cut to Simulator
SCENE 7	1:30–1:45 (15s)	index.html (Decision Story Steps 04–05)	Highlight targeted verification planning card and 5-node decision flow.	“The result is a structured decision-support workflow for spatial screening, prioritization, contextual analysis, and verification planning.”	Decision-Support Workflow Screening \$\\rightarrow\$ Prioritization \$\\rightarrow\$ Verification Planning	Return to 3D Dashboard
SCENE 8	1:45–2:00 (15s)	Branded Closing Slate	Display clean project credit card with author, award track, and GitHub repository URL.	“The goal is not to replace established forest-monitoring systems, but to organize spatial evidence into an interpretable workflow that helps decision-makers focus attention where further verification may be most useful.”	Principal Developer: Mamdouh Alwakil Bibliotheca Alexandrina Youth Creators Award 2026 Technology Creativity Track	Slow fade to black

VIDEO SYNCHRONIZATION & VISUAL TIMING RULES

PRODUCTION TIMING DISCIPLINE

- **Never Rush Transitions:** Let visual elements settle for at least 0.5 seconds before speaking key metrics.
- **Match Action to Cue:** Camera movements (such as `focusTopHotspot()`) must initiate precisely when the voice-over says “*surfaces high-priority cells*”.
- **Static Fallback Ready:** In case of local screen recording lag, pre-recorded 60fps ProRes clips of the 3D surface should be used for B-roll cutaways.

FORMAT B: HIGHLY COMPRESSED 60-SECOND EXPRESS SCRIPT

Duration: ~57s (128 Words @ 135 WPM)

A rapid-fire, high-density version created for competition social channels, fast juror previews, or brief elevator presentations. Preserves the core problem-to-solution narrative and primary scientific metrics (0.82 production benchmark, 0.7474 research model, 5.0× retrospective enrichment) while condensing the delivery into exactly one minute.

60-SECOND SCRIPT & VISUAL BEAT ALIGNMENT

BEAT 01: CONTEXT & PURPOSE <i>"Brazil already monitors deforestation at scale. This GeoAI platform explores how spatial signals can be organized into a proactive risk-screening workflow for Rondônia."</i>	0:00–0:10 (10s · 23 words)
BEAT 02: SPATIAL RISK SURFACE <i>"Across 150,000 precomputed grid cells, the system calculates relative spatial risk rankings, surfacing high-priority hotspots along active agricultural frontiers."</i>	0:10–0:22 (12s · 19 words)
BEAT 03: DUAL-TRACK EVIDENCE <i>"Powered by offline XGBoost, the platform maintains two distinct evidence tracks: a documented production benchmark with a 0.82 ROC-AUC, and an independent research evaluation on PRODES 2024 with a 0.7474 ROC-AUC and 5.0x retrospective top-decade enrichment."</i>	0:22–0:38 (16s · 36 words)
BEAT 04: EXPLAINABILITY & SCENARIOS <i>"TreeSHAP attribution and 25 years of PRODES history explain the spatial signals, while a scenario simulator enables exploratory policy sensitivity analysis."</i>	0:38–0:50 (12s · 21 words)
BEAT 05: RESPONSIBLE CLOSE <i>"Designed not to replace monitoring systems, but to help decision-makers focus attention where verification planning is needed most."</i>	0:50–1:00 (10s · 18 words)

TIME	SCREEN	FAST VISUAL CUE
0:00–0:10	index.html (Hero)	Wide aerial map of Rondônia with title overlay.
0:10–0:22	index.html (3D Deck.gl)	Fast 3D camera pan over extruded risk field to top hotspot.
0:22–0:38	pages/ai-model.html	Dual-track KPI grid: 0.82 Benchmark vs 0.7474 Research (5.0×).
0:38–0:50	pages/scenario-simulator.html	Split view: TreeSHAP bar chart and interactive slider adjustment.
0:50–1:00	Closing Card	Branded card: Mamdouh Alwakil · BA Award 2026. Fade to black.

THREE VIDEO FORMATS COMPARISON

FORMAT ASSET	TARGET DURATION	CORE PURPOSE & AUDIENCE
Format A (Primary)	90–120s	Official competition video evaluation; full 8-scene walkthrough.
Format B (Express)	~60s	Rapid social preview, trailer, and elevator pitch.
Live Demo Path	~4 mins	Interactive hands-on jury walkthrough; detailed screen-by-screen route.

PHONETIC PRONUNCIATION KEY FOR CORE TECHNICAL & GEOGRAPHIC TERMS

TERM	RESPELLING KEY	IPA TRANSCRIPTION	ARTICULATORY GUIDANCE & COMMON PITFALLS TO AVOID
Rondônia	ron-DOHN-yah	[ʁõˈdõnie]	Brazilian state in southwest Amazon. Primary stress on the middle syllable “DOHN”. Do not say “ron-don-EE-ah”.
GeoAI	JEE-oh-AY-EYE	[ˌdʒiː.ou.eɪˈaɪ]	Geospatial Artificial Intelligence. Enunciate “Geo” smoothly, followed by distinct letters “A-I”.
PRODES	PRAW-dez	[ˈpɾɔdʒis]	Official Brazilian Amazon satellite monitoring program by INPE. First syllable rhymes with “raw”. Stress first syllable.
XGBoost	X-G-Boost	[ˌeks.dʒiːˈbuːst]	Extreme Gradient Boosting. Pronounce letters cleanly: “X”, “G”, then “Boost”. Avoid blending into “X-Boost”.
TreeSHAP	Tree-SHAP	[triː-ʃæp]	Tree-based Shapley Additive exPlanations. “Tree” followed by “SHAP” (rhymes with “map” and “trap”).
IBAMA	ee-BAH-mah	[iˈbɐ̃me]	Brazilian federal environmental protection institute. Stress on middle syllable “BAH”.
ICMBio	ee-sem-BEE-oh	[iˌsɛmiˈbi.u]	Chico Mendes Institute for Biodiversity Conservation. Four distinct syllables: ee-sem-BEE-oh.

NARRATOR PERSONA, CADENCE & VOICE CONTROL

CREATOR PERSONA: RESEARCH-DRIVEN, CONFIDENT, DISCIPLINED

The voice should sound like the **principal developer and researcher** presenting their own authentic engineering work: calm, articulate, intellectually rigorous, and completely free of artificial commercial enthusiasm. Avoid sounding like a generic corporate voiceover artist or a hyped tech product trailer.

PACING & BREATH PROTOCOL

130–140 WPM

- ☐ **Measured Pace:** Maintain a disciplined 135 words per minute. Do not rush technical terms or metric recitations.
- ☐ **Micro-Pauses (0.3s):** Insert distinct mini-pauses after commas and before contrasting clauses (e.g., “...*exploratory sensitivity model* [pause] *not live forecasting*”).
- ☐ **Full Stop Breaths (0.6s):** Take deliberate, silent breaths at sentence boundaries to prevent vocal fatigue or pitch rise.

EMPHASIS & INFLECTION MAP

Scientific Precision

- ☐ **Primary Stress Words:** Stress *proactive risk-screening*, *relative risk surface*, *two distinct evidence tracks*, and *verification planning*.
- ☐ **Down-Toned Non-Claims:** Lower pitch and use a matter-of-fact cadence when stating boundaries: “*not live forecasting*”, “*not to replace established systems*”.
- ☐ **Zero Up-Talk:** Avoid rising pitch at sentence endings (up-talk); end every factual statement on a firm, authoritative downward inflection.

MASTER AUDIO, VIDEO & SUBTITLE TECHNICAL SPECIFICATIONS

AUDIO CAPTURE & MASTERING

-16 LUFS

☐ **Microphone:** Large-diaphragm condenser or broadcast dynamic mic placed 15–20 cm from mouth at 45° off-axis with pop filter.

☐ **Gain Staging:** Peak levels between -12 dB and -6 dB. Low room noise floor (< -50 dB). Zero digital clipping.

☐ **Target Loudness:** Mastered to **-16 LUFS Integrated** (±0.5 LUFS) with -1.0 dB True Peak ceiling.

☐ **Music Mix:** Subtle acoustic/ambient bed mixed at **-24 dB to -28 dB** beneath voice-over. Zero percussion clash.

SCREEN RECORDING PROTOCOL

1080p 60FPS

☐ **Resolution & Framerate:** 1920×1080 Full HD (or 3840×2160 4K) at 60 fps constant framerate (CFR).

☐ **Clean Browser Chrome:** Fullscreen mode (F11); hide bookmark bar, extension icons, URL bar, and OS taskbar.

☐ **Cursor Discipline:** Smooth cursor pathing; no jittery circles or erratic clicks. Use cursor highlighting only if subtle.

☐ **Map Motion:** Smooth continuous camera rotations (Deck.gl damping active); avoid sudden zoom step jumps.

SUBTITLE & CAPTION FORMATTING STANDARDS

PARAMETER	TARGET STANDARD	IMPLEMENTATION GUIDANCE
Typography	Inter / SF Pro Display / Helvetica Neue	Clean sans-serif font; semi-bold weight; white text with subtle black outline or 40% dark background pill.
Line & Character Limits	Max 2 lines; max 37 characters per line	Keep captions centered in lower third; ensure they do not obscure dashboard coordinate readouts or sidebar cards.
Pacing & Readability	1.5 to 3.0 seconds per title card	Synchronize subtitle appearances exactly to spoken audio words; split sentences at natural linguistic clauses.
Deliverable Formats	Embedded SRT + Burned-in Open Captions	Provide clean master video (no subtitles) alongside burned-in master for guaranteed jury playback.

FINAL 10-POINT QUALITY CONTROL CHECKLIST BEFORE SUBMISSION

SCIENTIFIC INTEGRITY QC

☐ Zero calibrated probability claims (Relative Spatial Risk Score only).

☐ Track 1 (0.82) and Track 2 (0.7474) remain visibly and audibly distinct.

☐ 5.0x lift is defined as retrospective top-decile enrichment.

☐ Zero live satellite telemetry or runtime browser training claims.

☐ 3D extrusion height is stated as risk intensity, not physical elevation.

AUDIOVISUAL QC

☐ Duration falls strictly between 90 and 120 seconds (Format A target: ~112s).

☐ Voice-over loudness measures -16 LUFS Integrated with zero distortion.

☐ All 8 visual actions correspond to verified, existing codebase features.

☐ Subtitles are 100% accurate, synchronized, and free of typos.

☐ Branded closing slate displays correct competition and author metadata.