DDI-Net 3.0

Explainable drug interaction intelligence

Multi-Drug Interaction Research Report

6 drugs · 15 pairs

DRUGS ANALYSED

1 **Warfarin**
DB00682 · approved

2 **Fluconazole**
DB00196 · approved, investigational

3 **Simvastatin**
DB00641 · approved

4 **Clarithromycin**
DB01211 · approved

5 **Acetylsalicylic acid**
DB00945 · approved, vet_approved

6 **Metformin**
DB00331 · approved

Report ID	DDI-20261018-092825-AD880C51
Generated	18 October 2026, 09:28:25 (UTC, UTC+00:00)
Generated (UTC)	2026-10-18T09:28:25.205Z
Model	BIO-GINE M4 — frozen checkpoint bd45f84e3c1b2c33 per the site's frozen data; the multi-drug response itself does not name it
API report version	3.0
Analysis produced by the service	2026-10-18T09:28:24+00:00
Response received by the browser	2026-10-18T09:28:24.913Z
Service	http://127.0.0.1:8765
Language	English

CONTENTS

1 Executive summary
2 Overview of the drugs
3 Pairwise map
4 All pairs: evidence and model
5 Coverage and uncertainty
6 Sources and reproducibility
7 Limitations
8 Glossary
A Machine-readable summary (JSON)

RESEARCH USE ONLY

DDI-Net is a research prototype — not a medical device and not clinical decision support. The absence of a documented interaction is not evidence of safety. The BIO-GINE score is a research signal of resemblance to documented pairs, not a probability of clinical harm.

1 Executive summary

- Drugs analysed: 6; unique pairs: 15. Each pair was examined on its own.

Pairs by kind of documentation found:

CI	Contraindication in a label	0
L	Named in a label	0
≠	Sources conflict	0
DB	Documented in a database	9
M	Model signal only	3
–	No documentation found — does not mean “safe”	3

- Pairs flagged by the service for a closer look: 12.
- Pairs whose own record the model was trained on (score not counted): 1.

Clinical outcomes (as the sources state them)

PAIR	INTERACTION STATUS (OUTCOME ENGINE)	CLINICAL OUTCOMES (AS THE SOURCES STATE THEM)
Warfarin + Fluconazole	evidence, outcome unclear	Increased drug exposure
Warfarin + Simvastatin	documented interaction	Bleeding and blood clotting
Warfarin + Clarithromycin	evidence, outcome unclear	Increased drug exposure
Warfarin + Acetylsalicylic acid	documented interaction	Bleeding and blood clotting
Warfarin + Metformin	source unavailable	no documented outcome
Fluconazole + Simvastatin	evidence, outcome unclear	Increased drug exposure
Fluconazole + Clarithromycin	evidence, outcome unclear	Increased drug exposure
Fluconazole + Acetylsalicylic acid	evidence, outcome unclear	Increased drug exposure
Fluconazole + Metformin	source unavailable	no documented outcome
Simvastatin + Clarithromycin	evidence, outcome unclear	Increased drug exposure
Simvastatin + Acetylsalicylic acid	source unavailable	no documented outcome
Simvastatin + Metformin	source unavailable	no documented outcome
Clarithromycin + Acetylsalicylic acid	source unavailable	no documented outcome
Clarithromycin + Metformin	source unavailable	no documented outcome
Acetylsalicylic acid + Metformin	documented interaction	Blood glucose

Documented outcome categories shared by several pairs

- Bleeding and blood clotting: Warfarin + Simvastatin; Warfarin + Acetylsalicylic acid
- Increased drug exposure: Warfarin + Fluconazole; Warfarin + Clarithromycin; Fluconazole + Simvastatin; Fluconazole + Clarithromycin; Fluconazole + Acetylsalicylic acid; Simvastatin + Clarithromycin

This is an overlap of categories in pairwise data. It does not mean the effects add up, and says nothing about three or more drugs together.

> There is no overall score for the set, and none is computed: pairwise findings cannot be added up into a conclusion about several medicines together.

> Each pair is examined on its own. Pairwise findings say nothing about how three or more drugs behave together: no such model has been built or validated.

Uncertainty and evidence gaps


- Source “FDA labels (openFDA)”: unavailable. Its data is not part of this report.
- The service uses one model checkpoint (seed 0) and provides neither a per-pair confidence interval nor an ensemble estimate. Section 5 gives the quality measured on the held-out test instead — an average over many pairs, not confidence in this pair.
- No source gives a severity, and none is assigned here.
- Doses, duration, age, kidney and liver function, other medicines and individual factors are not taken into account.

2 Overview of the drugs

#	INTERNATIONAL NAME (INN)	RUSSIAN NAME	DRUGBANK ID	DRUGBANK GROUPS	TYPE
1	warfarin	варфарин (transliteration)	DB00682	approved	small molecule
2	fluconazole	флуконазол (transliteration)	DB00196	approved, investigational	small molecule
3	simvastatin	симвастатин (transliteration)	DB00641	approved	small molecule
4	clarithromycin	кларитромицин (-transliteration)	DB01211	approved	small molecule
5	acetylsalicylic acid	ацетилсалициловая кислота (transliteration)	DB00945	approved, vet_approved	small molecule
6	metformin	метформин (transliteration)	DB00331	approved	small molecule

Identifiers: DrugBank. INN: DrugCentral, joined on InChIKey (no value means no match). Russian names: rule-based transliteration — an interface label, not sourced data.

3 Pairwise map



Lines: solid — database or label record; dashed — model signal only; dotted — no documentation found. A thick line marks a pair flagged for a closer look.

Pair matrix

Each cell is the kind of documentation found for the pair (row × column); the number is the calibrated model score. Colour encodes the kind of source, not danger. “n/c” — not counted: the model was trained on this pair's record.



CI Contraindication in a label **L** Named in a label **≠** Sources conflict **DB** Documented in a database **M** Model signal only **–** No documentation found

4 All pairs: evidence and model

For each pair the service reports the number of mechanism hypotheses; the hypotheses, proteins and pathways themselves are in the per-pair report (Analyzer). “Labels (excerpts)”: the number of FDA labels naming the other drug of the pair, and in brackets the distinct excerpts from them; several excerpts of one label are one source.

PAIR	WHAT WAS FOUND	DRUGBANK	LABELS (EXCERPTS)	HYP.	MODEL	WHY LOOK CLOSER
Warfarin + Fluconazole 1–2 · DB00682 · DB00196	Documented in a database	1	0 (0)	3	0.81 S2	database record; pharmacokinetic mechanism hypothesis
Warfarin + Simvastatin 1–3 · DB00682 · DB00641	Documented in a database	1	0 (0)	4	0.48 S2	database record; pharmacokinetic mechanism hypothesis
Warfarin + Clarithromycin 1–4 · DB00682 · DB01211	Documented in a database	1	0 (0)	2	0.49 S3	database record; pharmacokinetic mechanism hypothesis
Warfarin + Acetylsalicylic acid 1–5 · DB00682 · DB00945	Documented in a database	1	0 (0)	2	0.76 S3	database record; pharmacokinetic mechanism hypothesis
Fluconazole + Simvastatin 2–3 · DB00196 · DB00641	Documented in a database	1	0 (0)	3	not counted S1	database record; pharmacokinetic mechanism hypothesis
Fluconazole + Clarithromycin 2–4 · DB00196 · DB01211	Documented in a database	1	0 (0)	3	0.91 S2	database record; pharmacokinetic mechanism hypothesis
Fluconazole + Acetylsalicylic acid 2–5 · DB00196 · DB00945	Documented in a database	1	0 (0)	2	0.45 S2	database record; pharmacokinetic mechanism hypothesis
Simvastatin + Clarithromycin 3–4 · DB00641 · DB01211	Documented in a database	1	0 (0)	5	0.84 S2	database record; pharmacokinetic mechanism hypothesis
Acetylsalicylic acid + Metformin 5–6 · DB00945 · DB00331	Documented in a database	1	0 (0)	0	0.54 S2	database record

PAIR	WHAT WAS FOUND	DRUGBANK	LABELS (EXCERPTS)	HYP.	MODEL	WHY LOOK CLOSER
Simvastatin + Acetylsalicylic acid 3–5 · DB00641 · DB00945	Model signal only	0	0 (0)	4	0.55 S2	model signal without documentation; pharmacokinetic mechanism hypothesis
Simvastatin + Metformin 3–6 · DB00641 · DB00331	Model signal only	0	0 (0)	0	0.51 S1	model signal without documentation
Clarithromycin + Acetylsalicylic acid 4–5 · DB01211 · DB00945	Model signal only	0	0 (0)	2	0.51 S3	model signal without documentation; pharmacokinetic mechanism hypothesis
Warfarin + Metformin 1–6 · DB00682 · DB00331	No documentation found does not mean “safe”	0	0 (0)	0	0.44 S2	—
Fluconazole + Metformin 2–6 · DB00196 · DB00331	No documentation found does not mean “safe”	0	0 (0)	0	0.29 S1	—
Clarithromycin + Metformin 4–6 · DB01211 · DB00331	No documentation found does not mean “safe”	0	0 (0)	0	0.50 S2	—

5 Coverage and uncertainty

- The regime says whether the pair's drugs were in the model's training set: S1 — both (not evaluated), S2 — one, S3 — neither.
- For each pair the service reports the number of mechanism hypotheses; the hypotheses, proteins and pathways themselves are in the per-pair report (Analyzer).
- The service uses one model checkpoint (seed 0) and provides neither a per-pair confidence interval nor an ensemble estimate. Section 5 gives the quality measured on the held-out test instead — an average over many pairs, not confidence in this pair.

Pairs whose score is not counted

- Fluconazole + Simvastatin (S1)

Sources checked

SOURCE	STATUS	DETAIL
DrugBank (TDC export, local)	checked	`Local DrugBank export (TDC).`
FDA labels (openFDA)	unavailable	`openfda_label: network error (URLError)`

6 Sources and reproducibility

Endpoint (multi)	`http://127.0.0.1:8765/api/v3/multi`
Request body (multi)	`{"drugs":["DB00682","DB00196","DB00641","DB01211","DB00945","DB00331"],"include_labels":true}`
Response received by the browser (multi)	2026-10-18T09:28:24.913Z
Report generated by the service (generated_at)	2026-10-18T09:28:24+00:00
API report version	3.0
Model	BIO-GINE M4 — frozen checkpoint bd45f84e3c1b2c33 per the site's frozen data; the multi-drug response itself does not name it
Frozen research tag	`v2-final-github-safe-2026-09-03 · 92c481eeaba8faff991ced850e1c4de418ea31b0`
Site	http://127.0.0.1:4173
Site build commit	not recorded
PDF generator	DDI-Net web, in-browser export (@react-pdf/renderer)
Generated	18 October 2026, 09:28:25 (UTC, UTC+00:00)

Generated (UTC)	2026-10-18T09:28:25.205Z
Language	English
SHA-256 of the response data	ad880c51996c488667e8b8540d92eda27ea06a519dba0f72368a2c8dc9eb7fd3 Hash of the service response(s) as canonical JSON (keys sorted, serialised with JSON.stringify). The same hash is in the companion JSON file, available from the “JSON” button next to “Export PDF”.

7 Limitations

Core limitations

- DDI-Net is a research tool, not clinical decision support and not a medical device. Decisions about medicines belong to a doctor or pharmacist.
- Unlabelled pairs are not confirmed safe. A missing record means only that the sources checked do not contain one.
- BIO-GINE scores are not calibrated probabilities of clinical harm: temperature scaling was fitted on validation pairs at 50% prevalence against randomly drawn unlabelled pairs.
- The drug order in the DrugBank (TDC) export was verified by measurement for only two interaction types; for the others it is either meaningless (symmetric types) or unverified, so directional claims (“A raises the level of B”) are not made.
- External medical evidence (FDA labels, RxNorm) may be incomplete or unavailable at query time; its status is listed under “Sources checked”.
- Pairwise results say nothing about three or more drugs taken together; no such model exists here, and no overall score is computed.

> RESEARCH USE ONLY
> This is a research prototype, not a medical device. It does not replace a doctor or pharmacist and cannot say whether a combination is safe for a particular person.

8 Glossary

Plain explanations of the terms used in this report.

Source evidence vs model prediction	Source evidence is text that an official label or a database actually contains about these two drugs. A model prediction is a number BIO-GINE computes from patterns in the data it was trained on. The first records what is known; the second is a research guess.
FDA label (SPL)	A medicine's official prescribing information in the United States, published by the FDA as Structured Product Labeling. One label is one document with its own set ID, divided into sections such as Warnings or Drug Interactions.
Document and excerpt	An excerpt is one sentence quoted from a document. Several excerpts of one label are still one source and do not confirm each other. When a label repeats a sentence in two sections, it is shown once.
DrugBank (TDC export)	A large database of drugs and known interactions; DDI-Net uses the public copy distributed by Therapeutics Data Commons. A record states only an interaction type, in a standard sentence, with no severity and no note of what it is based on.
Direction	Which drug affects which. For most interaction types the drug order in the DrugBank export is unreliable, so the report names no direction from DrugBank. Label sentences are quoted as written; no direction is inferred from the mere fact that one drug's label names the other.
Cytochrome P450 (CYP450)	A family of enzymes, mostly in the liver (for example CYP2C9, CYP3A4), that break down many medicines. If one drug slows an enzyme that breaks down another, the second may stay in the body longer.
Substrate, inhibitor, inducer	A substrate is a drug a protein processes. An inhibitor slows the protein down. An inducer makes the body produce more of it.

Mechanism hypothesis	A possible biological explanation assembled from what databases record about each drug separately (for example: drug X inhibits an enzyme that processes drug Y). It was not tested for this pair and says nothing about the size of any effect.
Reactome pathway	A curated chain of reactions in the cell. Two drugs sharing a pathway is background information, not a cause of interaction.
Raw and calibrated score	The raw score is the model's direct output between 0 and 1; the calibrated score is the same output rescaled on balanced validation pairs. Both put pairs in the same order. Neither is a probability of harm.
Regimes S1, S2, S3	Whether the model saw the drugs during training. S1: both drugs were in training (quality not measured). S2: one drug was not in training. S3: neither was — the hardest test.
Held-out test; "pooled"	Pairs set aside in advance and never used for training; quality is measured on them. "Pooled" means S2 and S3 test pairs measured together (84,690 pairs, 7,758 of them S3).
AUROC	The chance that the model ranks a randomly chosen documented pair above a randomly chosen pair from the comparison set (random pairs without a record). 0.5 is guessing; 1 is a perfect ranking.
AUPRC	Area under the precision–recall curve: how well the model finds documented pairs without raising many false alarms, over all thresholds at once. Half of the test pairs are documented, so guessing gives about 0.5; 1 is perfect.
± (spread between runs)	The model was trained 5 times, each from a different random starting point (seed). "±" is the standard deviation of the result between those runs. It is not an error bar for a single pair.

A Appendix A. Machine-readable summary (JSON)

Key fields as JSON for automated checking. The full service responses are in the companion JSON file (same SHA-256).


```
{
  "schema": "ddinet.pdf-summary/1",
  "report_id": "DDI-20261018-092825-AD880C51",
  "generated_at": "2026-10-18T09:28:25+00:00",
  "generated_at_utc": "2026-10-18T09:28:25.205Z",
  "time_zone": "UTC",
  "language": "en",
  "payload_sha256": "ad880c51996c488667e8b8540d92eda27ea06a519dba0f72368a2c8dc9eb7fd3",
  "inputs": [
    {"endpoint":"http://127.0.0.1:8765/api/v3/multi","request":{"drugs":["DB00682","DB00196","DB00641","DB01211","DB00945",
      "DB00331"],"include_labels":true},"received_at":"2026-10-18T09:28:24.913Z"}
  ],
  "server_generated_at": "2026-10-18T09:28:24+00:00",
  "report_version": "3.0",
  "drugs": [
    {"id":"DB00682","inn":"warfarin","name_ru":"варфарин"},
    {"id":"DB00196","inn":"fluconazole","name_ru":"флуконазол"},
    {"id":"DB00641","inn":"simvastatin","name_ru":"симвастатин"},
    {"id":"DB01211","inn":"clarithromycin","name_ru":"кларитромицин"},
    {"id":"DB00945","inn":"acetylsalicylic acid","name_ru":"ацетилсалициловая кислота"},
    {"id":"DB00331","inn":"metformin","name_ru":"метформин"}
  ],
  "pairs": [
    {"a":"DB00682","b":"DB00196","status":"documented_no_severity","db":1,"label_documents":0,"label_excerpts":0,"hypotheses":3,
      "score":0.8108211344965719,"regime":"S2","label_seen":false,"review":true,"interaction_status":"documented_outcome_unclear",
      "outcome_categories":["exposure_increase"]},
    {"a":"DB00682","b":"DB00641","status":"documented_no_severity","db":1,"label_documents":0,"label_excerpts":0,"hypotheses":4,
      "score":0.48439914908419174,"regime":"S2","label_seen":false,"review":true,"interaction_status":"documented_interaction",
      "outcome_categories":["bleeding_coagulation"]},
    {"a":"DB00682","b":"DB01211","status":"documented_no_severity","db":1,"label_documents":0,"label_excerpts":0,"hypotheses":2,
      "score":0.4894444855664803,"regime":"S3","label_seen":false,"review":true,"interaction_status":"documented_outcome_unclear",
      "outcome_categories":["exposure_increase"]},
    {"a":"DB00682","b":"DB00945","status":"documented_no_severity","db":1,"label_documents":0,"label_excerpts":0,"hypotheses":2,
      "score":0.7641836505184048,"regime":"S3","label_seen":false,"review":true,"interaction_status":"documented_interaction",
      "outcome_categories":["bleeding_coagulation"]},
    {"a":"DB00682","b":"DB00331","status":"no_documented_evidence_found","db":0,"label_documents":0,"label_excerpts":0,"hypotheses":
      0,"score":0.44394229455360606,"regime":"S2","label_seen":false,"review":false,"interaction_status":"source_unavailable",
      "outcome_categories":[]},
    {"a":"DB00196","b":"DB00641","status":"documented_no_severity","db":1,"label_documents":0,"label_excerpts":0,"hypotheses":3,
      "score":null,"regime":"S1","label_seen":true,"review":true,"interaction_status":"documented_outcome_unclear",
      "outcome_categories":["exposure_increase"]},
    {"a":"DB00196","b":"DB01211","status":"documented_no_severity","db":1,"label_documents":0,"label_excerpts":0,"hypotheses":3,
      "score":0.9137336264872571,"regime":"S2","label_seen":false,"review":true,"interaction_status":"documented_outcome_unclear",
      "outcome_categories":["exposure_increase"]},
    {"a":"DB00196","b":"DB00945","status":"documented_no_severity","db":1,"label_documents":0,"label_excerpts":0,"hypotheses":2,
      "score":0.44546109802252076,"regime":"S2","label_seen":false,"review":true,"interaction_status":"documented_outcome_unclear",
```

```
      "outcome_categories":["exposure_increase"]},
    {"a":"DB00196","b":"DB00331","status":"no_documented_evidence_found","db":0,"label_documents":0,"label_excerpts":0,"hypotheses":
      0,"score":0.29359325198856107,"regime":"S1","label_seen":false,"review":false,"interaction_status":"source_unavailable",
      "outcome_categories":[]},
    {"a":"DB00641","b":"DB01211","status":"documented_no_severity","db":1,"label_documents":0,"label_excerpts":0,"hypotheses":5,
      "score":0.8411772377234219,"regime":"S2","label_seen":false,"review":true,"interaction_status":"documented_outcome_unclear",
      "outcome_categories":["exposure_increase"]},
    {"a":"DB00641","b":"DB00945","status":"model_signal_only","db":0,"label_documents":0,"label_excerpts":0,"hypotheses":4,"score":
      0.5459016119192227,"regime":"S2","label_seen":false,"review":true,"interaction_status":"source_unavailable",
      "outcome_categories":[]},
    {"a":"DB00641","b":"DB00331","status":"model_signal_only","db":0,"label_documents":0,"label_excerpts":0,"hypotheses":0,"score":
      0.506449805823384,"regime":"S1","label_seen":false,"review":true,"interaction_status":"source_unavailable",
      "outcome_categories":[]},
    {"a":"DB01211","b":"DB00945","status":"model_signal_only","db":0,"label_documents":0,"label_excerpts":0,"hypotheses":2,"score":
      0.5057913508710338,"regime":"S3","label_seen":false,"review":true,"interaction_status":"source_unavailable",
      "outcome_categories":[]},
    {"a":"DB01211","b":"DB00331","status":"no_documented_evidence_found","db":0,"label_documents":0,"label_excerpts":0,"hypotheses":
      0,"score":0.4965563162607425,"regime":"S2","label_seen":false,"review":false,"interaction_status":"source_unavailable",
      "outcome_categories":[]},
    {"a":"DB00945","b":"DB00331","status":"documented_no_severity","db":1,"label_documents":0,"label_excerpts":0,"hypotheses":0,
      "score":0.5444521802812233,"regime":"S2","label_seen":false,"review":true,"interaction_status":"documented_interaction",
      "outcome_categories":["glucose"]}
  ],
  "sources_checked": [
    {"source":"drugbank_tdc","status":"ok"},
    {"source":"openfda_label","status":"unavailable"}
  ]
}
```