




Path tracing with tracebox

MAMI summer school

Korian Edeline, Justin Iurman
University of Liège



measurement and architecture for a middleboxed internet



Milestone 2

Ping destination (10.0.0.10)



```
vagrant@mmb-tutorial:~$ ping -c 5 10.0.0.10
PING 10.0.0.10 (10.0.0.10) 56(84) bytes of data.
64 bytes from 10.0.0.10: icmp_seq=1 ttl=57 time=466 ms
64 bytes from 10.0.0.10: icmp_seq=2 ttl=57 time=408 ms
64 bytes from 10.0.0.10: icmp_seq=3 ttl=57 time=440 ms
64 bytes from 10.0.0.10: icmp_seq=4 ttl=57 time=431 ms
64 bytes from 10.0.0.10: icmp_seq=5 ttl=57 time=511 ms

--- 10.0.0.10 ping statistics ---
5 packets transmitted, 5 received, 0% packet loss, time 4018ms
rtt min/avg/max/mdev = 408.363/451.773/511.361/35.111 ms
vagrant@mmb-tutorial:~$
```



Traceroute

```
vagrant@mmb-tutorial:~$ sudo scamper -c trace -i 10.0.0.10
traceroute from 10.100.100.1 to 10.0.0.10
 1 10.100.100.2 20.827 ms
 2 10.202.129.2 154.803 ms
 3 30.1.3.3 203.855 ms
 4 30.0.5.7 173.032 ms
 5 20.55.55.6 366.602 ms
 6 30.101.0.6 323.826 ms
 7 30.111.2.2 269.028 ms
 8 10.0.0.10 385.667 ms
vagrant@mmb-tutorial:~$ sudo scamper -c trace -i 10.0.0.10
traceroute from 10.100.100.1 to 10.0.0.10
 1 10.100.100.2 6.053 ms
 2 10.202.129.2 95.930 ms
 3 30.0.3.3 107.594 ms
 4 30.1.2.13 283.031 ms
 5 20.55.55.6 402.940 ms
 6 30.101.0.6 188.789 ms
 7 30.111.2.2 675.775 ms
 8 10.0.0.10 479.871 ms
vagrant@mmb-tutorial:~$
```

Paris Traceroute



```
vagrant@mmb-tutorial:~$ sudo scamper -c tracelb -i 10.0.0.10
tracelb from 10.100.100.1 to 10.0.0.10, 6 nodes, 5 links, 49 probes, 95%
10.100.100.2 -> 10.202.129.2
10.202.129.2 -> (30.0.3.3, 30.1.3.3) -> (30.0.5.7, 30.1.2.13) -> 20.55.55.6
20.55.55.6 -> 30.101.0.6
30.101.0.6 -> 30.111.2.2
30.111.2.2 -> 10.0.0.10
vagrant@mmb-tutorial:~$
```

Middlebox



TCP Normalizer

```
vagrant@mmb-tutorial:~$ sudo python3 simple_tracebox.py 10.0.0.10
1: 10.100.100.2
options      : TCPOptionsField          = [('WScale', 18), ('EOL', None)] ([])
6: 30.101.0.6
options      : TCPOptionsField          = [('WScale', 14), ('EOL', None)] ([])
```

Rule	Match	Action
1	ip-proto == UDP	ip-dscp = 14
2	ip-proto == ICMP	ip-dscp = 0
3	ip-proto == TCP	ip-dscp = 10 Strip all TCP options but MSS, WScale
4	ip-proto == TCP (SYN flag)	MSS = 1460 (if found) Wscale = 14 (if found)

Firewall









```
vagrant@mmb-tutorial:~$ sudo scamper -c "ping -P tcp-syn -d 53" -i 10.0.0.10
ping 10.100.100.1 to 10.0.0.10: 40 byte packets
--- 10.0.0.10 ping statistics ---
4 packets transmitted, 0 packets received, 100% packet loss
vagrant@mmb-tutorial:~$
```

```
vagrant@mmb-tutorial:~$ sudo scamper -c "ping -P udp -d 53" -i 10.0.0.10
ping 10.100.100.1 to 10.0.0.10: 40 byte packets
68 bytes from 10.0.0.10, seq=0 ttl=57 time=532.856 ms
68 bytes from 10.0.0.10, seq=1 ttl=57 time=532.616 ms
68 bytes from 10.0.0.10, seq=2 ttl=57 time=309.521 ms
68 bytes from 10.0.0.10, seq=3 ttl=57 time=407.359 ms
--- 10.0.0.10 ping statistics ---
4 packets transmitted, 4 packets received, 0% packet loss
round-trip min/avg/max/stddev = 309.521/445.588/532.856/93.762 ms
vagrant@mmb-tutorial:~$
```

Firewall (cont.)



Ports	UDP	TCP
25, 53, 445		
80, 443, 8000, 8080		
135, 139, 161, 162		

Topology

