# Home

```php
<?php
        if( isset($_SESSION)){
                echo $_SESSION["Username"];;
        }
?>
```

```html
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Home</title>
<link rel="stylesheet" type="text/css" href="myStyles.css">
<script>
                $(function() {
                        $(".slideshow > div:gt(0)").hide();
                        setInterval(function() {
                         $('.slideshow > div:first')
                           .fadeOut(1000)
                           .next()
                           .fadeIn(1000)
                           .end()
                           .appendTo('#slideshow');
                        },  3000);

                });
</script>
</head>
<body>
<div class="container">
 <div class="loginBtn" align="right">
  <input type="button" class="myLogButton name="Login" value="Login" onclick="window.location='login.php'"/>
 </div>
 <img src="logo.png" />
 <div class="naviBtn" align="center">
  <input type="submit" name="Home" value="Home" class="myNaviButton" />
  <input type="submit" name="Participate" value="Participate" onClick="window.location='participate.php' " class="myNaviButton" />
  <input type="submit" name="About Us" value="About Us" onClick="window.location='AboutUs.php' " class="myNaviButton" />
  <input type="submit" name="Impact" value="Impact" onClick="window.location='impact.php' " class="myNaviButton" />
 </div>
 <script language="JavaScript">
    var i = 0;
    var path = new Array();
    path[0] = "1.jpg";
    path[1] = "2.jpg";
    path[2] = "3.jpg";
    function swapImage()
    {
      document.slide.src = path[i];
      if(i < path.length - 1) i++;
      else i = 0;
      setTimeout("swapImage()",3000);
```

```
        }
    window.onload=swapImage;
  </script>
 <img name="slide"  class="imageMain" src="1.jpg"/>
 <div class="homeInfContainer">
  <div class="homeLeftContainer">
   <h4 class="h4Home">Help us to send the children back to school</h4>
   <p class="pHome">Every child deserves quality education, help us achieve our target of providing all sri lankan
students with quality education. </p>
   <p class="pHome">Help us by donating to children of your preferance, after hearing their story.</p>
  </div>
  <div class="homeCenterContainer" >
   <h4 class="h4Home">Feels good to give</h4>
   <p class="pHome">We have managed to raise funds and help about 500 students within 6 months. We are
delighted to hear and inform you that 20 students have passed AL examination with 5 of them getting admitted to local
universities.</p>
  </div>
  <div class="homeRightContainer">
   <h4 class="h4Home">Hear the success story of Aqeel</h4>
   <p class="pHome">Aqeel was a talented student in school but he had to give up schooling as he had to work full
time. A friend of his introduced him to our services and after that he saw a silver lining amidst his clouded path.</p>
   <p class="pHome">We managed to finance him with the generous funding of our donors. He passed AL examination
with flying colors and was admitted to the University of Moratuwa where he got into the Biomedical engineering
stream </p>
  </div>
 </div>
 <div class="footer">
  <p>Copright Reserved &copy;</p>
 </div>
</div>
</body>
</html>
```

# Student Registration

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Student Registration</title>
<link rel="stylesheet" type="text/css" href="myStyles.css">
<?php include 'myPHP.php';?>
<script language='javascript' type='text/javascript'>
        function validatePassword(input) {
                if (input.value != document.getElementById('Password1').value) {
                        input.setCustomValidity('Password Must be Matching.');
                } else {
                        input.setCustomValidity('');
                }
        }
</script>
<script language='javascript' type='text/javascript'>
        function Major()
```

```
                  {
                          document.getElementsByClassName("Major")[0].style.display = "";
                          var elements = document.getElementsByClassName("Minor");
                          for (var i = 0; i < elements.length; i ++) {
                                  elements[i].style.display = "none";
                          }
                  }
          function Minor()
          {
                          document.getElementsByClassName("Major")[0].style.display = "none";
                          var elements = document.getElementsByClassName("Minor");
                          for (var i = 0; i < elements.length; i ++) {
                                  elements[i].style.display = "";
                          }
          }
          window.onload = Major;
</script>
</head>
<body>
<div class="container"> <img src="logo.png" />
  <div class="regContainer">
    <div class="regTopContainer"><img src="studentTop.jpg" /> </div>
    <div class="regLeftContainer"> </div>
    <div class="regRightContainer">
      <h3 class="h3RegForm">Student Registration Form</h3>
      <form method="post" class="regForme" action="myPHP.php">
        <table>
          <tr>
            <td width="250">Name</td>
            <td colspan="2"><input type="text" name="Name" maxlength="50" size="40" required="required"/></td>
          </tr>
          <tr>
            <td>Date of birth</td>
            <td><input type="date" name="Dob" min="1990-1-1" required="required"/></td>
          </tr>
          <tr>
            <td>Gender</td>
            <td><input type="radio" name="sex" value="1" checked="checked" />
              Male  <input type="radio" name="sex" value="0" />Female</td>
          </tr>
          <tr>
            <td>Address</td>
            <td><textarea name="Address" rows="3" cols="40" required="required"></textarea required></td>
          </tr>
          <tr>
            <td>District</td>
            <td><select name="District">
              <option value="Ampara"> Ampara </option>
              <option value="Anuradhapura">Anuradhapura</option>
              <option value="Badulla">Badulla</option>
              <option value="Batticaloa">Batticaloa</option>
              <option value="Colombo">Colombo</option>
              <option value="Galle">Galle</option>
              <option value="Gampaha">Gampaha</option>
              <option value="Hambantota">Hambantota</option>
              <option value="Jaffna">Jaffna</option>
              <option value="Kalutara">Kalutara</option>
```

```html
        <option value="Kandy">Kandy</option>
        <option value="Kegalle">Kegalle</option>
        <option value="Kilinochchi">Kilinochchi</option>
        <option value="Kurunegala">Kurunegala</option>
        <option value="Mannar">Mannar</option>
        <option value="Matale">Matale</option>
        <option value="Matara">Matara</option>
        <option value="Moneragala">Moneragala</option>
        <option value="Mullaitivu ">Mullaitivu        </option>
        <option value="Nuwara Eliya">Nuwara Eliya</option>
        <option value="Polonnaruwa">Polonnaruwa            </option>
        <option value="Puttalam">Puttalam</option>
        <option value="Ratnapura">Ratnapura</option>
        <option value="Trincomalee">Trincomalee</option>
        <option value="Vavuniya">Vavuniya</option>
      </select></td>
  </tr>
  <tr>
   <td>School</td>
   <td colspan="2"><input type="text"  name="School_Name" size="40" required="required"/></td>
  </tr>
  <tr>
   <td>Income Of Family</td>
   <td><input type="number" name="Income" required="required"/></td>
  </tr>
  <tr>
   <td>Have NIC</td>
   <td><input type="radio" name="Status" value="1" checked="checked" onchange="Major()"/>
    Yes  <input type="radio" name="Status" value="0" onchange="Minor()"/>No</td>
  </tr>
  <tr class="Major">
   <td>NIC</td>
   <td><input type="text" name="S_NIC" maxlength="12" /></td>
  </tr>
  <tr class="Minor">
     <td>Relationship to Gurdian</td>
   <td><select name="Relationship">
     <option value="Father">Father</option>
     <option value="Mother">Mother</option>
     <option value="Mother">Other</option>
    </select></td>
  </tr>
  <tr class="Minor">
     <td>Name Of Gurdian</td>
   <td colspan="2"><input type="text" name="Name_Of_Gurdian" maxlength="50" size="40"/></td>
  </tr>
  <tr class="Minor">
     <td>NIC Of Gurdian</td>
   <td><input type="text" name="G_NIC" maxlength="12" /></td>
  </tr>
  <tr>
   <td>Choose a User Name</td>
   <td><input type="text" name="User Name" maxlength="50" required="required"/></td>
  </tr>
  <tr>
   <td>Choose a Password</td>
   <td><input type="password" name="Password1" id="Password1" maxlength="50" required="required"/></td>
```

```
          </tr>
           <tr>
            <td>Re-type the Password</td>
            <td><input type="password" name="Password2" id="Password2" maxlength="50" required="required"
oninput="validatePassword(this)"/></td>
          </tr>
          <tr>
            <td>Bank</td>
            <td><select name="Bank">
               <option value="BOC">Bank Of Ceylon</option>
                <option value="Peoples Bank">Peoples Bank</option>
               <option value="Commercial">Commercial Bank PLC</option>
               <option value="HNB">Hatton National Bank PLC</option>
               <option value="Seylan">Seylan Bank PLC</option>
             </select></td>
          </tr>
          <tr>
            <td>Account Number</td>
            <td><input type="number" name="Acc_Number"  required="required"/></td>
          </tr>
          <tr>
            <td> </td>
          </tr>
          <tr>
            <td> </td>
            <td><input type="reset" name="Clear" value="Clear">
              <input type="submit" name="createStudentAccount" value="Create Account"></td>
          </tr>
        </table>
      </form>
    </div>
  </div>
  <div class="footer">
   <p>Copright Reserved &copy;</p>
  </div>
 </div>
</body>
</html>
```

## Donor Home

```
<?php
        session_start();
        if(!isset($_SESSION["name"]) || empty($_SESSION["name"])) {
                header( 'Location: http://localhost/test/login.php' ) ;
        }
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Doner Home</title>
<link rel="stylesheet" type="text/css" href="myStyles.css">
<?php include 'myPHP.php';?>
</head>
```

```html
<body>
<div class="container">
 <div class="loginBtn" align="right">
    <form method="POST" action="myPHP.php">
     <input type="submit" name="Logout" value="Log Out" class="myLogButton"/>
    </form>
 </div>
 <img src="logo.png" />
 <div class="regContainer">
  <div class="regTopContainer"><img src="donerTop.jpg" /> </div>
  <div class="regLeftContainer"> </div>
  <div class="regRightContainer">
  <p align="right"><?php echo "Welcome ",$_SESSION["name"];?></p>
  <div align="center">
        <div class="donHomeTopContainer">
    <h4>Students In Need</h4>
                <?php
      $query="SELECT * FROM student WHERE M_ID IS NOT NULL AND S_ID NOT IN (SELECT S_ID FROM studentdoner
WHERE Date> (now() - interval 1 month)) ";
      $result = mysqli_query($conn, $query) or die('Unable to run query:' . mysqli_error());

      if ($result->num_rows > 0) {

        echo "<table>";
        echo "<tr bgcolor=#999999>";
        echo "<td width=150>Name</td>";
                                echo "<td width=50>Age</td>";
        echo "<td width=150> School</td>";
                                echo "<td width=150> District</td>";
        echo "<td width=80>Monthly Income</td>";
        echo "</tr>";

        while ($row = mysqli_fetch_array($result)) {
          echo "<tr>";
          echo "<td>" . $row['S_Name'] . "</td>";
                                        $birthday = new DateTime($row['S_Dob']);
                                        $age = $birthday->diff(new DateTime)->y;
                                        echo "<td>" . $age. "</td>";
          echo "<td>" . $row['S_School'] . "</td>";
                                        echo "<td>" . $row['S_District'] . "</td>";
          echo "<td>" . $row['Income'] . "</td>";
                                        echo "<td>";
                                        echo '<a href="donerStudent.php?id='.$row['S_ID'].'">View Student</a>';;
                                        echo "</td>";
          echo "</tr>\n";
        }
        echo "</table>";
      }
                ?>
    </div>
    <div class="donHomeBotContainer" align="left" >
    <h4 align="center">Your Good Deeds</h4>
    <?php
                        $D_ID=$_SESSION["D_ID"];
                        $query="SELECT * FROM student INNER JOIN studentdoner ON
student.S_Id=studentdoner.S_Id  and studentdoner.D_ID='$D_ID' ";
      $result = mysqli_query($conn, $query) or die('Unable to run query:' . mysqli_error());
```

```php
                    if ($result->num_rows > 0) {

            echo "<table>";
            echo "<tr bgcolor=#999999>";
            echo "<td width=150>Name</td>";
                                echo "<td width=150> Address</td>";
            echo "<td width=80>Monthly Income</td>";
                                echo "<td width=80>Date</td>";
            echo "</tr>";

            while ($row = mysqli_fetch_array($result)) {
               echo "<tr>";
               echo "<td>" . $row['S_Name'] . "</td>";
               echo "<td>" . $row['S_Address'] . "</td>";
                                echo "<td>" . $row['Income'] . "</td>";
               echo "<td>" . $row['Date'] . "</td>";
               echo "</tr>\n";
            }
            echo "</table>";
         }
      ?>
      </div>
     </div>
   </div>
 </div>
 <div class="footer">
   <p align="center">Copright Reserved &copy;</p>
 </div>
</div>
</body>
</html>
```

## Donor Student

```php
<?php
        session_start();
        if(!isset($_SESSION["name"]) || empty($_SESSION["name"])) {
                header( 'Location: http://localhost/test/login.php' ) ;
        }
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>View Student</title>
<link rel="stylesheet" type="text/css" href="myStyles.css">
<?php include 'myPHP.php';?>
</head>
<body>
<div class="container">
 <div class="loginBtn" align="right">
    <form method="POST" action="myPHP.php">
     <input type="submit" name="Logout" value="Log Out" class="myLogButton"/>
    </form>
 </div>
```

```php
<img src="logo.png" />
<div class="regContainer">
 <div class="regTopContainer"><img src="donerTop.jpg" /></div>
 <div class="regLeftContainer"> </div>
 <div class="regRightContainer">
 <p align="justify"><a href="donerHome.php"class=" myLogButton">Back To Home</a></p>
 <p align="right"><?php echo "Welcome ",$_SESSION["name"];?></p>
 <div align="center">
                  <?php
                          $S_ID=$_GET['id'];
       $query="SELECT * FROM student WHERE S_ID='$S_ID' ";
       $result = mysqli_query($conn, $query) or die('Unable to run query:' . mysqli_error());

       if ($result->num_rows > 0) {
          while ($row = mysqli_fetch_array($result)) {
                                        echo "<table>";
                                        echo "<tr>";
                                        echo "<td width=150>Name</td>";
                                        echo "<td>" . $row['S_Name'] . "</td>";
                                        echo "</tr>";
                                        echo "<tr>";
                                        echo "<td width=50>Age</td>";
                                        $birthday = new DateTime($row['S_Dob']);
                                        $age = $birthday->diff(new DateTime)->y;
                                        echo "<td>" . $age. "  years</td>";
                                        echo "</tr>";
                                        echo "<tr>";
                                        echo "<td width=150> Sex</td>";
                                        if($row['S_Sex']){
                                                echo "<td>Male</td>";
                                        }else{
                                                echo "<td>Female</td>";
                                        }
                                        echo "</tr>";
                                        echo "<tr>";
                                        echo "<td width=150> School</td>";
                                        echo "<td>" . $row['S_School'] . "</td>";
                                        echo "</tr>";
                                        echo "<tr>";
                                        echo "<td width=150> District</td>";
                                        echo "<td>" . $row['S_District'] . "</td>";
                                        echo "</tr>";
                                        echo "<tr>";
                                        echo "<td width=80>Monthly Income</td>";
                                        echo "<td>" . $row['Income'] . "  Rs</td>";
                                        echo "</tr>";
                                        if($row['S_Status']){
                                                echo "<tr>";
                                                echo "<td>NIC</td>";
                                                echo "<td>" . $row['S_NIC'] . "</td>";
                                                echo "</tr>";
                                        }else{
                                                echo "<tr>";
                                                echo "<td>Guardian Name</td>";
                                                echo "<td>" . $row['G_Name'] . "</td>";
                                                echo "</tr>";
                                                echo "<tr>";
```

```
                                                echo "<td>Guardian NIC</td>";
                                                echo "<td>" . $row['G_NIC'] . "</td>";
                                                echo "</tr>";
                                                echo "<tr>";
                                                echo "<td>Relationship to Guardian </td>";
                                                echo "<td>" . $row['RelToGuardian'] . "</td>";
                                                echo "</tr>";
                                        }
                                        echo "<tr><td> </td></tr>";

                echo "<tr>";

                                        echo "<td>";
                                        echo '<a href="donate.php?id='.$row['S_ID'].'">Donate</a>';;
                                        echo "</td>";

                echo "</tr>";

                                        echo "</table>";
                        }
                }
        ?>
      </div>
     </div>
    </div>
    <div class="footer">
     <p align="center">Copright Reserved &copy;</p>
    </div>
   </div>
  </body>
</html>
```

# Donate

```
<?php
        session_start();
        if(!isset($_SESSION["name"]) || empty($_SESSION["name"])) {
                header( 'Location: http://localhost/test/login.php' ) ;
        }
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Donate</title>
<link rel="stylesheet" type="text/css" href="myStyles.css">
<?php include 'myPHP.php';?>
</head>
<body>
<div class="container">
 <div class="loginBtn" align="right">
   <form method="POST" action="myPHP.php">
     <input type="submit" name="Logout" value="Log Out" class="myLogButton"/>
   </form>
 </div>
 <img src="logo.png" />
 <div class="regContainer">
```

```php
<div class="regTopContainer"><img src="donerTop.jpg" /> </div>
<div class="regLeftContainer"> </div>
<div class="regRightContainer">
<p align="justify"><a href="donerHome.php"class=" myLogButton">Back To Home</a></p>
<p align="right"><?php echo "Welcome ",$_SESSION["name"];?></p>
<div align="center">
   <h3>Help By Donating 5$</h3>
                <?php
                     $S_ID=$_GET['id'];
     $query="SELECT * FROM student WHERE S_ID='$S_ID' ";
     $result = mysqli_query($conn, $query) or die('Unable to run query:' . mysqli_error());

     if ($result->num_rows > 0) {
        while ($row = mysqli_fetch_array($result)) {
                                echo "<table>";
                                echo "<tr><td> </td></tr>";
                                echo "<tr>";
                                echo "<td width=150>Name</td>";
                                echo "<td>" . $row['S_Name'] . "</td>";
                                echo "</tr>";
                                echo "<tr>";
                                echo "<td width=50>Age</td>";
                                $birthday = new DateTime($row['S_Dob']);
                                $age = $birthday->diff(new DateTime)->y;
                                echo "<td>" . $age. "  years</td>";
                                echo "</tr>";
                                echo "<tr>";
                                echo "<td width=80>Monthly Income</td>";
                                echo "<td>" . $row['Income'] . "  Rs</td>";
                                echo "</tr>";
                                echo "<tr>";
                                echo "<td width=80>Scholership Ammount</td>";
                                echo "<td>1500   Rs</td>";
                                echo "</tr>";
                                echo "<tr>";
                                echo "<td>";
                                echo " ";
                                echo "</td>";
                                echo "</tr>";
                                echo "<form method='post' action=''>";
        echo "<tr>";

                                echo "<td>";
                                echo "Card Number";
                                echo "</td>";
                                echo "<td>";
                                echo "<input type='text' name='Card_Number'>";
                                echo "</td>";
                                echo "</tr>";
                                echo "<tr>";
                                echo "<td>";
                                echo "Pin Number";
                                echo "</td>";
                                echo "<td>";
                                echo "<input type='password' name='PIN'>";
                                echo "</td>";
                                echo "</tr>";
                                echo "<tr>";
```

```php
                                echo "<td>";
                                echo "Expiry Date";
                                echo "</td>";
                                echo "<td>";
                                echo "<input type='date' name='Exp'>";
                                echo "</td>";
                                echo "</tr>";
                                echo "<tr><td> </td></tr>";
                                echo "<tr>";
                                echo "<td> </td>";
                                echo "<td>";
                                echo "<input type='reset' value=clear>";
                                echo "<input type='submit' name='donate' value='Proceede Transaction'>";
                                echo "</td>";
            echo "</tr>";

                                echo "</form>";
                                echo "</table>";

        }

      }

                        if(isset($_POST['donate'])){
                                $date=date("Y/m/d") ;
                                $D_ID=$_SESSION["D_ID"];
                                $sql="INSERT INTO studentdoner(D_ID,S_ID,Date)VALUES($D_ID, $S_ID,'$date')";
                                if ($conn->query($sql) === TRUE) {
                                        echo "<script type='text/javascript'>alert('Transaction
Succesfull');</script>";

                                        header( 'Location: http://localhost/test/donerHome.php' ) ;
                                } else {
                                        echo "Error: " . $sql . "<br>" . $conn->error;
                                }
                                $conn->close();
                        }
    ?>
   </div>
  </div>
 </div>
 <div class="footer">
  <p align="center">Copright Reserved &copy;</p>
 </div>
</div>
</body>
</html>
```

## PHP Codes

```html
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>PHP Handling</title>
</head>
```

```php
<body>
<?php

        $servername = "localhost";
        $username = "root";
        $password = "";
        $dbname = "scholarshipprograme";
        $conn = new mysqli($servername, $username, $password, $dbname);
        if ($conn->connect_error) {
                die("Connection failed: " . $conn->connect_error);
        }



        if(isset($_POST['Login'])){
                if(session_id() == '' || !isset($_SESSION)) {
                        session_start();
                }
                else{
                        session_destroy();
                        session_start();
                }

                $User_Name=$_POST["Username"];
                $Password=md5($_POST["Password"]);

                $Login="SELECT Password,Type,Status FROM login Where UserName='$User_Name'";
                $result = $conn->query($Login);

                if ($result->num_rows > 0) {
                        while($row = $result->fetch_assoc()){
                                if($row["Password"]==$Password){
                                        if($row["Status"]==1){
                                                if($row["Type"]=='Doner'){
                                                        $Login="SELECT D_ID,D_Name FROM doner Where
UserName='$User_Name'";
                                                        $result = $conn->query($Login);
                                                        if ($result->num_rows > 0) {
                                                                while($row = $result->fetch_assoc()){
                                                                        $_SESSION["D_ID"]=$row["D_ID"];
                                                                        $_SESSION["name"]=$row["D_Name"];
                                                                        header( 'Location:
http://localhost/test/donerHome.php' ) ;

                                                                }
                                                        }
                                                }
                                                if($row["Type"]=='Student'){
                                                        $Login="SELECT S_ID,S_Name FROM student Where
UserName='$User_Name'";
                                                        $result = $conn->query($Login);
                                                        if ($result->num_rows > 0) {
                                                                while($row = $result->fetch_assoc()){
                                                                        $_SESSION["S_ID"]=$row["S_ID"];
                                                                        $_SESSION["name"]=$row["S_Name"];
                                                                        header( 'Location:
http://localhost/test/studentHome.php' ) ;

                                                                }
```

```php
                                                }
                                        }
                                        if($row["Type"]=='Moderator'){
                                                $Login="SELECT M_ID,M_Name FROM moderator Where
UserName='$User_Name'";

                                                $result = $conn->query($Login);
                                                if ($result->num_rows > 0) {
                                                        while($row = $result->fetch_assoc()){
                                                                $_SESSION["M_ID"]=$row["M_ID"];
                                                                $_SESSION["name"]=$row["M_Name"];
                                                                header( 'Location:
http://localhost/test/moderatorHome.php' ) ;

                                                        }
                                                }
                                        }
                                }
                                else{
                                        echo "<script type='text/javascript'>alert('Your Account is not
active');</script>";

                                        header( 'Location: http://localhost/test/login.php' ) ;
                                }
                        }
                        else{
                                echo "<script type='text/javascript'>alert('Invalid UserName or
Password');</script>";

                                header( 'Location: http://localhost/test/login.php' ) ;
                        }
                }
        } else {
                echo "<script type='text/javascript'>alert('Invalid UserName or Password');</script>";
                header( 'Location: http://localhost/test/login.php' ) ;
        }
        $conn->close();
}
if(isset($_POST['Logout'])){
        $_SESSION = array();
        if (ini_get("session.use_cookies")) {
                $params = session_get_cookie_params();
                setcookie(session_name(), '', time() - 42000,
                        $params["path"], $params["domain"],
                        $params["secure"], $params["httponly"]
                );
        }
        session_destroy();
        header( 'Location: http://localhost/test/index.php' ) ;

}

if(isset($_POST['createDonerAccount'])){
        $Name=$_POST['Name'];
        $Address=$_POST['Address'];
        $Nationality=$_POST['Nationality'];
        $User_Name=$_POST['User_Name'];
        $Password1=md5($_POST['Password1']);
        $sqlUser="INSERT INTO login(UserName,Password,Type,Status)VALUES('$User_Name',
'$Password1','Doner',1)";
```

```php
                $sqlDon = "INSERT INTO doner (D_Name, D_Address, D_Nationality, UserName)VALUES ('$Name',
'$Address', '$Nationality', '$User_Name')";

                if ($conn->query($sqlUser) === TRUE) {
                        if ($conn->query($sqlDon) === TRUE) {
                                echo "<script type='text/javascript'>alert('Account Created');</script>";
                                header( 'Location: http://localhost/test/login.php' ) ;
                        } else {
                                echo "Error: " . $sqlDon . "<br>" . $conn->error;
                        }
                } else {
                        echo "Error: " . $sqlUser . "<br>" . $conn->error;
                }
                $conn->close();
        }

        if(isset($_POST['createModeratorAccount'])){
                $Name=$_POST['Name'];
                $Address=$_POST['Address'];
                $District=$_POST['District'];
                $Occupation=$_POST['Occupation'];
                $School=$_POST['School_Name'];
                $M_NIC=$_POST['M_NIC'];
                $User_Name=$_POST['User_Name'];
                $Password1=md5($_POST['Password1']);

                $sqlUser="INSERT INTO login(UserName,Password,Type,Status)VALUES('$User_Name',
'$Password1','Moderator',0)";
                $sqlMod = "INSERT INTO moderator
(M_Name,M_Address,M_District,M_Job,M_School,M_NIC,UserName)VALUES
('$Name','$Address','$District','$Occupation','$School',$M_NIC,'$User_Name')";

                if ($conn->query($sqlUser) === TRUE) {
                        if ($conn->query($sqlMod) === TRUE) {
                                echo "<script type='text/javascript'>alert('Account Created');</script>";
                                header( 'Location: http://localhost/test/login.php' ) ;
                        } else {
                                echo "Error: " . $sqlMod . "<br>" . $conn->error;
                        }
                } else {
                        echo "Error: " . $sqlUser . "<br>" . $conn->error;
                }
                $conn->close();
        }

        if(isset($_POST['createStudentAccount'])){
                $Name=$_POST['Name'];
                $Dob=$_POST['Dob'];
                $Gener=$_POST['sex'];
                $School=$_POST['School_Name'];
                $Address=$_POST['Address'];
                $District=$_POST['District'];
                $Income=$_POST['Income'];
                $Status=$_POST['Status'];
                $SNIC=$_POST['S_NIC'];
                $Relationship=$_POST['Relationship'];
                $NGuardian=$_POST['Name_Of_Gurdian'];
```

```php
            $GNIC=$_POST['G_NIC'];
            $User_Name=$_POST['User_Name'];
            $Password1=md5($_POST['Password1']);
            $Bank=$_POST['Bank'];
            $Acc_Number=$_POST['Acc_Number'];

            $sqlUser="INSERT INTO login(UserName,Password,Type,Status)VALUES('$User_Name',
'$Password1','Student',1)";

                if($Status){
                    $sqlStu="INSERT INTO
student(S_Name,S_Dob,S_Sex,S_School,S_Address,S_District,Income,S_Status,S_NIC,Acc_No,Acc_Bank,UserName)VAL
UES('$Name','$Dob','$Gener','$School','$Address','$District',$Income,$Status,$SNIC,$Acc_Number,'$Bank','$User_Nam
e')";
                }else{
                    $sqlStu="INSERT INTO
student(S_Name,S_Dob,S_Sex,S_School,S_Address,S_District,Income,S_Status,RelToGuardian,G_Name,G_NIC,Acc_No,
Acc_Bank,UserName)VALUES('$Name','$Dob','$Gener','$School','$Address','$District',$Income,$Status,'$Relationship','
$NGuardian',$GNIC,$Acc_Number,'$Bank','$User_Name')";
                }
                if ($conn->query($sqlUser) === TRUE) {
                    if ($conn->query($sqlStu) === TRUE) {
                        echo "<script type='text/javascript'>alert('Account Created');</script>";
                        header( 'Location: http://localhost/test/login.php' ) ;
                    } else {
                        echo "Error: " . $sqlStu . "<br>" . $conn->error;
                    }
                } else {
                    echo "Error: " . $sqlUser . "<br>" . $conn->error;
                }
                $conn->close();
        }
?>
</body>
</html>
```

# CSS Script

```css
@charset "utf-8";
/* CSS Document */
body {

}

.container {
        width: 1000px;
        height:1000px;
        margin: 0 auto;
        overflow: hidden;
}

.loginBtn{
        width: 1000px;
        height:0px;
}
```

```css
.myLogButton{
        background-color:#999;
  border-radius:6px;
  color:#FFF;
  font-family:Georgia, "Times New Roman", Times, serif;
  font-size: 16px;
  text-decoration: none;
  cursor: pointer;
  border:none;
        margin:5px;
}
.myLogButton:hover {
  border: none;
  background:#999;
  box-shadow: 0px 0px 1px #777;
        color: #333;
}

.login{
        margin:0 auto;
        border-radius:5px;
        width:200px;
        height:100px;
        border:groove;
        padding:15px;
}

.loginPageButtons{
        margin:7px;
}

.naviBtn{
        margin-left:500px ;
}

.imageMain{
  margin: 5px auto;
  position: relative;
  width: 1000px;
  height: 393px;
  padding: 5px;
  box-shadow: 0 0 20px rgba(0,0,0,0.4);
}

.myNaviButton{
  background-color: #ccc;
  border-radius:6px;
  color:#333;
  font-family:Georgia, "Times New Roman", Times, serif;
  font-size: 16px;
  text-decoration: none;
  cursor: pointer;
  border:none;
        margin:5px;
}
.myNaviButton:hover {
```

```css
    border: none;
    background:#999;
    box-shadow: 0px 0px 1px #777;
}

.footer{
        width:1000px;
        height:20px;
        background-color:#666;
        color:#FFF;
        text-align:center;
}

.homeInfContainer{
        margin-top:20px;
        width:1000px;
        height:400px;
        font-family:Georgia, "Times New Roman", Times, serif;
        text-align:justify;
}

.homeLeftContainer{
        width:325px;
        height:400px;
        background-color:#903;
    float:left;
        color:#FFF;
}

.homeCenterContainer{
        width:330px;
        height:400px;
        background-color:#09C;
        display: inline-block;
        margin-left:10px;
        margin-right:10px;
        color:#FFF;
}

.homeRightContainer{
        width:325px;
        height:400px;
        background-color:#390;
        float:right;
        color:#FFF;
}

.pHome{
        margin:15px;
        text-indent:20px;
}

.pAboutUs{
        margin-left:120px;
        margin-right:120px;
        text-indent:20px;
        text-align:justify;
```

```css
        }
.h4Home{
        margin-left:12px;
        margin-right:12px;
        margin-top:12px;
        margin-bottom:0px;
}

.txtBox{
        margin:7px;
}

.participateImage{
    width: 100px;
    height:100px;
        display: block;
    margin-left: auto;
    margin-right: auto;
}

.participateInfContainer{
        margin-top:20px;
        width:1000px;
        height:400px;
        font-family:Georgia, "Times New Roman", Times, serif;
        text-align:center;
}

.participateLeftContainer{
        width:325px;
        height:400px;
    float:left;

}

.participateCenterContainer{
        width:330px;
        height:400px;
        display: inline-block;
        margin-left:10px;
        margin-right:10px;
}

.participateRightContainer{
        width:325px;
        height:400px;
        float:right;
}

.myPartButton{
        width:80px;
        height:30px;
        background-color:#C00;
    border-radius:2px;
    color:#FFF;
    font-family:Georgia, "Times New Roman", Times, serif;
    font-size: 16px;
```

```css
    text-decoration: none;
    cursor: pointer;
    border:none;
          margin:5px;
}
.myPartButton:hover {
    border: none;
    background:#999;
    box-shadow: 0px 0px 1px #777;
          color: #333;
}

.regContainer{
          margin-top:20px;
          width:1000px;
          height:850px;
          font-family:Georgia, "Times New Roman", Times, serif;
          text-align:justify;
}
.regTopContainer{
          width:1000px;
          height:250px;
          background-color:#0C3;
}
.regLeftContainer{
          width:250px;
          height:600px;
    float:left;
          background-image:url(banner.png);

}
.regRightContainer{
          width:750px;
          height:600px;
          float:right;
}
.donHomeTopContainer{
          width:750px;
          height:300px;
          float:right;
}
.donHomeBotContainer{
          width:750px;
          height:250px;
          margin-left:20px;
}
.regForme{
          font-family:"MS Serif", "New York", serif;
          margin-left:80px;
}

.h3RegForm{
          margin-left:150px;
          margin-top:20px;
          margin-bottom:20px;
          color:#039;
}
```

```css
input{
        margin-bottom:3px;
}
select{
        margin-bottom:5px;
        width:200px;
}
textarea{
        margin-bottom:5px;
}
```