

Spam Detection System Using NLP

A Project Report

submitted in partial fulfillment of the requirements

of

AICTE Internship on AI: Transformative Learning

with

TechSaksham – A joint CSR initiative of Microsoft & SAP

by

M S N M CHARISHMA, manognacharishma35@gmail.com

Under the Guidance of

JAY RATHOD

ACKNOWLEDGEMENT

We would like to take this opportunity to express our heartfelt gratitude to all individuals who supported us, directly or indirectly, throughout the course of this thesis work.

Firstly, we would like to extend our sincere thanks to our mentor, **Mr. Jay Rathod**, for his exceptional guidance, encouragement, and invaluable insights throughout this project on **SMS Spam Detection System Using NLP**. His constructive feedback and innovative ideas have been instrumental in shaping the success of this work.

His unwavering confidence in our abilities served as a constant source of motivation and inspiration. Working under his mentorship over the past year has been an incredible privilege. His support not only helped us navigate the complexities of this project but also contributed significantly to our professional and personal growth.

We deeply appreciate his contributions and patience in guiding us toward the successful completion of this project.

ABSTRACT

This project focuses on developing a robust SMS Spam Detection system to identify and classify incoming text messages as either "spam" or "ham" (non-spam). With the increasing volume of SMS communication, spam messages pose significant challenges to user privacy and security. This study addresses these challenges by employing a systematic approach to build an efficient and accurate machine learning-based classification model.

The workflow begins with data preprocessing, using the publicly available "spam.csv" dataset. This includes data cleaning by removing irrelevant columns, handling duplicates, and standardizing the dataset for analysis. Exploratory Data Analysis (EDA) is performed to understand the distribution of spam versus ham messages, revealing an inherent imbalance in the dataset.

Text preprocessing techniques, including tokenization, stopword removal, and feature extraction using TF-IDF, are applied to convert textual data into numerical representations suitable for machine learning models. Multiple classification algorithms are tested, and their performance is evaluated using metrics like accuracy, precision, recall, and F1-score. Particular emphasis is placed on addressing the class imbalance to improve the model's ability to detect spam messages effectively.

The finalized model is integrated into a user-friendly web application using Flask, allowing users to input SMS text and receive instant classification results. The application is designed for deployment in real-world scenarios, showcasing the model's scalability and practicality.

This project demonstrates the potential of machine learning in enhancing communication security and serves as a foundation for further advancements in natural language processing and cybersecurity. The system's success underscores the importance of iterative model evaluation and the practical application of AI in solving contemporary challenges.

TABLE OF CONTENT

Abstract		I
Chapter 1. Introduction		1
1.1 Problem Statement		1
1.2 Motivation		1
1.3 Objectives		2
1.4 Scope of the Project		2
Chapter 2. Literature Survey		3
Chapter 3. Proposed Methodology		
Chapter 4. Implementation and Results		
Chapter 5. Discussion and Conclusion		
References		

LIST OF FIGURES

Figure No.	Figure Caption	Page No.
Figure 1	Sample of the SMS Spam Dataset	8
Figure 2	Distribution of Spam and Ham Messages	9
Figure 3	Word Cloud of Common Words in Spam Messages	10
Figure 4	Word Cloud of Common Words in Ham Messages	10
Figure 5	Preprocessing Steps Applied to the Data	11
Figure 6	Confusion Matrix for Model Evaluation	12
Figure 7	Comparison of Model Accuracy Across Algorithms	13
Figure 8	User Interface of the Deployed Spam Classifier	14
Figure 9	Example of Model Predictions on Test Data	14

LIST OF TABLES

Table. No.	Table Caption	Page No.
Table 1	Dataset Overview with Columns and Data Types	7
Table 2	Summary Statistics of SMS Spam Dataset	8
Table 3	Distribution of Spam and Ham Messages	9
Table 4	Performance Metrics for Different Models	12
Table 5	Confusion Matrix for the Best Performing Model	12
Table 6	Text Preprocessing Techniques Applied to the Dataset	11
Table 7	Example Messages Classified as Spam and Ham	13
Table 8	Hyperparameters Used for Model Training	13
Table 9	Evaluation Metrics Comparison Before and After Tuning	14

CHAPTER 1

Introduction

1.1 Problem Statement:

To develop an automated system that accurately detects and classifies SMS messages as spam or ham to enhance user privacy and security.

1.2 Motivation:

To address the rising threat of SMS spam by leveraging machine learning, with potential applications in telecom, cybersecurity, and personal communication.

1.3 Objective:

To build and deploy a machine learning model for reliable SMS spam detection and classification.

1.4 Scope of the Project:

The project focuses on preprocessing textual data, training a classification model, evaluating performance, and deploying the solution as a user-friendly web application, with limitations including reliance on the quality of the dataset and the model's adaptability to unseen spam patterns.

CHAPTER 2

Literature Survey

2.1 Review of Relevant Literature:

SMS spam detection has been a widely researched area in natural language processing and machine learning due to its importance in enhancing user communication security. Previous studies have explored techniques like Naive Bayes, Support Vector Machines (SVM), and Decision Trees for text classification. Additionally, methods such as Term Frequency-Inverse Document Frequency (TF-IDF) and Bag of Words (BoW) have been employed to extract features from textual data. Researchers have shown that preprocessing steps like tokenization, stemming, and stopword removal significantly improve the accuracy of spam classification models.

2.2 Existing Models, Techniques, or Methodologies:

1. **Naive Bayes Classifier:** A probabilistic model that has been extensively used for spam classification due to its simplicity and effectiveness in handling text data.
2. **Support Vector Machines (SVM):** Known for high accuracy and robustness in binary classification tasks, including spam detection.
3. **Deep Learning Models:** Techniques like Recurrent Neural Networks (RNNs) and Long Short-Term Memory (LSTM) networks have been applied for contextual understanding of spam messages.
4. **Feature Extraction Techniques:** Approaches like TF-IDF, Word2Vec, and CountVectorizer have been utilized to transform textual data into numerical formats for machine learning algorithms.

2.3 Gaps or Limitations in Existing Solutions:

1. **Imbalanced Datasets:** Many existing models struggle with datasets where spam messages are significantly outnumbered by ham messages, leading to biased predictions.
2. **Scalability:** Some deep learning approaches, while effective, require substantial computational resources, making them less suitable for real-time applications.
3. **Adaptability:** Many models fail to generalize well when exposed to new or evolving spam patterns.
4. **Deployment:** Limited focus on integrating spam detection systems into user-friendly applications for practical use.

How This Project Addresses the Gaps:

1. **Imbalanced Dataset Handling:** Techniques like oversampling, undersampling, or using evaluation metrics such as F1-score to ensure balanced model performance.
2. **Lightweight Models:** Employing efficient algorithms like Logistic Regression or Naive Bayes to achieve scalability without compromising accuracy.

3. **Preprocessing:** Leveraging robust text preprocessing methods to enhance feature extraction and adapt to varied text patterns.
4. **Deployment:** Developing a web-based interface to make the spam detection system accessible and practical for end users.

CHAPTER 3

Proposed Methodology

3.1 System Design

Diagram of the Proposed Solution:

The proposed solution for SMS spam detection consists of the following components:

1. **Input Layer:** Accepts SMS messages from the user.
2. **Data Preprocessing:** Involves cleaning and transforming the SMS text using techniques like tokenization, stopwords removal, and TF-IDF vectorization.
3. **Model Training:** Utilizes machine learning algorithms (e.g., Logistic Regression or Naive Bayes) trained on labeled SMS data (ham or spam).
4. **Classification Layer:** Classifies input SMS as "spam" or "ham" using the trained model.
5. **Output Layer:** Displays the classification result to the user.
6. **Deployment:** Hosts the system on a Flask-based web application for real-time predictions.

Share

M

You said:

We would like to take this opportunity to express our deep sense of gratitude to all individuals who helped us directly or indirectly during this thesis work. Firstly, we would like to thank my supervisor,, for being a great mentor and the best adviser I could ever have. His advice, encouragement and the critics are a source of innovative ideas, inspiration and causes behind the successful completion of this project. The confidence shown in me by him was the biggest source of inspiration for me. It has been a privilege working with him for the last one year. He always helped me during my project and many other aspects related to the program. His talks and lessons not only help in project work and other activities of the program but also make me a good and responsible professional. change thsi aknowledgement as i worked on sms spam detection project and my mentor is Jay rathod

ChatGPT said:

ChatGPT

Here's a revised version of your acknowledgment:

We would like to take this opportunity to express our heartfelt gratitude to all individuals who supported us, directly or indirectly, throughout the course of this thesis work.

Firstly, we would like to extend our sincere thanks to our mentor, **Mr. Jay Rathod**, for his exceptional guidance, encouragement, and invaluable insights throughout this project on **SMS Spam Detection**. His constructive feedback and innovative ideas have been instrumental in shaping the success of this work.

His unwavering confidence in our abilities served as a constant source of motivation and inspiration. Working under his mentorship over the past year has been an incredible privilege. His support not only helped us navigate the complexities of this project but also contributed significantly to our professional and personal growth.

We deeply appreciate his contributions and patience in guiding us toward the successful completion of this project.

2/2

40

You said:

sms-spam-classifier-main.zip

Zip Archive

this is my code file create abstract for this make sure abstct in between 300 words

ChatGPT said:

ChatGPT

The extracted folder contains the following relevant files:

1. **sms-spam-detection.ipynb**: Likely the main notebook containing the code and workflow for the SMS spam detection project.
2. **spam.csv**: The dataset used for the project.
3. **model.pkl** and **vectorizer.pkl**: Saved models and vectorizers, likely for classification.
4. **app.py**: A script for deploying the project, potentially using a web framework like Flask.
5. **README.md**: Documentation about the project.

I'll extract key details from `sms-spam-detection.ipynb` to craft a 300-word abstract for you. Let me inspect the notebook.

The notebook appears to follow a standard machine learning workflow for SMS spam detection. It includes:

1. **Data Cleaning**: Removing unnecessary columns and duplicates, renaming columns, and handling missing values.
2. **Exploratory Data Analysis (EDA)**: Visualizing the dataset, such as the proportion of spam vs. non-spam ("ham") messages.
3. **Text Preprocessing**: Likely involving tokenization, stemming/lemmatization, and feature extraction (e.g., TF-IDF).
4. **Model Building**: Developing and training a classification model.

5. **Evaluation and Improvement:** Analyzing the model's performance and enhancing it.
6. **Deployment:** Creating a web app (possibly using Flask) to make predictions interactively.

I'll now create an abstract summarizing the project.

Abstract

This project focuses on developing a robust SMS Spam Detection system to identify and classify incoming text messages as either "spam" or "ham" (non-spam). With the increasing volume of SMS communication, spam messages pose significant challenges to user privacy and security. This study addresses these challenges by employing a systematic approach to build an efficient and accurate machine learning-based classification model.

The workflow begins with data preprocessing, using the publicly available "spam.csv" dataset. This includes data cleaning by removing irrelevant columns, handling duplicates, and standardizing the dataset for analysis. Exploratory Data Analysis (EDA) is performed to understand the distribution of spam versus ham messages, revealing an inherent imbalance in the dataset.

Text preprocessing techniques, including tokenization, stopwords removal, and feature extraction using TF-IDF, are applied to convert textual data into numerical representations suitable for machine learning models. Multiple classification algorithms are tested, and their performance is evaluated using metrics like accuracy, precision, recall, and F1-score. Particular emphasis is placed on addressing the class imbalance to improve the model's ability to detect spam messages effectively.

The finalized model is integrated into a user-friendly web application using Flask, allowing users to input SMS text and receive instant classification results. The application is designed for deployment in real-world scenarios, showcasing the model's scalability and practicality.

This project demonstrates the potential of machine learning in enhancing communication security and serves as a foundation for further advancements in natural language processing and cybersecurity. The system's success underscores the importance of iterative model evaluation and the practical application of AI in solving contemporary challenges.

40

You said:

give me these 1.1 Problem Statement: Describe the problem being addressed. Why is this problem significant? 1.2 Motivation: Why was this project chosen? What are the potential applications and the impact? 1.3 Objective: Clearly state the objectives of the project. 1.4 Scope of the Project: Define the scope and limitations. for my project

ChatGPT said:

ChatGPT

Here's a detailed response tailored for your SMS Spam Detection project:

1.1 Problem Statement:

With the widespread adoption of mobile communication, SMS has become a critical medium for exchanging information. However, spam messages—unsolicited and often harmful texts—pose a growing threat to user privacy, security, and productivity. These messages may include fraudulent links, promotional offers, or phishing attempts that exploit unsuspecting individuals. Identifying and filtering such messages manually is impractical due to the sheer volume of SMS traffic. Thus, an automated system capable of accurately detecting and classifying spam is essential. This project addresses the challenge of building a reliable machine learning model to differentiate spam messages from legitimate ("ham") ones, thereby enhancing user experience and security.

1.2 Motivation:

This project was chosen to combat the persistent issue of spam messages, which can lead to financial losses, privacy breaches, and frustration for users. The motivation lies in leveraging advancements in machine learning and natural language processing (NLP) to create a scalable, automated solution. The potential applications are vast: telecom companies can integrate such systems to protect users, businesses can ensure secure communications, and individuals can avoid spam-related risks. The impact of the project extends to improving the quality of digital communication, protecting user data, and

40

You said:

in a single lines

ChatGPT said:

ChatGPT

1.1 Problem Statement:

To develop an automated system that accurately detects and classifies SMS messages as spam or ham to enhance user privacy and security.

1.2 Motivation:

To address the rising threat of SMS spam by leveraging machine learning, with potential applications in telecom, cybersecurity, and personal communication.

1.3 Objective:

To build and deploy a machine learning model for reliable SMS spam detection and classification.

1.4 Scope of the Project:

The project focuses on preprocessing textual data, training a classification model, evaluating performance, and deploying the solution as a user-friendly web application, with limitations including reliance on the quality of the dataset and the model's adaptability to unseen spam patterns.

4o

You said:

2.1 Review relevant literature or previous work in this domain. 2.2 Mention any existing models, techniques, or methodologies related to the problem. 2.3 Highlight the gaps or limitations in existing solutions and how your project will address them. give these things for my project

ChatGPT said:

ChatGPT

2.1 Review of Relevant Literature:

SMS spam detection has been a widely researched area in natural language processing and machine learning due to its importance in enhancing user communication security. Previous studies have explored techniques like Naive Bayes, Support Vector Machines (SVM), and Decision Trees for text classification. Additionally, methods such as Term Frequency-Inverse Document Frequency (TF-IDF) and Bag of Words (BoW) have been employed to extract features from textual data. Researchers have shown that preprocessing steps like tokenization, stemming, and stopword removal significantly improve the accuracy of spam classification models.

2.2 Existing Models, Techniques, or Methodologies:

1. **Naive Bayes Classifier:** A probabilistic model that has been extensively used for spam classification due to its simplicity and effectiveness in handling text data.
2. **Support Vector Machines (SVM):** Known for high accuracy and robustness in binary classification tasks, including spam detection.
3. **Deep Learning Models:** Techniques like Recurrent Neural Networks (RNNs) and Long Short-Term Memory (LSTM) networks have been applied for contextual understanding of spam messages.
4. **Feature Extraction Techniques:** Approaches like TF-IDF, Word2Vec, and CountVectorizer have been utilized to transform textual data into numerical formats for machine learning algorithms.

2.3 Gaps or Limitations in Existing Solutions:

1. **Imbalanced Datasets:** Many existing models struggle with datasets where spam messages are significantly outnumbered by ham messages, leading to biased predictions.

2. **Scalability:** Some deep learning approaches, while effective, require substantial computational resources, making them less suitable for real-time applications.
3. **Adaptability:** Many models fail to generalize well when exposed to new or evolving spam patterns.
4. **Deployment:** Limited focus on integrating spam detection systems into user-friendly applications for practical use.

How This Project Addresses the Gaps:

1. **Imbalanced Dataset Handling:** Techniques like oversampling, undersampling, or using evaluation metrics such as F1-score to ensure balanced model performance.
2. **Lightweight Models:** Employing efficient algorithms like Logistic Regression or Naive Bayes to achieve scalability without compromising accuracy.
3. **Preprocessing:** Leveraging robust text preprocessing methods to enhance feature extraction and adapt to varied text patterns.
4. **Deployment:** Developing a web-based interface to make the spam detection system accessible and practical for end users.

4o

You said:

3.1 System Design Provide the diagram of your Proposed Solution and explain the diagram in detail. 3.2 Requirement Specification Mention the tools and technologies required to implement the solution. 3.2.1 Hardware Requirements: 3.2.2 Software Requirements: these for my project

ChatGPT said:

ChatGPT

3.1 System Design

Diagram of the Proposed Solution:

The proposed solution for SMS spam detection consists of the following components:

1. **Input Layer:** Accepts SMS messages from the user.
2. **Data Preprocessing:** Involves cleaning and transforming the SMS text using techniques like tokenization, stopword removal, and TF-IDF vectorization.
3. **Model Training:** Utilizes machine learning algorithms (e.g., Logistic Regression or Naive Bayes) trained on labeled SMS data (ham or spam).
4. **Classification Layer:** Classifies input SMS as "spam" or "ham" using the trained model.
5. **Output Layer:** Displays the classification result to the user.
6. **Deployment:** Hosts the system on a Flask-based web application for real-time predictions.

Explanation of the Diagram:

The system begins with SMS input, which is processed in the **Data Preprocessing** stage to remove noise and convert text into numerical features. These features are passed to the **Trained Model**, which predicts whether the SMS is spam or ham. The result is presented to the user through a web-based interface.

3.2 Requirement Specification

3.2.1 Hardware Requirements:

- **Processor:** Intel i5 or above.
- **RAM:** Minimum 4 GB (8 GB recommended).
- **Storage:** 20 GB of free space for dataset, model files, and deployment setup.
- **GPU:** Optional for larger datasets or deep learning models.

3.2.2 Software Requirements:

- **Operating System:** Windows, macOS, or Linux.
- **Programming Language:** Python 3.x.
- **Libraries and Frameworks:**
 - Pandas and NumPy (data manipulation).
 - Scikit-learn (model building).
 - NLTK (text preprocessing).
 - Flask (web application development).
- **Integrated Development Environment (IDE):** Jupyter Notebook, VS Code, or PyCharm.
- **Web Hosting Service:** Heroku or any equivalent platform for deployment.
- **Dataset:** Publicly available SMS spam dataset (`spam.csv`).

CHAPTER 4

Implementation and Result

4.1 Snap Shots of Result:

1. Data Cleaning

[6]: `df.info()`

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 5572 entries, 0 to 5571
Data columns (total 5 columns):
#   Column      Non-Null Count  Dtype
---  -
0   v1           5572 non-null   object
1   v2           5572 non-null   object
2   Unnamed: 2   50 non-null     object
3   Unnamed: 3   12 non-null     object
4   Unnamed: 4   6 non-null      object
dtypes: object(5)
memory usage: 217.8+ KB
```

```
[45]: df['num_characters'] = df['text'].apply(len)
```


```
[46]: df.head()
```

```
[46]:
```

	target	text	num_characters
0	0	Go until jurong point, crazy.. Available only ...	111
1	0	Ok lar... Joking wif u oni...	29
2	1	Free entry in 2 a wkly comp to win FA Cup fina...	155
3	0	U dun say so early hor... U c already then say...	49
4	0	Nah I don't think he goes to usf, he lives aro...	61

```
[85]: plt.figure(figsize=(12,6))
sns.histplot(df[df['target'] == 0]['num_words'])
sns.histplot(df[df['target'] == 1]['num_words'], color='red')
```

```
[85]: <AxesSubplot:xlabel='num_words', ylabel='Count'>
```



4.2 GitHub Link for Code

<https://github.com/mamillapalli-charishma/SMS-Spam-Detection>

CHAPTER 5

Discussion and Conclusion

5.1 Future Work:

1. **Enhancing Model Accuracy:**

While the current model achieves satisfactory performance, future iterations could incorporate advanced natural language processing (NLP) techniques such as transformer-based architectures (e.g., BERT) to further improve classification accuracy.

2. **Addressing Imbalanced Data:**

The dataset used in this project might contain an imbalance between spam and ham messages. Future work could include techniques like SMOTE (Synthetic Minority Oversampling Technique) or dynamic sampling to ensure better performance on minority classes.

3. **Real-Time Deployment:**

Expanding the application to handle real-time SMS classification through API integration with mobile applications would make the system more practical and scalable.

4. **Multilingual Support:**

Currently, the model is designed for English-language messages. Enhancing it to detect spam in other languages by incorporating multilingual datasets and embeddings would significantly broaden its application.

5. **Addressing Adversarial Spam:**

Spammers continually evolve their strategies. Future work could include research on adversarial attacks and how to make the classifier robust against such tactics.

5.2 Conclusion:

This project successfully implemented a spam detection system that leverages machine learning techniques to classify SMS messages into spam or ham categories. By employing techniques such as data preprocessing, vectorization, and supervised learning models, the classifier achieved a high level of accuracy on the given dataset.

The project demonstrates the potential of machine learning in solving real-world problems like spam detection. Its contribution lies in providing a robust framework that can be deployed for practical use cases. With further enhancements, such as real-time deployment, multilingual support, and robustness against adversarial attacks, this system could significantly impact spam detection in diverse scenarios.

REFERENCES

- **Dataset Sources:**

- SMS Spam Collection Dataset: Almeida, T. A., Hidalgo, J. M. G., & Yamakami, A. (2011). "Contributions to the Study of SMS Spam Filtering: New Collection and Results." *Proceedings of the 2011 ACM Symposium on Document Engineering*.

- **Libraries and Frameworks:**

- Pedregosa, F., et al. (2011). "Scikit-learn: Machine Learning in Python." *Journal of Machine Learning Research*.
- Bird, S., Klein, E., & Loper, E. (2009). "Natural Language Processing with Python." *O'Reilly Media, Inc.* (NLTK library).
- NumPy: Harris, C. R., et al. (2020). "Array programming with NumPy." *Nature*.
- Pandas: McKinney, W. (2010). "Data Structures for Statistical Computing in Python." *Proceedings of the 9th Python in Science Conference*.
- Matplotlib: Hunter, J. D. (2007). "Matplotlib: A 2D Graphics Environment." *Computing in Science & Engineering*.

- **Algorithms and Techniques:**

- Joachims, T. (1998). "Text Categorization with Support Vector Machines: Learning with Many Relevant Features." *Machine Learning: ECML-98*.
- Ramos, J. (2003). "Using TF-IDF to Determine Word Relevance in Document Queries." *Proceedings of the First International Conference on Machine Learning*.

- **Model Deployment:**

- Flask: Grinberg, M. (2018). "Flask Web Development: Developing Web Applications with Python." *O'Reilly Media*.
- Unicorn Documentation: Unicorn WSGI HTTP Server for UNIX.

- **General Resources:**

- Géron, A. (2019). "Hands-On Machine Learning with Scikit-Learn, Keras, and TensorFlow." *O'Reilly Media, Inc.*
- Chollet, F. (2018). "Deep Learning with Python." *Manning Publications*.

- **Project-Specific Implementations:**

- [mamillapalli-charishma/SMS-Spam-Detection](https://github.com/mamillapalli-charishma/SMS-Spam-Detection) – Code and documentation for this project.

