

Security Copilot in Microsoft Entra

Hands-on Virtual Lab Guide Attendee Lab Manual

Table of Contents

Prerequisites Guide for Security Copilot in Entra Training	3
Security Copilot & Entra Setup checklist	3
Security Copilot Prerequisites	3
Security Copilot in Microsoft Entra Prerequisites	3
Introduction	5
Section 1: Open chat experience in Microsoft Entra (30 mins)	6
Microsoft Entra ID scenarios (15 mins)	6
Exercise 1a: Enterprise User Management	6
Exercise 1b: Security and Access Control	8
Exercise 1c: Understanding monitoring and operations	9
Exercise 1d: Complex multi-step prompts	11
Exercise 1e: Ambiguous prompts	12
Exercise 1f: Write actions for Copilot in Entra	13
Microsoft Entra ID Protection scenarios (10mins)	14
Exercise 2a: Risky User Summarization	14
Exercise 2b: Risky User Investigation	15
Exercise 2c: Application Risk Investigation	16
Microsoft Entra ID Governance scenarios (10 mins)	17
Exercise 3a: Governance and optimization	17
Exercise 3b: Lifecycle Workflows	18
Microsoft Entra Internet Access and Private Access scenarios (5 mins)	19
Exercise 4a: Monitor and investigate	19
Section 2: Entra Agent in Microsoft Entra	21
Exercise 5: Conditional Access Optimization Agent (20mins)	21
Locate the Agent overview	21
Analyze Agent Activity	25
Exploring Agent Settings	27
Conditional Access Optimization Agent Knowledge Base (Preview)	30
Section 3: Open chat experience in Security Copilot Standalone (5 mins)	31

Prerequisites Guide for Security Copilot in Entra Training

Security Copilot & Entra Setup checklist

1. Security Compute Units (SCUs) are available
2. Permissions to Security Copilot are granted
3. Required Permissions to install and run Entra Agents are granted
4. Entra Agents are set up, enabled, and have **run at least once**, prior to the lab session
5. Optional permissions in Entra for Entra scenarios are assigned

Security Copilot Prerequisites

Before the workshop, participants **must complete** the following steps to follow along and participate:

1. Please make sure Security Copilot is enabled in your tenant, and you can use it in Microsoft Entra.
 - a. Setup Security Copilot for Entra ([Security Copilot in Microsoft Entra | Microsoft Learn](#))
 - b. If it's already setup in your tenant, verify it by trying to use Security Copilot in the Entra Portal <https://entra.microsoft.com>.
2. For this workshop, we recommend 5-10 SCUs to be able to complete most exercises.

Provision Security Compute Units (SCUs)

- SCUs are required to run Security Copilot.
- Minimum: **5 SCUs** (recommended: **10 SCUs**) for labs training.
- SCUs are billed hourly and can be managed via the Azure portal or Security Copilot portal.

Assign Roles

If Security Copilot is enabled but you cannot use it, you may need additional permission. Ensure appropriate roles are assigned:

- Security Copilot Contributor or Security Copilot Owner

You may also use the Recommended Security Copilot contributor roles. These roles determine access and ownership within Security Copilot. [Understand authentication in Microsoft Security Copilot | Microsoft Learn](#)

Security Copilot in Microsoft Entra Prerequisites

Security Copilot Entra open-chat Prerequisites

The various use cases in Entra have different roles and license requirements. Ensure you have the required role and license [Microsoft Security Copilot scenarios in Microsoft Entra ID | Microsoft Learn](#) for the Entra scenarios you want to try out. [Microsoft Security Copilot scenarios in Microsoft Entra overview | Microsoft Learn](#)

Important: Microsoft Security Copilot follows the Role-Based Access Control (RBAC) model used in Microsoft security solutions. When you submit a prompt, Copilot can only access the data that you have permissions for.

Security Copilot in Microsoft Entra – Lab Guide

Entra Scenarios, Roles, and licenses required:

Scenario	Role(s)	License	Tenant
Tenants	Global Reader	Any Microsoft Entra ID license	Any
Users	User Administrator	Any Microsoft Entra ID license	Any
Groups	Directory Writer Groups Administrator User Administrator	Free Microsoft Entra ID license	Any public cloud tenant with more than one group
Domains	Domain Name Administrator	Any Microsoft Entra ID license	Any
Licenses	Global Reader	Microsoft Entra ID Governance license	Any
Sign-in logs	Reports Reader Security Reader Security Administrator Global Reader	Microsoft Entra ID P1 or P2 license	Any public cloud tenant with sign-in data
Audit logs	Reports Reader Security Reader Security Administrator Global Administrator	Free Microsoft Entra ID license	Any public cloud tenant with audit activity
Recommendations	Application Administrator Identity Governance Administrator Privileged Role Administrator Conditional Access Administrator Security Administrator Hybrid Identity Administrator Authentication Policy Administrator Authentication Administrator	Free Microsoft Entra ID license or Microsoft Entra ID P1/P2 license	Any (also available in Microsoft Entra Workload ID)
Health monitoring alerts	Reports Reader Helpdesk Administrator Security Reader Security Operator Security Administrator Global Reader	Microsoft Entra ID P2 license	Any public cloud tenant
Service Level Agreement	Reports Reader	Any Microsoft Entra ID license	Any
Roles and administrators	Directory Reader Global Reader	Any Microsoft Entra ID license	Any
Devices	Any user	Free Microsoft Entra ID license	Any
Conditional Access	Security Administrator Global Reader Security Reader	Microsoft Entra ID P1 license	Any with Conditional Access policies configured
Authentication	Authentication Policy Administrator (tenant level) Privileged Authentication Administrator (user level)	Any Microsoft Entra ID license	Any

Security Copilot Entra Agent Prerequisites

Ensure that you have the required RBAC permissions to install and run the agents. [Microsoft Entra Agents | Microsoft Learn](#)

Microsoft Entra in Security Copilot Standalone Prerequisites

Ensure you can access [Microsoft Security Copilot](https://securitycopilot.microsoft.com/) (<https://securitycopilot.microsoft.com/>)

Introduction

Estimated time to complete this lab

75 Minutes

Objectives - Microsoft Security Copilot is a powerful tool that can help you manage and secure your Microsoft Entra identity environment. This guide outlines the different capabilities in Microsoft Entra that you can investigate using natural language queries. These capabilities are available across different Microsoft Entra products to enhance your identity protection efforts.

To use Security Copilot in Entra, ensure that you have a tenant with Security Copilot enabled.

Security Copilot in Microsoft Entra includes the standalone Security Copilot experience, embedded experiences in the Microsoft Entra admin center, specialized agents that can perform tasks, and natural language prompts that can be used in several end-to-end scenarios.

We've organized this lab into 3 sections:

Section 1: Open chat experience in Microsoft Entra (40 mins)

Section 2: Entra Agents in Microsoft Entra (15 mins)

Section 3: Open chat experience in Security Copilot Standalone (5 mins)

Section 1: Open chat experience in Microsoft Entra (30 mins)


Microsoft Entra ID scenarios (15 mins)


With Microsoft Security Copilot, administrators can now manage and investigate their Microsoft Entra tenants, users, groups, domains and licenses using natural language.

Exercise 1a: Enterprise User Management

Quickly manage users, tenants, groups, and licenses using natural language queries.

[Enterprise user management with Microsoft Security Copilot | Microsoft Learn](#)

1. Go to the **Entra portal** (<https://entra.microsoft.com/>) and sign in with your credentials.
2. Select  at the top right side of the portal OR the “Copilot Chat” menu on the left.
3. Try out a few of the below prompts:
 - a. *What are all the active licenses assigned to my tenant?*
 - b. *Show me DNS verification records of this tenant*
 - c. *Give the member count of each department.*
 - d. *List users without assigned licenses.*
 - e. *How many users are in the Sales department?*



Immersive chat experience

View the **session history** in Chat

The screenshot shows the Microsoft Entra admin center interface with the Security Copilot chat window open. The chat window displays a list of users in the United States with their department and location. The 'Recent sessions' panel on the left is highlighted with a green box.

Recent sessions

- Give me a list of users in the United States, with their most recent sign-in IP address and location.
- Which apps have certificates expiring in the next 30 days?
- List risky users that registered a new authentication method in the past 30 days.
- Report on ownerless groups and suggest next steps (assign owner / archive).
- Analyze enterprise apps missing owners and outline risk.
- List devices that have been inactive for over 30 days for an audit review.

Chat History:

Give me a list of users in the United States, their department, and location.

Copilot: AI-generated content may be incorrect. Check it for accuracy.

Prepared your response >

Here is a list of users in the United States, including their department and location (country and usage location):

1. Gurmeet Dhillon | Department: Customer XP | Country: US | Usage Location: US
2. Suraj Nafisa | Department: Logistics | Country: GB | Usage Location: US
3. Xolani Jandu | Department: Finance | Country: JP | Usage Location: US
4. Migle Sobregau | Department: Customer XP | Country: GB | Usage Location: US
5. Trang Hoang | Department: SRE | Country: US | Usage Location: US
6. Marie Berthelette | Department: Logistics | Country: GB | Usage Location: US
7. Lynne Robbins | Department: Information Technology | Usage Location: US
8. Jonathan Wolcott | Department: Sales | Usage Location: US
9. Jessie Agergarai | Department: Developer | Country: JP | Usage Location: US
10. Denis Kojic | Department: Customer XP | Country: US | Usage Location: US
11. Shabnam Davignon | Department: Security | Country: US | Usage Location: US
12. Ausra Hussein | Department: Finance | Country: US | Usage Location: US
13. Allan Kaba | Department: Internal | Usage Location: US
14. Sivanesvari Rivera | Department: Internal | Usage Location: US
15. Airlives | Department: Developer | Country: US | Usage Location: US


Buttons:

- Show sign-in activity for Gurmeet Dhillon
- Show sign-in activity for Suraj Nafisa
- Show sign-in activity for Trang Hoang

Ask a question, search for info, or get help with a task in Security...

Table: List of users in the United States with department and location


Display Name	User Principal Name	Department	Country	Usage Location
Jar Castellanos (OPS)	joeyc@int.zava-private.co	Office of the CEO	US	US
Miquel Becker	mibe24@int.zava-private.c	Finance	United States	US
Azamat Abdykadyr	azab63@int.zava-private.c	SRE	United States	US
Ariana Appleby	ariapp@Woodgrove.net	TEST Sourcing		US
Hollie Rees	hore35@int.zava-private.c	Customer XP	United States	US
Daniela Hanzlova (OPS-I)	daha80@int.zava-private.c	Sales	United States	US
Ismat Bekarevich (OPS)	isbe54@int.zava-private.c	Developer	US	US
Iziah Basic	izba93@int.zava-private.c	PowerApps Set Dept	JP	US
Ismat Bekarevich	isbe27@Woodgrove.net	Janitorial		US
Sarmis Celms	sace75@int.zava-private.c	Human Resources	KE	US
Joseph Run	provisioningSA@woodgrc	Security	US	US
Michael G Scott	msscott@int.zava-private.c	Sales	US	US
Zonica Crnic	zocr32@int.zava-private.c	Customer XP	United States	US
Trang Hoang	trho16@int.zava-private.c	SRE	US	US
Maria Piotrowska	map22@int.zava-private.c	Sales	US	US
Fahmi Ibrahim	faib47@int.zava-private.c	Developer	United States	US

View the **chain of thought Reasoning**


Exercise 1b: Security and Access Control

Use Microsoft Security Copilot to undertake a security assessment by evaluating role-based access controls, authentication methods, conditional access policies, and device compliance across an organization. [Security and access control with Microsoft Security Copilot | Microsoft Learn](#)

1. Try out a few of the below prompts:
 - a. *Who has eligibility for the Global Reader role?*
 - b. *What authentication methods are enabled in my tenant?*
 - c. *Is report suspicious activity enabled in my tenant? For who?*
 - d. *How many users have the FIDO2 Security keys method registered?*
 - e. *Show me all non-compliant devices.*
 - f. *Show the count of Windows devices categorized by release.*
 - g. *List the Authentication Strength policies.*



You can now **download** your results in a CSV file.



Microsoft Entra admin center

Search resources, services, and docs (G+)

Copilot

Give me a list of users in the United States, their department, and location.

Copilot: AI-generated content may be incorrect. Check it for accuracy.

Prepared your response

Here is a list of users in the United States, including their department and location (country and usage location):

1. Gurmeet Dhillon | Department: Customer XP | Country: US | Usage Location: US
2. Suraj Nafisa | Department: Logistics | Country: GB | Usage Location: US
3. Xolani Jandu | Department: Finance | Country: JP | Usage Location: US
4. Migle Sobregreu | Department: Customer XP | Country: GB | Usage Location: US
5. Trang Hoang | Department: SRE | Country: US | Usage Location: US
6. Marie Berthelette | Department: Logistics | Country: GB | Usage Location: US
7. Lynne Robbins | Department: Information Technology | Usage Location: US
8. Jonathan Wolcott | Department: Sales | Usage Location: US
9. Jessie Agerregal | Department: Developer | Country: JP | Usage Location: US
10. Denis Kojic | Department: Customer XP | Country: US | Usage Location: US
11. Shabnam Davignon | Department: Security | Country: US | Usage Location: US
12. Aaura Hussein | Department: Finance | Country: US | Usage Location: US
13. Allan Xaba | Department: Internal | Usage Location: US
14. Sivanewari Rivera | Department: Internal | Usage Location: US
15. Aini Iives | Department: Developer | Country: US | Usage Location: US
16. Marfuga Bertoldi | Department: Security | Country: KE | Usage Location: US
17. Suma Oliveira | Department: Developer | Country: US | Usage Location: US
18. Hannah Gomez | Department: Internal | Usage Location: US
19. Rosa Jalloua | Department: Security | Country: JP | Usage Location: US
20. Aile Kunets | Department: Customer XP | Country: KE | Usage Location: US

...and more. If you need the full list or want to filter by a specific department or location, let me know!

List of users in the United States with department and location

Show sign-in activity for Gurmeet Dhillon

Show sign-in activity for Suraj Nafisa

Show sign-in activity for Trang Hoang

Ask a question, search for info, or get help with a task in Security...

Display Name	User Principal Name	Department	Country	Usage Location
Jai Castellanos (OPS)	joeyc@int.zava-private.co	Office of the CEO	US	US
Miquel Becker	mibe24@int.zava-private.c	Finance	United States	US
Azamat Abdykadyr	azab63@int.zava-private.c	SRE	United States	US
Ariana Appleby	ariapp@Woodgrove.net	TEST Sourcing		US
Hollie Rees	hore35@int.zava-private.c	Customer XP	United States	US
Daniela Hanzlova (OPS-I)	daha80@int.zava-private.c	Sales	United States	US
Ismat Bekarevich (OPS)	isbe54@int.zava-private.ci	Developer	US	US
Izaliah Basic	izba93@int.zava-private.ci	PowerApps Set Dept	JP	US
Ismat Bekarevich	isbe27@Woodgrove.net	Janitorial		US
Sarmis Celms	sace75@int.zava-private.c	Human Resources	KE	US
Joseph Run	provisioning5A@woodgrc	Security	US	US
Michael G Scott	mscott@int.zava-private.c	Sales	US	US
Zorica Crnic	zocr32@int.zava-private.o	Customer XP	United States	US
Trang Hoang	trho16@int.zava-private.o	SRE	US	US
Maria Piotrowska	mapic22@int.zava-private.c	Sales	US	US
Fahmi Ibrahim	faib47@int.zava-private.cc	Developer	United States	US

Exercise 1c: Understanding monitoring and operations

Quickly analyze sign-in activities, investigate audit logs, monitor system health, and track service performance using natural language queries. [Understand monitoring with Microsoft Security Copilot | Microsoft Learn](#)

1. Try out a few of the below prompts:
 - a. Show sign-ins without multifactor authentication.
 - b. Show sign-ins from <specific locations>.
 - c. Display risky sign-ins.
 - d. Show me recently deleted groups.
 - e. Show my tenant's historical Secure Score data.
 - f. List all Entra recommendations.
 - g. List recommendations to improve app portfolio health.
 - h. Show Entra recommendations by impact type.
 - i. Show me applications with credentials that are expiring soon.
 - j. List all active health monitoring alerts.
 - k. (NEW) Health alert investigator
 - l. (NEW) Sign-in logs investigation

Show sign-ins without multifactor authentication.

 **Copilot** AI-generated content may be incorrect. Check it for accuracy.

Here are recent sign-in events where multifactor authentication (MFA) was not used in your tenant:

User Display Name	User Principal Name	Sign-in Time (UTC)	Application
Jens Tukaev	jtu482@woodgrove.ms	2025-10-22T23:09	Office 365 SharePoint Online
Braden Goudy (Corp)	bragou@woodgrove.ms	2025-10-22T23:08	Security Copilot

Investigate health alerts

Microsoft Entra admin center

- External Identities
- Cross-tenant synchronization
- Entra Connect
- Backup and recovery (Preview)
- Domain names
- Custom branding
- Mobility
- Monitoring & health
 - Sign-in logs
 - Audit logs
 - Provisioning logs
- Health
 - Log Analytics
 - Diagnostic settings
 - Workbooks
 - Usage & insights
 - Bulk operations
- ID Protection
- ID Governance
- Verified ID

Home > Health > Health Monitoring | Sign-ins blocked by Conditional Access policies

Large increase in Conditional Access blocked sign-ins

Health Monitoring

Investigate health alert

The agent determined that CA blocked sign-in failures (53003) were caused by a recent Conditional Access policy update that changed the targeted group, resulting in user Vlatko Albert being blocked from accessing the Azure Portal.

Action

Investigation

Status

Success

[Show Copilot investigation](#)

Status: **Needs attention**

Date created: **5/4/2026, 11:55:27 AM**

Affected entities

1 User [View](#)

1 Application [View](#)

Documentation

[Troubleshooting guide](#)

Signals

Sign-ins blocked by Conditional Access policies

The data in the graph is aggregated every 10 minutes

Date range: 05/4 5:55 am - 05/4 5:50 pm

Copilot investigation results

Large increase in Conditional Access blocked sign-ins

AI-generated content may be incorrect. Check it for accuracy.

Summary

A Conditional Access blocked sign-in alert was triggered after user Vlatko Albert experienced multiple failed sign-in attempts (error code 53003) to the Azure Portal. All failures were due to the 'HX-CA Blocked Staged' policy, which was updated minutes before the failures to target a new group. A group membership change also occurred just prior to the failures, bringing the user into policy scope. The timing and audit logs strongly indicate the policy and group changes directly resulted in the observed blocks.

Next Steps

- Review the recent modification to policy [HX-CA Blocked Staged](#) that changed the targeted group to '7f42c994-9881-4c20-83a0-89512a444095' on 2026-05-04. Confirm that the Block control and group scope are intended.
- Review recent membership changes in group [7f42c994-9881-4c20-83a0-89512a444095](#) that caused user Vlatko Albert to be subject to blocking policy [HX-CA Blocked Staged](#). Verify if this user should be blocked or if the membership change was unintended.
- If the identified root cause change is intentional and the resulting user blocks are expected, this alert can be dismissed.

Root Cause

Health Alert

A large increase in CA blocked sign-in failures triggered a health alert (ID: ec50ffb5-dca1-44aa-a502-c014039edfeb) on 2026-05-04T18:55:27.1854957Z. 7 failed sign-in attempts, mostly with error code [53003](#), were identified. These sign-in failures were primarily tied to users being blocked by Conditional Access policies with Block grant controls.

Sample of Impacted Sign-ins

#	User	Location	Time
1	u19860@int.zava-private.com	San Antonio, US	2026-05-04T18:50:26Z

Troubleshoot failed and interrupted sign-ins

The screenshot displays the Microsoft Entra admin center interface. The left sidebar shows navigation options like 'Sign-in logs', 'ID Protection', 'ID Governance', and 'Verified ID'. The main pane is titled 'Sign-in events' and shows a table of sign-in attempts. A filter for 'Status: Failure' is applied. The table lists various sign-in attempts with columns for Date, Request ID, User principal name, Application, Status, IP address, and Resource. A 'Health agent investigation results' panel on the right provides a summary of the investigation, including a failed interactive sign-in for user 'Emin Meyer' and a list of next steps for troubleshooting.

Sign-in events

Download Export data Settings Troubleshoot Refresh Manage view Got feedback?

Want to switch back to the legacy sign-in logs experience? Click here to leave the preview.

Add filter Show dates as UTC Date range: Last 24 hours Status: Failure Reset filters

Date	Request ID	User principal name	Application	Status	IP address	Resource
2026-05-14T15:23:41Z	5204329-1ad1-402b-8854-aad8...	abbe33@int.zava-private...	Azure Portal	Failure	20.97.10.99	Microsoft Graph
2026-05-14T15:13:56Z	e4a68881-6e40-4a6b-b5ec-d39a...	u21834@int.zava-private...	Security Copilot Portal	Failure	20.236.10.66	Security Copilot
2026-05-14T15:13:45Z	5ad2f5c-d806-4d48-b139-cf43...	u21834@int.zava-private...	Security Copilot Portal	Failure	20.236.10.66	Security Copilot
2026-05-14T14:59:09Z	5438d0e-20c5-4790-867a-180c...	(PI Removed)		Failure	20.217.218.129	Azure DevOps
2026-05-14T14:51:02Z	458459e1-d43d-4019-a40f-7c3a...	gikh70@int.zava-private...	Microsoft Azure Signup ...	Failure	20.217.218.129	Microsoft Graph
2026-05-14T14:16:26Z	5f0e7b1-7905-44e1-b6dc-f005c...	mana51@int.zava-private...	Highlights	Failure	40.86.183.173	Microsoft Graph
2026-05-14T14:10:34Z	40483cd-4e40-4100-be75-235e...	mana51@int.zava-private...	Highlights	Failure	40.86.183.173	Microsoft Graph
2026-05-14T13:59:45Z	d451dfa7-4a00-4422-84d5-3a03...	kpa588@int.zava-private...	Azure Portal	Failure	40.69.22.128	Azure Resource
2026-05-14T12:27:51Z	56d40f67-2c17-493e-b00e-a008...	rsa307@int.zava-private...	Azure Portal	Failure	4.213.94.156	Azure Resource
2026-05-14T12:14:33Z	1948db3-b171-4342-8d31-208b...	bis668@int.zava-private...	Microsoft 365 Security a...	Failure	20.217.218.129	Windows Azure
2026-05-14T11:53:49Z	48979840-d3e3-4865-82dc-b817...	nte567@int.zava-private...	Microsoft Azure CLI	Failure	20.217.218.129	Microsoft Defend
2026-05-14T11:53:28Z	e3520265-02ba-4989-8ace-9f8a...	nte567@int.zava-private...	Microsoft Azure CLI	Failure	20.217.218.129	Microsoft Defend
2026-05-14T11:29:55Z	7c7193f-7ea8-461d-9f6a-93c64...	ste75@int.zava-private...	Microsoft Azure CLI	Failure	20.160.68.227	Microsoft Defend
2026-05-14T11:09:52Z	66587b7-4276-47d1-a6ea-2b88...	u20547@ops.zava-priv...	Microsoft Azure CLI	Failure	20.160.68.228	Azure Resource
2026-05-14T11:07:19Z	b108e477-2c92-4115-88d9-16cd...	aiw272@int.zava-private...	Visual Studio Code	Failure	20.217.218.129	OneCustomerVoi
2026-05-14T10:56:38Z	csad7480-0de2-4166-8ad8-3436...	pre384@int.zava-private...	Microsoft 365 Security a...	Failure	20.217.218.129	Windows Azure
2026-05-14T10:50:54Z	31595581-df79-434a-b3eb-ca55...	sst493@int.zava-private...	Azure DevOps	Failure	40.69.22.128	Azure DevOps
2026-05-14T10:31:56Z	af232296-4e63-45d8-b3eb-9eeb...	u22253@int.zava-private...	My Signins	Failure	4.194.122.170	Microsoft Graph
2026-05-14T10:12:33Z	aa55cbcc-3de9-4d42-93bc-6074...	u21947@int.zava-private...	Security Copilot	Failure	40.69.22.128	Security Copilot
2026-05-14T10:12:15Z	78645709-4d47-41eb-ac72-d3d...	u21711@int.zava-private...	My Apps	Failure	40.69.22.128	Microsoft Graph
2026-05-14T09:55:59Z	489e199-3294-4125-9661-a4196...	u20682@int.zava-private...	Microsoft 365 Security a...	Failure	49.207.146.61	Windows Azure
2026-05-14T09:55:11Z	1ac843d5-054a-43b4-855e-e7ad...	u20682@int.zava-private...	Microsoft 365 Security a...	Failure	49.207.146.61	Windows Azure
2026-05-14T09:45:00Z	4bb0269-39ae-4882-bd34-9e14...	u18672@int.zava-private...	My Apps	Failure	40.69.22.128	Windows Azure

Health agent investigation results

AI-generated content may be incorrect. Check it for accuracy.

Summary

Failed interactive sign-in (requestId: e4a68881-6e40-4a6b-b5ec-d39a1a03a00) for user **Emin Meyer** (u21834@int.zava-private.com) against the **Security Copilot API** via the **Security Copilot Portal** from IP **20.236.10.66** (over Global Secure Access) was rejected with **error code 50126: InvalidUserNameOrPassword**. No Conditional Access policies were applied and no risk events were flagged.

Next Steps

- Instruct the user to:
 - Verify they are typing the correct UPN (u21834@int.zava-private.com).
 - Check for common typing issues (Caps Lock, keyboard layout).
 - If they've recently changed their password, wait for Password Hash Synchronization to complete or perform a manual sync.
- Reset the password
 - Use self-service password reset or have an administrator reset it in the Entra admin center.
 - Ensure the user signs out of all sessions and signs back in with the new credentials.
- Implement security enhancements:
 - Enable self-service password reset to reduce support load and improve user experience.
 - Apply a Conditional Access policy requiring compliant or hybrid-joined devices for sign-in to enforce managed and secured endpoints.
 - Enforce Multi-Factor Authentication (MFA) to protect against credential theft.
- Monitor for repeated failures:
 - Configure account lockout thresholds to block rapid, repeated invalid attempts (mitigates brute-force attacks).
 - Review sign-in logs for spikes of 50126 failures across users or IPs.

Root Cause Details

- Error code 50126** corresponds to "InvalidUserNameOrPassword" indicating the credentials supplied did not match any account in the tenant.
- The user authenticated via **Password in the cloud** and failed at the first authentication step.
- Global Secure Access** tunnel (corporate VPN networks "Woodgrove NOAM" and "CORP AZVPN") was used, but no Conditional Access policy was triggered. The device was **unmanaged** and **non-compliant**, which

Exercise 1d: Complex multi-step prompts

Address your complex tasks, by using Copilot to fetch information from multiple queries.

1. Try out a few of the below prompts:

a. Show me the risky users that registered a new Authentication Method in the past 14 days.

The screenshot shows the Copilot interface with a prompt: "Show me the risky users that registered a new Authentication Method in the past 14 days." The response lists three risky users in a table.

Here are the risky users in your tenant who have registered a new authentication method in the past 14 days:

User Display Name	User Principal Name	Risk Level	Risk State
Eugenia Lopez	eulo56@woodgrove.ms	High	At Risk
Vanhi Nafisa	vna548@woodgrove.ms	Low	At Risk
Braden Goudy (Corp)	bragou@woodgrove.ms	Low	At Risk

Details about the specific authentication methods registered and their registration dates are not available. This table lists 3 risky users identified in the past 14 days.

b. Which Auth methods were recently registered by risky users in my tenant?

The screenshot shows the 'Authentication methods' page for user 'Eugenia Lopez'. The left sidebar contains navigation links: Overview, Audit logs, Sign-in logs, Diagnose and solve problems, Custom security attributes, Assigned roles, Administrative units, Groups, Applications, Licenses, Devices, Azure role assignments, Authentication methods (selected), and New support request.

The main content area shows the 'Authentication methods' for 'Eugenia Lopez'. It includes a search bar, 'Add authentication method', and 'Reset password' links. Below this, there are sections for 'Default sign-in method (Preview)', 'Usable authentication methods', 'Non-usable authentication methods', and 'System preferred multifactor authentication method'.

The 'Usable authentication methods' section contains a table with the following data:

Authentication method	Detail
Passkey	Authenticator: Default Profile
Microsoft Authenticator	SM-S916U1

The 'Non-usable authentication methods' section contains a table with the following data:

Authentication method	Detail
Temporary Access Pass	One time used

The 'System preferred multifactor authentication method' section contains a table with the following data:

Feature status	System preferred MFA method
Enabled	Fido2

The Copilot sidebar on the right provides a summary of the user's authentication methods and risk level. It includes a search bar, 'Display all disabled user accounts in my tenant', 'Troubleshoot', 'Learn', and a table titled 'Which Auth methods were recently registered by risky users in my tenant?'. The table shows the following data:

User	Risk Level	Risk State	Registered / Methods
Eugenia Lopez	high	atRisk	passKeyDev, authenticator, microsoftAu, Push, softwareOn de

Below the table, there are buttons for 'Show risk history for Eugenia Lopez', 'Show current risk level for Eugenia Lopez', 'List authentication-method registrations for Eugenia Lopez', 'Show sign-in activity for Eugenia Lopez', and 'List risky users'. At the bottom, there is a prompt: 'Ask a question, search for info, or get help with a task in Security...'

Exercise 1e: Ambiguous prompts

Copilot can now resolve ambiguity, by asking you for clarification, if it finds multiple matches.

1. Try out a few of the below prompts:
 - a. *Show me the last sign-in for San*

The screenshot shows the 'Authentication methods' page for user 'Eugenia Lopez'. The left sidebar contains navigation links: Overview, Audit logs, Sign-in logs, Diagnose and solve problems, Custom security attributes, Assigned roles, Administrative units, Groups, Applications, Licenses, Devices, Azure role assignments, Authentication methods (selected), and New support request.

The main content area shows the 'Authentication methods' for 'Eugenia Lopez'. It includes a search bar, 'Add authentication method', and 'Reset password' links. Below this, there are sections for 'Default sign-in method (Preview)', 'Usable authentication methods', 'Non-usable authentication methods', and 'System preferred multifactor authentication method'.

The 'Usable authentication methods' section contains a table with the following data:

Authentication method	Detail
Passkey	Authenticator: Default Profile
Microsoft Authenticator	SM-S916U1

The 'Non-usable authentication methods' section contains a table with the following data:

Authentication method	Detail
Temporary Access Pass	One time used

The 'System preferred multifactor authentication method' section contains a table with the following data:

Feature status	System preferred MFA method
Enabled	Fido2

The Copilot sidebar on the right provides a summary of the user's authentication methods and risk level. It includes a search bar, 'Display all disabled user accounts in my tenant', 'Troubleshoot', 'Learn', and a table titled 'Which Auth methods were recently registered by risky users in my tenant?'. The table shows the following data:

User	Risk Level	Risk State	Registered / Methods
Eugenia Lopez	high	atRisk	passKeyDev, authenticator, microsoftAu, Push, softwareOn de

Below the table, there are buttons for 'Show risk history for Eugenia Lopez', 'Show current risk level for Eugenia Lopez', 'List authentication-method registrations for Eugenia Lopez', 'Show sign-in activity for Eugenia Lopez', and 'List risky users'. At the bottom, there is a prompt: 'Ask a question, search for info, or get help with a task in Security...'

Exercise 1f: Write actions for Copilot in Entra

Admins can now perform write actions directly from chat, like elevating JIT access without having to leave the Entra Copilot experience to gather context for making the right decision.

Every write action is validated, confirmed, RBAC-enforced, and audit-logged. Intelligent rollback and role elevation ensure least-privilege access with full traceability.

1. Try out a few of the below prompts (make sure you don't have an active role assigned):
 - a. *List User sign-ins that failed in the last 24 hours*

My roles | Microsoft Entra roles

Privileged Identity Management | My roles

Activate

Microsoft Entra roles

Groups

Azure resources

Troubleshooting + Support

Troubleshoot

New support request

Eligible assignments

Active assignments

Expired assignments

Search by role

Role	Scope	Membership	End time	Action
Security Reader	Directory	Direct	Permanent	Activate
Identity Governance Administrator	Directory	Direct	Permanent	Activate
Reports Reader	Directory	Direct	Permanent	Activate
Authentication Policy Administrator	Directory	Direct	Permanent	Activate

Copilot

Select one of the suggestions below to get started.

Summarize
Show all the audit logs from the last day

Analyze
List all the groups I am a member of

Troubleshoot
List user sign-ins that failed in the last 24 hours

Learn
How does Microsoft determine Risky Users?

List user sign-ins that failed in the last 24 hours

Copilot AI-generated content may be incorrect. Check it for accuracy.

You do not currently have sufficient permissions to view this information. To proceed, activate the eligible role assignment below, and then retry your request.

Here is the request I'm submitting

User: Mamta

Role: Security Reader

Start time (UTC): 2025-11-11T20:07

Duration: 4 hours

Reason: Performing task using Entra Copilot: List user sign-ins that failed in the last 24 hours

Activate role Cancel

Ask a question, search for info, or get help with a task in Security...

My roles | Microsoft Entra roles

Privileged Identity Management | My roles

Activate

Microsoft Entra roles

Groups

Azure resources

Troubleshooting + Support

Troubleshoot

New support request

Eligible assignments

Active assignments

Expired assignments

Search by role

Role	Scope	Membership	End time	Action
Security Reader	Directory	Direct	Permanent	Activate
Identity Governance Administrator	Directory	Direct	Permanent	Activate
Reports Reader	Directory	Direct	Permanent	Activate
Authentication Policy Administrator	Directory	Direct	Permanent	Activate

Copilot

App: Azure Portal
Time: 2025-11-11T18:37
Status: Error 50207
Reason: Native broker configuration interrupt during login.
3. requestId: ae28dcac-690f-4d2b-abb4-431f95e95300
User: Ravindra (ravindra@xtaite10.onmicrosoft.com)
App: Azure DevOps
Time: 2025-11-11T01:42
Status: Error 500121
Reason: Authentication failed during strong authentication (MFA not completed).
4. requestId: 03190d8c-86f0-464f-a44b-8425fa171d00
User: Nikhil (nikhil@xtaite10.onmicrosoft.com)
App: Azure Portal
Time: 2025-11-10T21:07
Status: Error 50142
Reason: Password change required due to conditional access policy.

Verify this data at [Entra admin center](#)
This summary covers 4 failed sign-in events from 2025-11-10T21:07 to 2025-11-11T19:46.

Please deactivate my Reports Reader role in Microsoft Entra roles

Copilot AI-generated content may be incorrect. Check it for accuracy.

Here is the request I'm submitting

User: Mamta

Role: Reports Reader

Reason: Entra Copilot deactivate Reports Reader

Deactivate Role Cancel

Ask a question, search for info, or get help with a task in Security...

b. Summarize blocked traffic and explain why it was blocked

Kajari Burkitbaikyzy | Assigned roles

Search: « + Add assignments Refresh Got feedback?

Overview
Audit logs
Sign-in logs
Diagnose and solve problems
Custom security attributes
Assigned roles
Administrative units
Groups
Applications
Licenses
Devices
Azure role assignments
Authentication methods
New support request

Eligible assignments Active assignments Expired assignments

Search by role

Role	Principal name	Scope	Membership	Start time	End time
Lifecycle Workflows ...	kabu39@int.zava-pri...	Directory	Direct	17/09/2024, 9:38:47 ...	Permanent
Attribute Definition ...	kabu39@int.zava-pri...	Directory	Direct	10/05/2024, 12:21:31...	Permanent
Security Reader	kabu39@int.zava-pri...	Directory	Direct	17/12/2025, 11:05:46...	Permanent
Identity Governance ...	kabu39@int.zava-pri...	Directory	Direct	08/08/2024, 2:02:06 ...	Permanent

Copilot AI-generated content may be incorrect. Check it for accuracy.

You do not currently have sufficient permissions to view this information. To proceed, activate the eligible role assignment below, and then retry your request.

Here is the request I'm submitting

User: Kajari Burkitbaikyzy

Role: Security Reader

Start time (UTC): 2026-03-19T01:56

Duration: 4 hours

Reason: Performing task using Entra Copilot: Retrieve the most recent blocked traffic logs with policy and threat details to summarize reasons for blocking.

Activate role Cancel

Microsoft Entra ID Protection scenarios (10mins)

Microsoft Entra ID Protection focuses on identity risk detection and remediation. Security Copilot provides AI-powered insights for:

Risky user investigation: Summarize user risk levels and provide remediation recommendations

Application risk assessment: Analyze workload identities and application permissions

Prerequisites


Scenario	Role(s)	License	Tenant
Risky users	Security Reader	Microsoft Entra ID P2 license	Any
Application risk	Application Administrator Cloud Application Administrator	Workload Identity Premium or Microsoft Entra ID P2 license	Any with Risky Service Principal prompts

[Microsoft Security Copilot scenarios in Microsoft Entra ID Protection | Microsoft Learn](#)


Exercise 2a: Risky User Summarization

Risky user summarization provides admins and responders quick access to the most critical information in context to aid their investigation.

1. Go to the **Entra portal** (<https://entra.microsoft.com/>) and sign in with your credentials.
2. Scroll down on the left-hand nav bar, expand “Protection” and then click on “**Risky Users**”



- Click on a user from the list to see risky summary by Copilot > Click **Generate** button



Note: If no user is available, adjust the Risky Level filter to include Low Risk.

- Copilot will return an analysis of what happened, and how best to mitigate and remedy the situation.

Exercise 2b: Risky User Investigation

In this exercise you will learn how to identify and investigate risky users using Microsoft Entra.

- Try out a few of the below prompts:
 - Provide a count of all risky users.
 - List all users currently flagged as risky.
 - Tell me more about user <UPN> / <Email Address>
 - Tell me about <User> recent sign ins
 - What authentication methods are set up for the above user?

- f. *Did the above user have any failed sign-ins during the last 14 days? If yes, list the location and IP address of each failed sign-in attempt.*
- g. *Show audit logs for the above user for the last 14 days.*

Using Security Copilot, you gathered comprehensive information about the user, including sign-in activities, audit logs, and risky user detections.

After completing your investigation, a Tier 2 analyst needs to take action to remediate or unblock the risky user.

2. In the same session, Try:

- a. **Write a report** based on this investigation. Provide your assessment of the user's risk level with supporting evidence and confidence level. List the most notable facts from this session as bullet points, along with supporting reasons. The audience is a Tier 2 SOC analyst who needs to take action to remediate or unblock the risky user. Include recommendations on how to proceed with user risk remediation in Entra


Exercise 2c: Application Risk Investigation

Identity administrators and security analysts can use Microsoft Security Copilot to quickly assess the risk level of applications from workload identities. [Investigate app risk using Microsoft Security Copilot | Microsoft Learn](#)

1. Go to the Entra portal (<https://entra.microsoft.com/>) and sign in with your credentials.
2. Got to Enterprise Apps




3. Click on the top right side of the portal.



Notice how the starter prompts adapt depending on where in the Entra portal you have started your session.

4. Try out a few of the below prompts

- a. *Show me stale or unused apps*
- b. *Show me apps outside my tenant.*
- c. *Which permissions granted to this app are highly privileged?*
- d. *How many apps are from outside my tenant?*
- e. *Show me risky apps.*
- f. *List the apps with Risk State "Confirmed compromise".*
- g. *Give me a list of owners for these apps*



Microsoft Entra ID Governance scenarios (10 mins)

Microsoft Entra ID Governance helps you manage identity lifecycle and access governance at scale. Security Copilot enhances these capabilities for:

- **Access reviews:** Analyze access review data and decision patterns
- **Entitlement management:** Manage access packages and connected organizations
- **Privileged Identity Management:** Monitor privileged access and role assignments
- **Lifecycle workflows:** Configure and troubleshoot employee lifecycle automation


[Microsoft Security Copilot scenarios in Microsoft Entra ID Governance](#) | [Microsoft Learn](#)

Exercise 3a: Governance and optimization

Implement comprehensive governance and continuously optimize their Microsoft Entra environment using natural language queries.

1. Try out a few of the below prompts
 - a. *Show me the top 10 pending access reviews.*
 - b. *Who are the configured reviewers for the <Insert Access Review Title> review?*
 - c. *How many catalogs are in the tenant?*
 - d. *Find all access packages where the name contains "Sales"?*
 - e. *What access package assignments does <Insert User Display Name> have?*

f. *Who are the sponsors for connected organization <Insert Name>?*



Exercise 3b: Lifecycle Workflows


Prerequisites

Scenario	Role	License	Tenant
Access reviews	Identity Governance Administrator	Microsoft Entra ID P2 license	Any with access reviews configured
Entitlement management	Identity Governance Administrator	Microsoft Entra ID P2 license	Any with entitlement management configured
Privileged Identity Management (PIM)	Security Administrator Global Reader Security Reader	Microsoft Entra ID P2 license	Any with PIM configured
Lifecycle workflows	Lifecycle Workflows Administrator	Microsoft Entra ID Governance license	Any with lifecycle workflows configured

[Microsoft Security Copilot scenarios in Microsoft Entra ID Governance](#) | [Microsoft Learn](#)

Customize workflows more efficiently using natural language to configure workflow information including custom tasks, execute workflows, and get workflow insights.

1. Try out a few of the below prompts
 - a. *List all lifecycle workflows in my tenant*
 - b. *List all disabled lifecycle workflows in my tenant.*
 - c. *Which users failed to be processed by this workflow in the last 7 days?*
 - d. *Which tasks failed the most in the last 30 days?*
 - e. *9 in the last 7 days?*



Microsoft Entra Internet Access and Private Access scenarios (5 mins)

Investigate and monitor network traffic usage and behavior using natural language queries. You can analyze user, device, and branch network usage, identify network issues, and detect threats or policy violations in real time. As a result, your investigation process is streamlined and more effective.

Prerequisites

Scenario	Role(s)	License	Tenant
Global Secure Access	Security Administrator Global Reader Global Secure Access Administrator Global Secure Access Log Reader	Microsoft Entra ID P1 or P2 license Entra Private Access License (for private access traffic) Entra Internet Access License (for general internet traffic outside Microsoft services)	Global Secure Access configured

[Microsoft Security Copilot scenarios in Microsoft Entra Internet and Private Access | Microsoft Learn](#)

Exercise 4a: Monitor and investigate

- Try out a few of the below prompts
 - Summarize blocked traffic and explain why it was blocked
 - Show the top 5 users with the highest data consumption in the last day.
 - List the top 10 accessed applications names in the last week based on network traffic logs.
 - List all applications with high-risk scores accessed in the last 24 hours based on network traffic logs.
 - List all applications names that user <Insert user UPN> has accessed in the last 24 hours based on network traffic logs.
 - Show all cross-tenant traffic to tenant <Insert Tenant GUID> in the last 7 days based on network traffic logs.

Show the top 5 users with the highest data consumption in the last day.

Copilot

AI-generated content may be incorrect. Check it for accuracy.

Here are the top 5 users with the highest data consumption (sent bytes) in the last day:

User	Sent Bytes	Received Bytes	Destination
vima@Woodgrove.net	1,139,062	7,605	eastus2-shared.prod.warm.inges t.monitor.core.windows. net
mais19@woodgrove.ms	1,135,661	7,734	eastus2-shared.prod.warm.inges t.monitor.core.windows. net
mais19@woodgrove.ms	949,519	8,153	browser.events.data.mic rosoft.com
mais19@woodgrove.ms	844,375	9,014	browser.events.data.mic rosoft.com
kan320@woodgrove.ms	706,058	9,399	us- v20.events.data.microso ft.com

◀ ▶

This table highlights the top 5 user traffic log entries by sent bytes over the last day.

Section 2: Entra Agent in Microsoft Entra

Exercise 5: Conditional Access Optimization Agent (20mins)

In this exercise, you will learn how the Microsoft Entra Conditional Access (CA) Optimization Agent works, review its suggestions, analyze activity logs, and explore settings (without making changes). This agent helps ensure that all users and applications are protected by Conditional Access policies by recommending changes aligned with Microsoft Zero Trust best practices.

[Microsoft Entra Conditional Access optimization agent - Microsoft Entra ID | Microsoft Learn](#)

Prerequisites

- You must have at least the [Microsoft Entra ID P1](#) license.
- You must have available [security compute units \(SCU\)](#).
 - On average, each agent run consumes less than one SCU.
- You must have the appropriate Microsoft Entra role.
 - [Security Administrator](#) is required to *activate the agent the first time*.
 - [Security Reader](#) and [Global Reader](#) roles can *view the agent and any suggestions, but can't take any actions*.
 - [Conditional Access Administrator](#) and [Security Administrator](#) roles can *view the agent and take action on the suggestions*.
 - You can assign [Conditional Access Administrators](#) with Security Copilot access, which gives your Conditional Access Administrators the ability to use the agent as well.
 - For more information, see [Assign Security Copilot access](#).
- Device-based controls require [Microsoft Intune licenses](#).

Locate the Agent overview

1. Sign in to the Microsoft Entra admin center (<https://entra.microsoft.com/>) using your credentials.
2. Select **Agents** from the left navigation menu and then press **View details**



b.

3. The Agent **Overview** pane provides a holistic view, showing whether the agent is active, listing suggestions for your review based on scans of new users and applications added in the last 24 hours, and highlighting recent activity performed by the agent.

Home > Security Copilot agents > Conditional Access Optimization Agent > Security Copilot agents >

Conditional Access Optimization Agent

Agent is active
Agent finished running on August 11, 2025 at 4:15 AM. [View run](#)
The agent is next scheduled to run on August 12, 2025 at 4:13 AM

About this agent
The agent scans all new users and apps added in the last 24 hours to assess their applicability to Conditional Access policies enforcing multifactor authentication, device compliance, and blocking legacy authentication and device code flow. It reviews existing enabled policies to suggest consolidations, recommends changes aligned with Zero Trust best practices, and creates new policies in report-only mode. The agent will not add new users to existing policies or turn on new policies without your approval. [Learn more about this agent.](#)

Products
Conditional Access

Plugins
Microsoft Entra

Recent suggestions AI-generated content may be incorrect. Check it for accuracy. [View all](#)
View the agent's suggestions about policy updates and new policies that were created in report-only mode.

Suggested next steps	Actions taken by agent	Time generated ↓	Status	
Add 1 user to existing policy Require password change on Risky Sign-in.	Suggested policy update	8/11/25, 4:15:12 AM	☐ Not applied	Review suggestion
Add 1 user to existing policy CA20 – Requires MFA for Financial Apps for High, Medium, Low sign-in risk users.	Suggested policy update	8/11/25, 4:15:12 AM	☐ Not applied	Review suggestion
Add 1 user to existing policy DemoUsers restriction.	Suggested policy update	8/11/25, 4:15:12 AM	☐ Not applied	Review suggestion
Add 1 user to existing policy Microsoft Security Experts-Require MFA for Trusted Locations-DO NOT DELETE.	Suggested policy update	8/11/25, 4:15:12 AM	☐ Not applied	Review suggestion
Add 1 user to existing policy Require password change on Risky Sign-in.	Suggested policy update	8/9/25, 4:15:24 AM	☐ Not applied	Review suggestion
Add 1 user to existing policy CA20 – Requires MFA for Financial Apps for High, Medium, Low sign-in risk users.	Suggested policy update	8/9/25, 4:15:24 AM	☐ Not applied	Review suggestion
Add 1 user to existing policy DemoUsers restriction.	Suggested policy update	8/9/25, 4:15:24 AM	☐ Not applied	Review suggestion
Add 1 user to existing policy Microsoft Security Experts-Require MFA for Trusted Locations-DO NOT DELETE.	Suggested policy update	8/9/25, 4:15:23 AM	☐ Not applied	Review suggestion

Recent activity [View all](#)
Review the agent's latest activity.

Run started ↓	Run duration	Suggestions	Status	
8/11/25, 4:14:47 AM	00:01:03	4 suggestions	☒ Complete	View activity
8/10/25, 4:14:48 AM	00:01:04	0 suggestions	☒ Complete	View activity
8/9/25, 4:14:48 AM	00:01:04	4 suggestions	☒ Complete	View activity
8/8/25, 4:14:50 AM	00:01:03	4 suggestions	☒ Complete	View activity
8/7/25, 4:14:48 AM	00:01:05	4 suggestions	☒ Complete	View activity

Review Suggestions from the Agent

1. From the top menu, select the **Suggestions** tab. This page lists all current recommendations generated by the agent.

Home > Security Copilot agents > Conditional Access Optimization Agent > Security Copilot agents >

Conditional Access Optimization Agent

Run agent Remove agent Give Microsoft feedback


Overview Activities **Suggestions** Settings

Suggested next steps	Actions taken by agent	Time generated ↓	Status	
Add 1 user to existing policy Require password change on Risky Sign-in.	Suggested policy update	8/11/25, 4:15:12 AM	☐ Not applied	Review suggestion
Add 1 user to existing policy CA20 – Requires MFA for Financial Apps for High, Medium, Low sign-in risk users.	Suggested policy update	8/11/25, 4:15:12 AM	☐ Not applied	Review suggestion
Add 1 user to existing policy DemoUsers restriction.	Suggested policy update	8/11/25, 4:15:12 AM	☐ Not applied	Review suggestion
Add 1 user to existing policy Microsoft Security Experts-Require MFA for Trusted Locations-DO NOT DELETE.	Suggested policy update	8/11/25, 4:15:12 AM	☐ Not applied	Review suggestion
Add 1 user to existing policy Require password change on Risky Sign-in.	Suggested policy update	8/9/25, 4:15:24 AM	☐ Not applied	Review suggestion
Add 1 user to existing policy CA20 – Requires MFA for Financial Apps for High, Medium, Low sign-in risk users.	Suggested policy update	8/9/25, 4:15:24 AM	☐ Not applied	Review suggestion
Add 1 user to existing policy DemoUsers restriction.	Suggested policy update	8/9/25, 4:15:24 AM	☐ Not applied	Review suggestion
Add 1 user to existing policy Microsoft Security Experts-Require MFA for Trusted Locations-DO NOT DELETE.	Suggested policy update	8/9/25, 4:15:23 AM	☐ Not applied	Review suggestion
Add 7 users to existing policy Require password change on Risky Sign-in.	Suggested policy update	8/8/25, 4:15:14 AM	☐ Not applied	Review suggestion
Add 7 users to existing policy CA20 – Requires MFA for Financial Apps for High, Medium, Low sign-in risk users.	Suggested policy update	8/8/25, 4:15:14 AM	☐ Not applied	Review suggestion
Add 7 users to existing policy DemoUsers restriction.	Suggested policy update	8/8/25, 4:15:13 AM	☐ Not applied	Review suggestion
Add 7 users to existing policy Microsoft Security Experts-Require MFA for Trusted Locations-DO NOT DELETE.	Suggested policy update	8/8/25, 4:15:13 AM	☐ Not applied	Review suggestion

a.

- From the list, choose a suggestion relevant to your environment (e.g., *Add 1 user to existing policy Require password change on Risky Sign-in.*) by selecting **Review suggestion**.

The actual suggestion you see may differ based on your tenant's configuration and findings, but the process of accessing and exploring them remains the same.




3. Notice the **State** field, which indicates **Report-only** meaning the policy is evaluated but not enforced.

The agent does not make any changes to existing policies unless a suggestion is explicitly approved by an administrator, and all new policies it suggests are created in report-only mode.


4. To view the recommended Conditional Access policy changes, select **Review policy changes**. This opens a pane showing the specific updates proposed by the agent.

*You will not make any changes in this exercise, but the option **Approve suggested changes** is available to administrators.*



Analyze Agent Activity

1. Return to the Overview tab in the Conditional Access Optimization Agent blade to begin this next exercise.



2. To view a detailed summary of the agent's activity and understand how it generated the suggestion, select **View agent's full activity**.

This report highlights policy drift or gaps in coverage for users and applications and identifies policies that could be merged or consolidated.

Require password change on Risky Sign-in

[Policy details](#) [Policy impact](#)

[Edit](#) [Duplicate](#) [Download JSON](#) [Delete](#)

Add 1 user to existing policy Require password change on Risky Sign-in. Conditional Access Optimization Agent

The agent found 1 user that is not in scope of the existing enabled policy **Require password change on Risky Sign-in**, which already requires password change for high risk users. It is recommended to include this user to ensure consistent enforcement.

User impact

This policy requires users identified as high risk to change their password and complete multifactor authentication, reducing the risk of account compromise.

[Apply suggestion](#) [Review policy changes](#)

[View agent's full activity](#)

AI-generated content may be incorrect. Check it for accuracy.

Policy details

Name Require password change on Risky Sign-in	
State Report-only (policy is evaluated but not enforced)	Created by USER
Excluded identities 1 user, 3 groups, 0 roles	Included cloud apps All apps
Requirements for access Require password change	Created date 10/4/24, 1:05:22 PM

- On the **Agent activity** page, on the left-hand side, you will see a summary of the agent's activity, including details such as the run date and time, execution information, and related policy update suggestions.

The page also highlights the existing policies reviewed by the agent, with its findings presented in bullet points along with brief descriptions.

Home > Conditional Access Optimization Agent >

8/11/2025, 4:14 AM ...

Agent activity

Summary of agent activity [icon]

Conditional Access Optimization agent scanned the Zava tenant starting on August 11, 2025 at 4:14:50 AM CDT. The agent completed run on August 11, 2025 at 4:15:13 AM CDT and identified 1 new user and 1 new application were added in the last 24 hours. The agent generated 0 new policies in report-only mode and **4 policy update suggestions** based on Zero Trust best practices for your review.

The agent also reviewed **all 35 existing CA policies** and found no overlapping scopes that warranted consolidation at this time.


The agent found:

- 1 new user unprotected by your tenant's Conditional Access policies.
- No new applications unprotected.

AI-generated content may be incorrect. Verify it for accuracy. [thumbs up] [thumbs down]

4. Next to the **Summary of agent activity** is the **Agent activity map** on the **Agent activity** page which outlines each step the agent performed and its outcomes in a workflow-style chart.

Illustrating the process and helping you understand the rationale behind the suggestion, so you are better informed.




Exploring Agent Settings


The CA optimization agent includes several settings that can be used to adjust its behavior, which you will explore next. No changes will be made to these settings in this exercise.

1. From the top pane, select the **Settings** option. This page contains various configuration options, explained below.

Keep in mind that new agent settings are continually being added, so your view may differ slightly.



2. **Trigger:** By default, the agent runs every 24 hours.




This setting can be adjusted to disable the automatic schedule and allow the agent to run only on demand.

3. **Agent capabilities:** Controls whether the agent can automatically create new Conditional Access policies in report-only mode when it identifies suggestions, allowing impact assessment before enforcement.



4. **Microsoft Entra objects to monitor:**




- a. *This setting specifies what the agent focuses on by selecting specific object types or both. It can be configured to monitor only newly created user accounts, only newly registered applications, or both*

Disabling autonomous creation will keep the agent in an advisory role, providing recommendations without creating any policies in report-only mode.


5. **Phased rollout (preview):** Describes the agent's ability to deploy Conditional Access policies gradually, starting with lower-impact groups and progressing to higher-impact ones over multiple phases.



6. **Notifications:** When this setting is enabled, the selected users and groups will receive notifications each time new suggestions are available.



7. **Identity and permissions/Role-based access:** Explains the access the agent requires, how it uses the signed-in user's identity to operate, and which roles are authorized to manage it after deployment.



8. **Custom Instructions:** Tailor the agent's behavior by specifying which users, groups, or roles to include or exclude, and by adding exceptions for certain policy types such as MFA.

It also supports using validated object IDs for precise targeting, enabling more tailored and accurate policy recommendations. More information is available in

this [document](#).

Custom Instructions (optional)

Help the agent tailor its output to your organization's needs

Custom Instructions (optional)

Help the agent tailor its output to your organization's needs. [Learn more about custom instructions.](#)

Agent's interpretation of instructions

There are currently no custom instructions given to the agent.

Edit instructions

Delete instructions

Conditional Access Optimization Agent Knowledge Base (Preview)

Enables you to tailor Conditional Access recommendations to your organization's standards. By uploading a document that defines your policy naming conventions, persona-based policies, and breakglass exclusions, the agent incorporates your internal governance patterns—producing more accurate, context-aware recommendations aligned with how Conditional Access is managed in your tenant. More information is available [here](#).

Note: You will have to create a doc that is personalized to your tenant (for example, if the doc says "always exclude breakglassaccount123@contoso.com" that user needs to exist in your tenant).



Conditional-Access-K
nowledge-Base-templ

Please find an example doc for you to get started.

Conditional Access Optimization Agent

Analyze my tenant

Remove agent

Chat with agent

Give Microsoft feedback

Overview

Activities

Suggestions

Reporting (Preview)

Settings

Trigger

Capabilities

Notifications

Knowledge sources

Plugins

Permissions

Users

Knowledge sources

Files (Preview)

Upload

Download file template

Custom Instructions (optional)

Help the agent tailor its output to your organization's needs. [Learn more about custom instructions.](#)

Agent's interpretation of instructions

There are currently no custom instructions given to the agent.


Edit instructions

Delete instructions

Page | 30


Section 3: Open chat experience in Security Copilot Standalone (5 mins)

1. Go to [Microsoft Security Copilot](https://securitycopilot.microsoft.com/) (<https://securitycopilot.microsoft.com/>)
2. In the “Prompts to try”, to filter to Entra prompts, under Role, Select **Identity Administrator**.




Try out a few prompts by clicking on them.


3. In the **Prompt bar** at the bottom, try out a few additional prompts
 - a. *How many users failed sign-in during the past 24 hours*



- b. *List the authentication methods for user <User Display Name>*



- c. Expand the chevron to review the MS-Graph query.



4. **Promptbooks** - Security Copilot comes with prebuilt promptbooks, a series of prompts that have been put together to accomplish specific security-related tasks. [Use promptbooks in Microsoft Security Copilot | Microsoft Learn](#)

- a. Try out: **Microsoft User analysis**

Microsoft User Analysis Submit

Get detailed analysis on any user, including their Intune managed devices, authentication me...

User_UPN

duration

- 1 Tell me more about <User_UPN>?
- 2 What devices are associated with the above user?
- 3 Show me the last login for the above user during the last <duration>.
- 4 What authentication methods are set up for the above user?
- 5 Did the above user have any failed sign-ins during the last <duration>? If yes, list the location and IP address of each failed sign-attempt.
- 6 Show audit logs for the above user in the last <duration>
- 7 From Purview, list the activities performed by above user in the last <duration>
- 8 Show Defender identity summary for the above user.