

# RaincloudPlots

Marie Mückstein

29 6 2021

## Create Raincloud Plots

Plots and functions are based on the following scripts: [https://github.com/RainCloudPlots/RainCloudPlots/tree/master/tutorial\\_R](https://github.com/RainCloudPlots/RainCloudPlots/tree/master/tutorial_R)

Plots can be view in “figure” folder or in the pdf file.

### 1. Load specific package versions

```
renv::restore()
```

```
## * The library is already synchronized with the lockfile.
```

### 2. Load Raincloud File

```
source(here("R-Function", "R_rainclouds.R"))
source(here("R-Function", "summarySE.R"))
```

### 3. Load and prepare data

```
data <-
  read.table(here("data", "PMF03_performance.csv"),
             sep = ";",
             header = T) %>%
  mutate_if(is.character, as.factor) %>%
  mutate(
    timepoint = fct_recode(timepoint, "Pre" = "pre", "Post" = "post"),
    timepoint = fct_relevel(timepoint, c("Pre", "Post")),
    mapping = fct_recode(mapping, "compatible" = "comp", "incompatible" = "incomp")
  )
head(data)
```

```
##   timepoint subjectID   mapping   condition   Sex AgeToday pHit.pFa_DT
## 1      Post        101 compatible compInterv diverse      30      0.9500
## 2      Post        101 incompatible compInterv diverse      30      0.8750
## 3      Post        102 compatible incompInterv   male      26      0.8275
## 4      Post        102 incompatible incompInterv   male      26      0.7875
## 5      Post        103 compatible compInterv  female      26      0.7500
## 6      Post        103 incompatible compInterv  female      26      0.3900
##   pHit.pFa_ST
## 1      1.0000
## 2      0.9750
## 3      0.9625
```

```
## 4      0.8500
## 5      0.9125
## 6      0.9250
```

```
str(data)
```

```
## 'data.frame':   180 obs. of  8 variables:
## $ timepoint   : Factor w/ 2 levels "Pre","Post": 2 2 2 2 2 2 2 2 2 ...
## $ subjectID   : int   101 101 102 102 103 103 104 104 105 105 ...
## $ mapping     : Factor w/ 2 levels "compatible","incompatible": 1 2 1 2 1 2 1 2 1 2 ...
## $ condition   : Factor w/ 3 levels "compInterv","incompInterv",...: 1 1 2 2 1 1 2 2 1 1 ...
## $ Sex         : Factor w/ 3 levels "diverse","female",...: 1 1 3 3 2 2 3 3 3 3 ...
## $ AgeToday    : int    30 30 26 26 26 26 22 22 22 22 ...
## $ pHit.pFa_DT: num   0.95 0.875 0.828 0.787 0.75 ...
## $ pHit.pFa_ST: num    1 0.975 0.963 0.85 0.912 ...
```

#### 4. Calculate group means

```
summaryDT <- summarySE(data, groupvars = c("timepoint", "mapping", "condition"), measurevar = "pHit.pFa_DT")
```

#### 5. Define Raincloud theme

```
raincloud_theme <- theme(
  text = element_text(size = 10),
  axis.title.x = element_text(size = 16),
  axis.title.y = element_text(size = 16),
  axis.text = element_text(size = 14),
  legend.title = element_text(size = 16),
  legend.text = element_text(size = 16),
  strip.text = element_text(size = 16),
  legend.position = "right",
  plot.title = element_text(
    lineheight = .8,
    face = "bold",
    size = 16
  ),
  panel.border = element_blank(),
  panel.grid.minor = element_blank(),
  panel.grid.major = element_blank(),
  axis.line.x = element_line(
    colour = 'black',
    size = 0.5,
    linetype = 'solid'
  ),
  axis.line.y = element_line(
    colour = 'black',
    size = 0.5,
    linetype = 'solid'
  )
)
```


#### 6. Create Raincloud plots

Raincloud plot with distributions and boxplots

```

ggplot(data, aes(x = timepoint, y = pHit.pFa_DT, fill = mapping)) +
  geom_flat_violin(
    aes(fill = mapping),
    position = position_nudge(x = .15, y = 0),
    adjust = 1.5,
    trim = FALSE,
    alpha = .4,
    colour = NA,
    show.legend = FALSE
  ) +
  geom_point(
    aes(
      x = as.numeric(timepoint) + .25,
      y = pHit.pFa_DT,
      colour = mapping
    ),
    position = position_jitter(width = .05),
    size = 1.5,
    shape = 20,
    show.legend = FALSE
  ) +
  geom_boxplot(
    aes(x = timepoint, y = pHit.pFa_DT, fill = mapping),
    outlier.shape = NA,
    alpha = .7,
    width = .2,
    colour = "black"
  ) +
  facet_grid(. ~ condition) +
  scale_colour_manual(values = c("#005824", "#990000")) +
  scale_fill_manual(values = c("#005824", "#990000")) +
  labs(title = "Dual-task Performance for each Intervention Group and Mapping",
       subtitle = "Showing boxplot and distribution") +
  xlab("") +
  ylab("Performance p(hit)-p(fa)") +
  theme_classic() +
  raincloud_theme

```




Raincloud plot with distributions and means and standard errors

```
ggplot(data, aes(x = timepoint, y = pHit.pFa_DT, fill = mapping)) +
  geom_flat_violin(
    aes(fill = mapping),
    position = position_nudge(x = .1, y = 0),
    adjust = 1.5,
    trim = FALSE,
    alpha = .4,
    colour = NA,
    show.legend = FALSE
  ) +
  geom_point(
    aes(
      x = as.numeric(timepoint) + .2,
      y = pHit.pFa_DT,
      colour = mapping
    ),
    position = position_jitter(width = .05),
    size = 1.5,
    shape = 20,
    show.legend = FALSE
  ) +
  geom_line(
    data = summaryDT,
    aes(
      x = as.numeric(timepoint) - .1,
      y = pHit.pFa_DT_mean,
      group = mapping,
      colour = mapping
    ),
    linetype = 1,
  )
```

```

    size = 1
  ) +
  geom_point(
    data = summaryDT,
    aes(
      x = as.numeric(timepoint) - .1,
      y = pHit.pFa_DT_mean,
      group = mapping,
      colour = mapping
    ),
    shape = 18,
    size = 2
  ) +
  geom_errorbar(
    data = summaryDT,
    aes(
      x = as.numeric(timepoint) - .1,
      y = pHit.pFa_DT_mean,
      group = mapping,
      colour = mapping,
      ymin = pHit.pFa_DT_mean - se,
      ymax = pHit.pFa_DT_mean + se
    ),
    width = .05
  ) +
  facet_grid(. ~ condition) +
  scale_colour_manual(values = c("#005824", "#990000")) +
  scale_fill_manual(values = c("#005824", "#990000")) +
  labs(title = "Dual-task Performance for each Intervention Group and Mapping",
       subtitle = "Showing means, standard error and distribution") +
  xlab("") +
  ylab("Performance p(hit)-p(fa)") +
  theme_classic() +
  raincloud_theme

```



Raincloud plot with distributions and means and standard errors, with different positions and transparency values.

```
ggplot(data, aes(x = timepoint, y = pHit.pFa_DT, fill = mapping)) +
  geom_flat_violin(
    aes(fill = mapping),
    position = position_nudge(x = .1, y = 0),
    adjust = 1.5,
    trim = FALSE,
    alpha = .4,
    colour = NA
  ) +
  geom_point(
    aes(
      x = as.numeric(timepoint) - .2,
      y = pHit.pFa_DT,
      colour = mapping
    ),
    position = position_jitter(width = .05),
    size = 1,
    shape = 20,
    show.legend = FALSE,
    alpha = 0.4
  ) +
  geom_line(
    data = summaryDT,
    aes(
      x = as.numeric(timepoint),
      y = pHit.pFa_DT_mean,
      group = mapping,
      colour = mapping
    ),
  ),
```

```

    linetype = 3,
    size = 1
) +
geom_point(
  data = summaryDT,
  aes(
    x = as.numeric(timepoint),
    y = pHit.pFa_DT_mean,
    group = mapping,
    colour = mapping
  ),
  shape = 18,
  size = 2
) +
geom_errorbar(
  data = summaryDT,
  aes(
    x = as.numeric(timepoint),
    y = pHit.pFa_DT_mean,
    group = mapping,
    colour = mapping,
    ymin = pHit.pFa_DT_mean - se,
    ymax = pHit.pFa_DT_mean + se
  ),
  width = .05
) +
facet_grid(. ~ condition) +
scale_colour_manual(values = c("#005824", "#990000")) +
scale_fill_manual(values = c("#005824", "#990000")) +
labs(title = "Dual-task Performance for each Intervention Group and Mapping",
     subtitle = "Showing means, standard error and distribution") +
xlab("") +
ylab("Performance p(hit)-p(fa)") +
theme_classic() +
raincloud_theme

```

## Dual-task Performance for each Intervention Group and Mapping

Showing means, standard error and distribution

