

INTERNAL · DEV PREVIEW

ManaVidya UI

Local Setup Guide — get the frontend running on your machine

Version 1.0 · Vite + React 19 + TypeScript + MUI v9 + Framer Motion

1 Prerequisites

Install these before anything else:

Tool	Version	Check with
Node.js	20 LTS or newer (built & tested on 24.16.0)	<code>node -v</code>
npm	10 or newer (ships with Node)	<code>npm -v</code>

No database, backend server, or Docker needed to run the UI — it currently ships with a dev-only mock login, so it runs completely standalone.

2 Get the project open

The project already lives at:

```
F:\manaVidya\manaVidya-UI
```

Open a terminal there (PowerShell, Git Bash, or your IDE's integrated terminal):

```
cd F:\manaVidya\manaVidya-UI
```

If you're setting this up from a fresh clone of the repo instead, run the same command against wherever you cloned it.

3 Install dependencies

```
npm install
```

This installs React, MUI, Framer Motion, React Router, TanStack Query, Zustand, lucide-react, and the dev tooling (ESLint, Prettier, Husky). First install can take a minute or two.

4 Environment variables (optional)

A `.env` file already exists with a sensible default. If you ever need to recreate it, copy the example and adjust:

```
copy .env.example .env
```

Variable	Default	Used for
<code>VITE_API_URL</code>	<code>http://localhost:3000</code>	Base URL for the backend API (not required to run the UI today)

5 Start the dev server

```
npm run dev
```

Vite will print a local URL, typically:

```
Local:   http://localhost:5173/
```

If port 5173 is already in use, Vite automatically tries 5174, 5175, etc. — always use the exact URL printed in your terminal, not necessarily 5173.

Open that URL in your browser. Keep the terminal window open — closing it stops the server.

6 Using the app

1. The site opens on the **public landing page** — scroll down to play through the "Vidya Journey" animation (school gate → playground → classroom).
2. Click **Sign In** (or go to `/login`) to reach the **dev portal picker**.
3. Pick **Admin, Teacher, Parent, or Student** — there's no real backend auth yet, so this just drops you into that portal's dashboard with a mock account.
4. Inside a portal, use the sidebar to browse every page (Students, Timetable, Attendance, Assignments, etc.) — all populated with placeholder data.
5. The **avatar** at the bottom of the sidebar opens your profile page; the **bell icon** shows sample notifications; the **sun/moon button** toggles light/dark mode.
6. Admin and Teacher accounts can switch between portals from the Profile page (multi-role preview); Parent accounts can switch between linked children.

7 Other useful commands

Command	What it does
<code>npm run build</code>	Type-checks and produces a production build in <code>dist/</code>
<code>npm run preview</code>	Serves the production build locally to sanity-check it
<code>npm run lint</code>	Runs ESLint over the codebase
<code>npm run lint:fix</code>	Same, auto-fixing what it can
<code>npm run format</code>	Runs Prettier over <code>src/</code>

8 Troubleshooting

Blank page or a red error overlay in the browser — stop the server (`Ctrl+C`), delete `node_modules` , and reinstall:

```
rmdir /s /q node_modules
npm install
npm run dev
```

"Port already in use" — not an error; Vite just picks the next free port. Check the terminal output for the actual URL.

Changes not showing up — hard-refresh the browser (Ctrl+Shift+R); if that doesn't help, restart `npm run dev` .

This build has no real backend yet — refreshing the page resets your logged-in session (it's held in memory only), so you'll land back on the login picker. That's expected for now.