










# Station 4- MW01




IT2



RELEASED FOR FABRICATION

BY E. IBALIO DATE 27.02.23

LVL8  
LVL8  
LVL11  
LVL8  
LVL8  
LVL8  
GIB\_WL



STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
057	GIB_WL	1	GIB_WL	416	10	2400
059	GIB_WL	7	GIB_WL	1200	10	2400
561	GIB_WL	1	GIB_WL	902	10	2400



A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	DATE: 21/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 1872 kg	1 OF	













# Station 2-MW03



 CLEVER CORE

RELEASED FOR FABRICATION

BY . E. IBALIO DATE 27.02.23.



LVL11  
LVL8  
LVL8  
LVL8  
LVL8  
GIB\_FL

STATION 2 - Zone 6						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
129	GIB_FL	7	GIB_FL	1200	13	2400
189	GIB_FL	1	GIB_FL	500	13	2400
402	GIB_FL	1	GIB_FL	816	13	2400

STATION 2 - Zone 7						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
129	GIB_FL	7	GIB_FL	1200	13	2400
251	GIB_FL	1	GIB_FL	416	13	2400
470	GIB_FL	1	GIB_FL	900	13	2400



A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz


KO-D2M(R)  
WALLS

Client:	Clever Core	REV:	FC01	DATE:	1/02/2023
Drawn By:	A Bansal	SHEET:			
Group:	01_all_multiwalls	Weight:			
			1 OF		


L11



# Station 4- MW03



**CLEVER CORE**  
**RELEASED FOR FABRICATION**  
BY E. IBALIO DATE 27.02.23





LVL8  
LVL8  
LVL11  
LVL8  
LVL8  
GIB\_WL

STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
057	GIB_WL	1	GIB_WL	418	10	2400
059	GIB_WL	7	GIB_WL	1200	10	2400
561	GIB_WL	1	GIB_WL	902	10	2400



# Station 2-MW04




STATION 2 - Zone 6						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
063	GIB_BL	1	GIB_BL	1148	10	1200
067	GIB_BL	1	GIB_BL	596	10	1200
213	GIB_GS	1	GIB_GS	43	10	1200
289	GIB_GS	1	GIB_GS	3631	10	1200
376	GIB_GS	1	GIB_GS	1577	10	1200
380	GIB_BL	1	GIB_BL	596	10	1200
1244	GIB_BL	1	GIB_BL	1148	10	1200
1469	GIB_GS	1	GIB_GS	86	10	1200


STATION 2 - Zone 7

POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
--------	------	-----	----------	-------	--------	--------

  
RELEASED FOR FABRICATION  
BY E. IBALIO DATE 27.02.23.




# Station 3- MW04



Cad Number	RM Code	Supplier	Product	Qu...
41	RM000413	Hilti	6x160	37
38	RM000399	Spax	6x180	74
36	RM000378	Rothoblaas	9x160	7
25	RM000289	Simpson	SST SD...	31

LVL11  
LVL11  
LVL8  
LVL11  
LVL8  
LVL8  
STEEL  
LVL8  
LVL8  
LVL8  
LVL8



A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	17/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 544 kg	1 OF	

STATION 3 - Insulation  
POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH




# Station 1-MW05



## OFF-LINE WALL

Wall



Studs


X6



BLOCKING & JACK STUDS  
POSNUM NAME WIDTH HEIGHT LENGTH MATERIAL QTY

Cad Number	RM Code	Supplier	Product	*Qty
38	RM000399	Spax	6x180	3
41	RM000413	Hilti	6x160	3

LVL8  
LVL8  
LVL11  
LVL8  
LVL8



### FRAMING

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
209	Stud	45	90	2104	LVL8	1
3988	Stud	45	90	2267	LVL8	2
3995	Stud	45	90	2104	LVL8	1
3996	Stud	45	90	2267	LVL8	2

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
124	Bottom Plate	45	90	1046	LVL11	1
208	Top Plate	45	90	956	LVL11	1




A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	1/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 74 kg	1 OF	

# Station 2-MW05

## OFF-LINE WALL




X6  
73.591 kg

**CLEVER CORE**

**RELEASED FOR FABRICATION**

BY . E. IBALIO DATE 27.02.23



LVL11  
LVL8  
LVL8  
LVL8  
LVL8  
GIB\_GS  
GIB\_GS

STATION 2 - Zone 6						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
371	GIB_GS	1	GIB_GS	1152	10	1046
381	GIB_GS	1	GIB_GS	1046	10	1200

STATION 2 - Zone 7						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH




A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS

Client:	Clever Core	REV:	FC01	DATE:	1/02/2023
Drawn By:	A Bansal	SHEET:			
Group:	01_all_multiwalls	1 OF			
Weight:	Weight 74 kg				

# Station 3- MW05

## OFF-LINE WALL




X6

 CLEVER CORE

RELEASED FOR FABRICATION

BY: E. IBALIO DATE: 27.02.23



Cad Number	RM Code	Supplier	Product	Qu...
41	RM000413	Hilti	6x160	3
38	RM000399	Spax	6x180	3

LVL11  
LVL8  
LVL8  
LVL8  
LVL8

 CLEVER CORE  
New Zealand

A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS


Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	1/02/2023
Group:	01_all_multwalls	SHEET:	
Weight:	Weight 74 kg	1 OF	

STATION 3 - Insulation

POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH

# Station 4- MW05


## OFF-LINE WALL



X6



LVL8  
LVL8  
LVL11  
LVL8  
LVL8  
GIB\_AQ  
GIB\_AQ\_OFF




STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
336	GIB_AQ	1	GIB_AQ	1046	10	1200
338	GIB_AQ_OFF	1	GIB_AQ_OFF	1152	10	1046




# Station 2-MW06

## OFF-LINE WALL



**CLEVER CORE**  
RELEASED FOR FABRICATION  
BY: E. IBALIO DATE: 27.02.23




LVL11  
LVL8  
LVL11  
LVL8  
GIB\_AQ\_OFF  
GIB\_AQ\_OFF

STATION 2 - Zone 6									
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH	STATION 2 - Zone 7		
036	GIB_AQ_OFF	1	GIB_AQ_OFF	1200	10	1666			
3321	GIB_AQ_OFF	1	GIB_AQ_OFF	773	10	1629	POSNUM	NAME	QTY MATERIAL WIDTH HEIGHT LENGTH

# Station 3- MW06


## OFF-LINE WALL



**CLEVER CORE**

**RELEASED FOR FABRICATION**

BY E. IBALIO DATE 27.02.23



LVL8  
LVL11  
LVL8  
LVL11  
LVL8

Cad Number	RM Code	Supplier	Product	Qu...
41	RM000413	Hilti	6x160	5

**CLEVER CORE**  
New Zealand

A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS



Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	1/02/2023
Group:	01_all_multwalls	SHEET:	
Weight:	Weight 42 kg	1 OF	

STATION 3 - Insulation

POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH

# Station 4- MW06

## OFF-LINE WALL




**CLEVER CORE**

**RELEASED FOR FABRICATION**

BY . E.IBALIO DATE ..... 27.02.23

LVL8  
LVL8  
LVL11  
LVL8  
LVL11



**CLEVER CORE**  
New Zealand

A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	1/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 42 kg	1 OF	


STATION 4 - Layer 1

POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH

# Station 1-MW07- Offline Wall



Wall



Studs

## FRAMING

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
429	Stud	45	90	841	LVL8	1
1975	Stud	45	90	979	LVL8	2
3450	Stud	45	90	841	LVL8	1
3987	Stud	45	90	979	LVL8	1

## BOTTOM/TOP PLATES, LINTELS AND TRANSOMS

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
124	Bottom Plate	45	90	1046	LVL11	1
208	Top Plate	45	90	956	LVL11	1


Cad Number	RM Code	Supplier	Product	*Qty
38	RM000399	Spax	6x180	1
41	RM000413	Hilti	6x160	3




A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	1/02/2023
Group:	00_ground_floor	SHEET:	
Weight:	Weight 36 kg	1 OF	



# Station 2-MW07- Offline Wall



STATION 2 - Zone 6  
POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH  
497 GIB\_AQ 1 GIB\_AQ 1064 10 1046


STATION 2 - Zone 7  
POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH



A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz


KO-D2M(R)  
WALLS

LVL11  
LVL8  
LVL8  
LVL8  
LVL8  
LVL8  
GIB\_AQ



Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	1/02/2023
Group:	00_ground_floor	SHEET:	
Weight:	Weight 36 kg	1 OF	

# Station 3-MW07- Offline Wall




<b>RELEASED FOR FABRICATION</b> BY: E. IBALIO DATE: 27.02.23																
LVL11	LVL8															
LVL8	LVL8															
LVL8	LVL8															
LVL8	LVL8															
LVL8	LVL8															
LVL8																
<table border="1"> <thead> <tr> <th>Cad Number</th> <th>RM Code</th> <th>Supplier</th> <th>Product</th> <th>Qu...</th> </tr> </thead> <tbody> <tr> <td>41</td> <td>RM000413</td> <td>Hilti</td> <td>6x160</td> <td>3</td> </tr> <tr> <td>38</td> <td>RM000399</td> <td>Spax</td> <td>6x180</td> <td>1</td> </tr> </tbody> </table>		Cad Number	RM Code	Supplier	Product	Qu...	41	RM000413	Hilti	6x160	3	38	RM000399	Spax	6x180	1
Cad Number	RM Code	Supplier	Product	Qu...												
41	RM000413	Hilti	6x160	3												
38	RM000399	Spax	6x180	1												
<b>A Smarter Way to Build</b> 232 Cavendish Drive, Wiri, Auckland 2104 P.O. Box 76514, Manukau 2241 clevercore.nz		Client: Clever Core Drawn By: A Bansal Group: 00_ground_floor Weight: Weight 35 kg														
		REV: FC01 DATE: 1/02/2023 SHEET: 1 OF														


STATION 3 - Insulation  
POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH

	A Smarter Way to Build 232 Cavendish Drive, Wiri, Auckland 2104 P.O. Box 76514, Manukau 2241 clevercore.nz	<b>KO-D2M(R)</b> <b>WALLS</b>	Client: Clever Core Drawn By: A Bansal Group: 00_ground_floor Weight: Weight 35 kg
			REV: FC01 DATE: 1/02/2023 SHEET: 1 OF

# Station 4- MW07- Offline Wall



LVL8  
LVL8  
LVL8  
LVL11  
LVL8  
LVL8  
GIB GS



STATION 4 - Layer 1  
POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH  
1236 GIB GS 1 GIB GS 1064 10 1046




A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	1/02/2023
Group:	00_ground_floor	SHEET:	
Weight:	Weight 36 kg	1 OF	




# Station 2-MW08



**CLEVER CORE**

**RELEASED FOR FABRICATION**

BY : E. IBALIO DATE: 27.02.23



LVL11  
LVL8  
LVL8  
LVL8  
LVL8  
LVL8  
GIB\_FL

STATION 2 - Zone 7

POSDNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH

091 GIB\_FL 2 GIB\_FL 1200 13 1983

129 GIB\_FL 2 GIB\_FL 1200 13 2400

239 GIB\_FL 1 GIB\_FL 1200 13 2400

251 GIB\_FL 1 GIB\_FL 416 13 2400

470 GIB\_FL 1 GIB\_FL 900 13 2400

1140 GIB\_FL 1 GIB\_FL 1200 13 2405

1453 GIB\_FL 1 GIB\_FL 1200 13 2405

STATION 2 - Zone 6

POSDNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
129	GIB_FL	7	GIB_FL	1200	13	2400
189	GIB_FL	1	GIB_FL	500	13	2400
402	GIB_FL	1	GIB_FL	816	13	2400




A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	17/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 1920 kg	1 OF	

# Station 3- MW08



STATION 3 - insulation					
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT LENGTH
1982	R2.2 Wall Batts	9	Insulation	355	90 2315
1983	R2.2 Wall Batts	1	Insulation	220	90 2315
1984	R2.2 Wall Batts	3	Insulation	90	90 454
1985	R2.2 Wall Batts	6	Insulation	90	90 329
1986	R2.2 Wall Batts	3	Insulation	45	90 454
1987	R2.2 Wall Batts	8	Insulation	355	90 355
1988	R2.2 Wall Batts	7	Insulation	355	90 1915
1993	R2.2 Wall Batts	3	Insulation	355	90 1475
1995	R2.2 Wall Batts	3	Insulation	355	90 80
1996	R2.2 Wall Batts	1	Insulation	135	90 2315
1997	R2.2 Wall Batts	1	Insulation	40	90 2315
1998	R2.2 Wall Batts	1	Insulation	45	90 2315
1999	R2.2 Wall Batts	1	Insulation	130	90 2315
2060	R2.2 Wall Batts	1	Insulation	355	90 215
2195	R2.2 Wall Batts	1	Insulation	355	90 260
3577	R2.2 Wall Batts	1	Insulation	345	90 2315
3962	R2.2 Wall Batts	1	Insulation	261	90 2315


Cad Number	RM Code	Supplier	Product	Qu...
38	RM000399	Spax	6x180	62
36	RM000378	Rothoblaas	9x160	4
25	RM000289	Simpson	SST SD...	34



A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz


KO-D2M(R)  
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	17/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 1920 kg	1 OF	



IT4

# Station 4- MW08



1914.587

IT4



RELEASED FOR FABRICATION


BY . E. IBALIO DATE.....

IT4

LVL8  
LVL8  
LVL11  
LVL8  
LVL8  
LVL8  
GIB\_WL


STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
057	GIB_WL	1	GIB_WL	418	10	2400
059	GIB_WL	7	GIB_WL	1200	10	2400
561	GIB_WL	1	GIB_WL	902	10	2400

# Station 1-MW09



RELEASED FOR FABRICATION

BY: E. IBALIO DATE: 27.02.23



#### BLOCKING & JACK STUDS

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
040	Blocking	45	90	454	LVL8	2
052	Jack Stud	45	90	710	LVL8	7
064	Jack Stud	45	90	910	LVL8	8
302	Blocking	45	90	250	LVL8	12
340	Trim Stud	45	90	2155	LVL8	4

#### BOTTOM/TOP PLATES, LINTELS AND TRANSOMS

#### FRAMING

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
076	Stud	45	90	2315	LVL8	12
242	Stud	45	90	2315	LVL8	2
252	Stud	45	90	2315	LVL8	2
263	Packer	20	90	1490	Strandboard	1
268	Packer	20	90	1690	Strandboard	1
320	Stud	45	90	2315	LVL8	2
344	Stud	45	90	2315	LVL8	2
856	Stud	45	90	2315	LVL8	1
				352	King Stud	45
				2315	LVL8	2

Cad Number	RM Code	Supplier	Product	*Qty
25	RM000289	Simpson	SST SDWS225...	25
38	RM000399	Spax	6x180	97
36	RM000378	Rothoblaas	9x160	8




A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS


LVL8  
LVL8  
LVL11  
LVL11  
STRANDBOARD  
LVL8  
LVL8  
LVL8

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	1/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 1013 kg	1 OF	

# Station 2-MW09



**CLEVER CORE**  
RELEASED FOR FABRICATION  
BY . E. IBALIO DATE 27.02.23




LVL11  
LVL11  
LVL8  
LVL8  
LVL8  
STRANDBOARD  
LVL8  
LVL8  
GIB\_BL

STATION 2 - Zone 6						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
398	GIB_BL	1	GIB_BL	1200	10	4034
401	GIB_BL	1	GIB_BL	1200	10	4034
1052	GIB_BL	1	GIB_BL	1200	10	4034
1053	GIB_BL	1	GIB_BL	1200	10	4034

STATION 2 - Zone 7						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH

# Station 3- MW09



E5

E6

## STATION 3 - insulation

POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
150	R2.2 Wall Batts	1	Insulation	299	90	2315
151	R2.2 Wall Batts	1	Insulation	55	90	2315
576	R2.2 Wall Batts	1	Insulation	73	90	2315
577	R2.2 Wall Batts	1	Insulation	316	90	2315
701	R2.2 Wall Batts	1	Insulation	65	90	910
704	R2.2 Wall Batts	3	Insulation	355	90	910
1064	R2.2 Wall Batts	1	Insulation	110	90	910
1070	R2.2 Wall Batts	1	Insulation	248	90	2315
1396	R2.2 Wall Batts	1	Insulation	173	90	2315
1397	R2.2 Wall Batts	1	Insulation	321	90	2315
1397	R2.2 Wall Batts	1	Insulation	322	90	2315
1982	R2.2 Wall Batts	2	Insulation	355	90	2315
1984	R2.2 Wall Batts	2	Insulation	90	90	454
1985	R2.2 Wall Batts	4	Insulation	90	90	329
1986	R2.2 Wall Batts	2	Insulation	45	90	454
2055	R2.2 Wall Batts	1	Insulation	109	90	2315
3305	R2.2 Wall Batts	2	Insulation	119	90	2315
3305	R2.2 Wall Batts	1	Insulation	118	90	2315
3699	R2.2 Wall Batts	1	Insulation	180	90	2315
3965	R2.2 Wall Batts	1	Insulation	271	90	2315
3966	R2.2 Wall Batts	1	Insulation	150	90	2315
3967	R2.2 Wall Batts	1	Insulation	199	90	710
3968	R2.2 Wall Batts	1	Insulation	355	90	710
3969	R2.2 Wall Batts	1	Insulation	338	90	710
3970	R2.2 Wall Batts	1	Insulation	193	90	710

**RELEASED FOR FABRICATION**

BY: E. IBALIO DATE: 27.02.23

Cad Number	RM Code	Supplier	Product	Qu...
38	RM000399	Spax	6x180	105
36	RM000378	Rothoblaas	9x160	8
25	RM000289	Simpson	SST SD...	25




A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS



INSULATION  
INSULATION  
INSULATION  
INSULATION  
INSULATION  
INSULATION  
INSULATION  
INSULATION  
INSULATION  
INSULATION

STRANDBOARD  
LVL11  
LVL11  
LVL8  
LVL8  
LVL8  
LVL8  
LVL8



Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	1/02/2023
Group:	01_all_multwalls	SHEET:	
Weight:	Weight 1013 kg	1 OF	

# Station 4- MW09




E5

E6




**LVL8**   
**LVL8**   
**LVL11**   
**LVL11**   
**STRANDBOARD**   
**LVL8**   
**LVL8**   
**LVL8**   
**GIB\_WL**



STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
059	GIB_WL	2	GIB_WL	1200	10	2400
1212	GIB_WL	2	GIB_WL	434	10	2400
1237	GIB_WL	1	GIB_WL	1200	10	2400
1238	GIB_WL	1	GIB_WL	1200	10	2400
1239	GIB_WL	1	GIB_WL	1200	10	2400
1240	GIB_WL	1	GIB_WL	1200	10	2400




# Station 2-MW10



**RELEASED FOR FABRICATION**

BY . *E. IBALIO* DATE..... **27.02.23**




LVL11  
LVL8  
LVL8  
LVL8  
LVL8  
LVL8  
LVL8  
**GIB\_FL**

STATION 2 - Zone 6						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
129	GIB_FL	7	GIB_FL	1200	13	2400
189	GIB_FL	1	GIB_FL	500	13	2400
402	GIB_FL	1	GIB_FL	816	13	2400

STATION 2 - Zone 7						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
129	GIB_FL	7	GIB_FL	1200	13	2400
251	GIB_FL	1	GIB_FL	416	13	2400
470	GIB_FL	1	GIB_FL	900	13	2400




# Station 4- MW10



1951.06 kg


IT3



LVL8  
LVL8  
LVL8  
LVL11  
LVL8  
LVL8  
GIB\_WL

STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
057	GIB_WL	1	GIB_WL	418	10	2400
059	GIB_WL	7	GIB_WL	1200	10	2400
561	GIB_WL	1	GIB_WL	902	10	2400

# Station 1-MW11



BLOCKING & JACK STUDS						
POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
041	Blocking	45	90	365	LVL8	2
073	Blocking	45	90	169	LVL8	2
083	Blocking	45	90	140	LVL8	1
086	Blocking	45	90	205	LVL8	1
088	Blocking	45	90	273	LVL8	1
089	Blocking	45	90	215	LVL8	2
112	Blocking	45	90	225	LVL8	2
126	Blocking	45	90	150	LVL8	1
134	Jack Stud	45	90	235	LVL8	13
137	Blocking	45	90	283	LVL8	2
140	Blocking	45	90	248	LVL8	1
169	Blocking	45	90	366	LVL8	1
220	Jack Stud	45	90	235	LVL8	2
302	Blocking	45	90	250	LVL8	21
366	Trim Stud	45	90	1990	LVL8	2
3328	Blocking	45	90	2315	LVL8	2


Cad Number	RM Code	Supplier	Product	*Qty
38	RM000399	Spax	6x180	87
25	RM000289	Simpson	SST SDWS225...	15
36	RM000378	Rothoblaas	9x160	2



A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz


KO-D2M(R)  
WALLS

**CLEVER CORE**  
**RELEASED FOR FABRICATION**  
BY : E. IBALIO DATE : 27.02.23




Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	17/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 557 kg	1 OF	

# Station 2-MW11




STATION 2 - Zone 6					
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT LENGTH
211	GIB_GS	1	GIB_GS	131	10 1200
213	GIB_GS	1	GIB_GS	43	10 1200
294	GIB_GS	1	GIB_GS	241	10 1200
303	GIB_GS	1	GIB_GS	941	10 1200
304	GIB_GS	1	GIB_GS	1200	10 2896
305	GIB_GS	2	GIB_GS	596	10 1200
396	GIB_GS	1	GIB_GS	1200	10 1476
442	GIB_AQ	1	GIB_AQ	888	10 1200
447	GIB_AQ	2	GIB_AQ	704	10 1200
451	GIB_AQ	1	GIB_AQ	886	10 1200
453	GIB_GS	1	GIB_GS	1200	10 3148
1250	GIB_AQ_OFF	1	GIB_AQ_OFF	888	10 1200
1257	GIB_AQ	1	GIB_AQ	886	10 1115

STATION 2 - Zone 7  
POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH



# Station 3- MW11




Cad Number	RM Code	Supplier	Product	Qu...
38	RM000399	Spax	6x180	87
36	RM000378	Rothoblaas	9x160	2
25	RM000289	Simpson	SST SD...	15



A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz



KO-D2M(R)  
WALLS



Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	17/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 557 kg	1 OF	

STATION 3 - Insulation  
POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH


# Station 4- MW11



POSNUM	NAME	STATION 4 - Layer 1				
		QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
207	GIB_BL	1	GIB_BL	1200	10	2564
211	GIB_GS	1	GIB_GS	131	10	1200
213	GIB_GS	1	GIB_GS	43	10	1200
248	GIB_GS	2	GIB_GS	888	10	1200
249	GIB_GS	2	GIB_GS	704	10	1200
294	GIB_GS	1	GIB_GS	241	10	1200
303	GIB_GS	1	GIB_GS	941	10	1200
304	GIB_GS	1	GIB_GS	1200	10	2896
359	GIB_BL	1	GIB_BL	1200	10	2362
360	GIB_GS	1	GIB_GS	596	10	1200
364	GIB_GS_OFF	1	GIB_GS_OFF	596	10	1200
3990	GIB_GS	1	GIB_GS	1200	10	1470


**CLEVER CORE**  
RELEASED FOR FABRICATION  
BY: E. IBALIO DATE: 27.02.23

LVL8  
LVL8  
LVL8  
LVL8  
LVL8  
LVL8  
LVL11  
LVL11  
LVL8  
LVL8  
LVL8  
LVL8  
GIB\_GS\_OFF  
GIB\_GS  
GIB\_BL  
GIB\_GS





# Station 2-MW12



STATION 2 - Zone 6						
PONUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
038	GIB_AQ	1	GIB_AQ	936	10	1200
045	GIB_AQ	1	GIB_AQ	1200	10	2124
065	GIB_AQ_OFF	1	GIB_AQ_OFF	1482	10	1200
070	GIB_GS	1	GIB_GS	380	10	1200
213	GIB_GS	1	GIB_GS	43	10	1200
241	GIB_GS	3	GIB_GS	88	10	1200
291	GIB_GS	1	GIB_GS	1200	10	1796
293	GIB_GS	1	GIB_GS	1200	10	1640
384	GIB_AQ	1	GIB_AQ	1200	10	1796
415	GIB_GS	1	GIB_GS	1078	10	1200
430	GIB_GS	1	GIB_GS	923	10	1200
431	GIB_GS	1	GIB_GS	156	10	1200
432	GIB_AQ	1	GIB_AQ	263	10	1200
1477	GIB_GS	1	GIB_GS	1200	10	1046
1478	GIB_GS	1	GIB_GS	1046	10	783
3323	GIB_GS	1	GIB_GS	1200	10	1640


STATION 2 - Zone 7




A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	21/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 575 kg	1 OF	




# Station 3- MW12




**CLEVER CORE**  
RELEASED FOR FABRICATION  
BY E. IBALIO DATE 27.02.23.

1.55MM G300 Z275	
LVL11	
LVL11	
LVL8	
LVL8	
LVL8	
LVL8	
1.55MM G300 Z275	
LVL8	
LVL8	



Cad Number	RM Code	Supplier	Product	Qu...
38	RM000399	Spax	6x180	77
36	RM000378	Rothoblaas	9x160	2
25	RM000289	Simpson	SST SD...	5

# Station 4- MW12




STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
213	GIB_GS	1	GIB_GS	43	10	1200
241	GIB_GS	3	GIB_GS	88	10	1200
245	GIB_GS	1	GIB_GS	419	10	1200
247	GIB_GS	1	GIB_GS	1200	10	3046
250	GIB_BL	2	GIB_BL	1046	10	1200
291	GIB_GS	1	GIB_GS	1200	10	1796
293	GIB_GS	2	GIB_GS	1200	10	1640
343	GIB_GS	1	GIB_GS	1200	10	1862
349	GIB_GS	1	GIB_GS	1200	10	2874
354	GIB_GS	1	GIB_GS	936	10	1200



A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS


Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	21/02/2023
Group:	01_all_multiwalls	SHEET:	
Weight:	Weight 575 kg	1 OF	



# Station 1-MW13- Offline Wall



Wall



Studs


Element

NOTE: 2/ CPC40 PER SIDE CAN BE REPLACED WITH 1/ CPC80 PER SIDE.

**CLEVER CORE**

**RELEASED FOR FABRICATION**

BY E. IBALIO DATE 27.02.23



## FRAMING

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
602	Stud	45	90	905	LVL8	1
603	Stud	45	90	910	LVL8	4
698	Stud	45	90	905	LVL8	1
3985	Stud	45	90	910	LVL8	2

POSNUM	NAME	WIDTH	HEIGHT	LENGTH	MATERIAL	QTY
586	Bottom Plate	45	90	1978	LVL11	1
601	Top Plate	45	90	1978	LVL11	1

Cad Number	RM Code	Supplier	Product	*Qty
CPC	CPC	Mitek	CPC40	24
Lum	x 3.15mm			24

**CLEVER CORE**  
New Zealand



A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS

LVL8  
LVL8  
LVL11  
LVL8  
LVL8

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	1/02/2023
Group:	01_first_floor	SHEET:	
Weight:	Weight 54 kg	1 OF	

# Station 2-MW13- Offline Wall



LVL11  
LVL8  
LVL8  
LVL8  
LVL8  
GIB\_GS\_OFF

STATION 2 - Zone 6						STATION 2 - Zone 7							
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH	POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
585	GIB_GS_OFF	1	GIB_GS_OFF	1978	10	995							





A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	1/02/2023
Group:	01_first_floor	SHEET:	
Weight:	Weight 54 kg	1 OF	

# Station 3-MW13- Offline Wall



Cad Number	RM Code	Supplier	Product	Qu...
Lum	x 3.15mm			216
CPC	CPC	Mitek	CPC40	24

LVL11  
LVL8  
LVL8  
LVL8  
LVL8




A Smarter Way to Build  
232 Cavendish Drive,  
Wiri, Auckland 2104  
P.O. Box 76514, Manukau 2241  
clevercore.nz

KO-D2M(R)  
WALLS

Client:	Clever Core	REV:	
Drawn By:	A Bansal	FC01	1/02/2023
Group:	01_first_floor	SHEET:	
Weight:	Weight 54 kg	1 OF	

STATION 3 - Insulation  
POSNUM NAME QTY MATERIAL WIDTH HEIGHT LENGTH

# Station 4- MW13- Offline Wall




 CLEVER CORE

RELEASED FOR FABRICATION

  
BY . E. IBALIO

27.02.23



LVL8  
LVL8  
LVL11  
LVL8  
LVL8  
GIB GS

STATION 4 - Layer 1						
POSNUM	NAME	QTY	MATERIAL	WIDTH	HEIGHT	LENGTH
571	GIB GS	1	GIB GS	1978	10	995