Summary

Total Test Objects:	1
Successful:	1
Failed:	0
Not Executed:	0
Date:	2014-08-25
Time:	17:23:56+0530

Overall Test Object Results (including Coverage)



Selected Project Items

Test Object "CBD_UnitTest/DigHwTrqSENT_FLTINJ/DigHwTrqSENT_SCom_WriteData"

Used Test Environments

TI TMS 570 PLS UDE (Default)

Batch Operation Settings

Check Interface:	No
Generate Driver:	Yes
Execute Test:	Yes
Create New Test Run:	No
Instrumentation:	Test Object and Called Functions
Coverage:	Statement Coverage, Branch Coverage, Decision Coverage, Modified Condition / Decision Coverage, Multiple Condition Coverage

Test Case Results for Each Test Object (without Coverage)



The table above shows each test object on the x axis and the number of test cases of the respective test object on the y axis. Each bar is divided into passed, not executed and failed test cases. The test case results do not take into account any coverage result (i.e. if all test cases of a test object are passed in this table but the coverage is failed, the overall test object result will be failed).

Statement (C0) Coverage: Total Statements for Each Test Object



The table above shows each test object on the x axis and the number of statements of the respective test object on the y axis. Each bar is divided into reached statements (i.e. statements that have been executed during the test) and unreached statements.

Branch (C1) Coverage: Total Branches for Each Test Object



The table above shows each test object on the x axis and the number of branches of the respective test object on the y axis. Each bar is divided into reached branches (i.e. branches that have been executed during the test) and unreached branches.

Test Object List

The following table lists all test objects with their test case and coverage results. The cumulated results for modules, folders and test collections are also displayed, the indentation within the name column indicates the parent relationship of the elements.

Please note that only test objects are numbered within the first column. This number is referenced on the x axis within the overview charts for test case and coverage results available on previous pages (if included into the report).

No.	Name	C0	C1	Test Cases	Result
	CBD_DigHwTrqSENT	100 %	100 %	1 of 1 passed	✔
	CBD_UnitTest	100 %	100 %	1 of 1 passed	✔
	DigHwTrqSENT_FLTINJ	100 %	100 %	1 of 1 passed	✔
1	DigHwTrqSENT_SCom_WriteData	100 %	100 %	1 of 1 passed	✔

TEST DETAILS REPORT

DigHwTrqSENT_SCom_WriteData

2014-08-25, 17:23:50+0530

Project	CBD_DigHwTrqSENT
Module	DigHwTrqSENT_FLTINJ
Test Object	DigHwTrqSENT_SCom_WriteData

Instrumentation: Test Object and Called Functions

Statement (C0) Coverage	100 %
Branch (C1) Coverage	100 %

Statistics

Total Testcases	1
Successful	1
Failed	0
Not Executed	0

Module Properties

Project Root Directory	D:\Synergy_Work_Area\CBD_DigHwTrqSENT
Configuration File	D:\Synergy_Work_Area\CBD_DigHwTrqSENT\UnitTestEnv\config\TMS570_GCC_UDE_CCS4_Config.xml
Target Environment	TI TMS 570 PLS UDE (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	
File	$(PROJECTROOT)\DigHwTrqSENT\src\Sa_DigHwTrqSENT.c
Compiler Options	-D_DATA_ACCESS= -Dconst= -DBC_DIGHWTRQSENT_FAULTINJECTIONPOINT=STD_ON -I$(PROJECTROOT)\DigHwTrqSENT\utp\contract -I$(PROJECTROOT)\NxtrLib\include -I$(PROJECTROOT)\StdDef\include -I$(PROJECTROOT)\StdDef\include\TMS570_HerculesRegs -I$(Compiler Install Path)\include
File	$(PROJECTROOT)\NxtrLib\src\interpolation.c
Compiler Options	-D_DATA_ACCESS= -Dconst= -DBC_DIGHWTRQSENT_FAULTINJECTIONPOINT=STD_ON -I$(PROJECTROOT)\DigHwTrqSENT\utp\contract -I$(PROJECTROOT)\NxtrLib\include -I$(PROJECTROOT)\StdDef\include -I$(PROJECTROOT)\StdDef\include\TMS570_HerculesRegs -I$(Compiler Install Path)\include

Comments/Description/Specification

Name	Text
Module 'DigHwTrqSENT_FLTINJ'	**********UNIT TEST DESCRIPTION********** Name of Tester:Ankita Bhardwaj Code File(s) Under Test:Sa_DigHwTrqSENT.c Code File(s) Version:8 Module Design Document:DigHwTrqSENT_MDD.docx Module Design Document Version:11 Data Dictionary Version:8 Unit Test Plan Version:5 Optimization Level:Level 2 Compiler (CodeGen) Version:TMS570_4.9.5 Model Type:Excel Macro Model Version:Nexteer EPS Unit Test Tool 2.7d/ EPS Library 1.30 Total FLASH Used (Bytes):1638 Total RAM Used (Bytes):84 Total CALS Used (Bytes):108 Special Test Requirements: Test Date:8/25/2014 Comments:"NOTE1: Inline functions declared in GlobalMacro.h are not Unit Tested. NOTE2:""CBD_Sandbox_dbg.map"" map file is embedded for reference. NOTE3: Low MC/DC coverage in function ""DigHwTrqSENT_SCom_ClrTrqTrim"" as the path ""if(D_TRIMNOTPERFORMED_CNT_LGC == Rte_Pim_DigTrqTrim()->k_EOLHwTrqTrimPerformed_Cnt_Lgc) "" at line number 1210 of source code cannot be made FALSE which has been called in function ""TrimNotPerfDiag"" as ""Rte_Pim_DigTrqTrim()->k_EOLHwTrqTrimPerformed_Cnt_Lgc "" gets updated with const ""D_TRIMNOTPERFORMED_CNT_LGC""having value FALSE always." **********

Attributes

Name	Value
Compiler Install Path	$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler\tms470_4.9.5
Float Precision	9
InitObjDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\obj
InitSrcDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\src
Linker File	$(PROJECTROOT)\UnitTestEnv\static_build_files\sys_link.cmd
Makefile Template	$(PROJECTROOT)\UnitTestEnv\config\Nexteer_ts_make_ude_ti_tms570_ps.tpl

Attributes

Name	Value
Target Install Path	$(ProgramFiles)\pls\UDE 3.2
Time Unit	Cycles
Timer Enabled	false
Timer Prescale	0
Timer Resolution	1
UDE Config File	$(PROJECTROOT)\UnitTestEnv\config\TMS570_UDE_12PIN_JTAG.cfg
Workspace File	D:\Synergy_Work_Area\CBD_DigHwTrqSENT\UnitTestEnv\config\UDE_TMS570_DEBUG.WSP

Test Case 1: Boundary Test

Specification

```
Performance Metrics:
(With "None" instrumentation and WithPS
Environment)

CPU Cycles:

TC 1.1 188.00  Cycles
TC 1.2 186.00  Cycles
TC 1.3 186.00  Cycles
TC 1.4 186.00  Cycles
TC 1.5 186.00  Cycles
```

Description

Vector Description:

TC1.1HwTrqTrim_HwNm_f32==>Min
TC1.2HwTrqTrim_HwNm_f32==>Max
TC1.3HwTrqTrim_HwNm_f32==>zero
TC1.4HwTrqTrim_HwNm_f32==>Pos
TC1.5HwTrqTrim_HwNm_f32==>Neg

Test Step 1.1 (Repeat Count = 1)

Name	Input Value
HwTrqTrim_HwNm_f32	-10
Rte_Inst_Sa_DigHwTrqSENT	target_Rte_Inst_Sa_DigHwTrqSENT
target_Rte_Inst_Sa_DigHwTrqSENT.Pim_DigTrqTrim	target_Pim_DigTrqTrim

Name	Actual Value	Expected Value	Result
target_Pim_DigTrqTrim.k_EOLHwTrqTrim_HwNm_f32	-10	-10 ± 0.00048828125	✔
target_Pim_DigTrqTrim.k_EOLHwTrqTrimPerformed_Cnt_Lgc	1	1	✔

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
Rte_Call_Sa_DigHwTrqSENT_NvM_DigHwTrqSENTTrim_Srv_WriteBlock	1	Rte_Call_Sa_DigHwTrqSENT_NvM_DigHwTrqSENTTrim_Srv_WriteBlock	1	✔

Test Step 1.2 (Repeat Count = 1)

Name	Input Value
HwTrqTrim_HwNm_f32	10
Rte_Inst_Sa_DigHwTrqSENT	target_Rte_Inst_Sa_DigHwTrqSENT
target_Rte_Inst_Sa_DigHwTrqSENT.Pim_DigTrqTrim	target_Pim_DigTrqTrim

Name	Actual Value	Expected Value	Result
target_Pim_DigTrqTrim.k_EOLHwTrqTrim_HwNm_f32	10	10 ± 0.00048828125	✔
target_Pim_DigTrqTrim.k_EOLHwTrqTrimPerformed_Cnt_Lgc	1	1	✔

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
Rte_Call_Sa_DigHwTrqSENT_NvM_DigHwTrqSENTTrim_Srv_WriteBlock	1	Rte_Call_Sa_DigHwTrqSENT_NvM_DigHwTrqSENTTrim_Srv_WriteBlock	1	✔

Test Step 1.3 (Repeat Count = 1)

Name	Input Value
HwTrqTrim_HwNm_f32	0
Rte_Inst_Sa_DigHwTrqSENT	target_Rte_Inst_Sa_DigHwTrqSENT
target_Rte_Inst_Sa_DigHwTrqSENT.Pim_DigTrqTrim	target_Pim_DigTrqTrim

Name	Actual Value	Expected Value	Result
target_Pim_DigTrqTrim.k_EOLHwTrqTrim_HwNm_f32	0	0 ± 0.00048828125	✔
target_Pim_DigTrqTrim.k_EOLHwTrqTrimPerformed_Cnt_Lgc	1	1	✔

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
Rte_Call_Sa_DigHwTrqSENT_NvM_DigHwTrqSENTTrim_Srv_WriteBlock	1	Rte_Call_Sa_DigHwTrqSENT_NvM_DigHwTrqSENTTrim_Srv_WriteBlock	1	✔

Test Step 1.4 (Repeat Count = 1) ✔

Name	Input Value
HwTrqTrim_HwNm_f32	5.44999981
Rte_Inst_Sa_DigHwTrqSENT	target_Rte_Inst_Sa_DigHwTrqSENT
target_Rte_Inst_Sa_DigHwTrqSENT.Pim_DigTrqTrim	target_Pim_DigTrqTrim

Name	Actual Value	Expected Value	Result
target_Pim_DigTrqTrim.k_EOLHwTrqTrim_HwNm_f32	5.44999981	5.44999981 ± 0.00048828125	✔
target_Pim_DigTrqTrim.k_EOLHwTrqTrimPerformed_Cnt_Lgc	1	1	✔

Test Step Call Trace ✔

Actual Function	Count	Expected Function	Count	Result
Rte_Call_Sa_DigHwTrqSENT_NvM_DigHwTrqSENTTrim_Srv_WriteBlock	1	Rte_Call_Sa_DigHwTrqSENT_NvM_DigHwTrqSENTTrim_Srv_WriteBlock	1	✔

Test Step 1.5 (Repeat Count = 1) ✔

Name	Input Value
HwTrqTrim_HwNm_f32	-6.32000017
Rte_Inst_Sa_DigHwTrqSENT	target_Rte_Inst_Sa_DigHwTrqSENT
target_Rte_Inst_Sa_DigHwTrqSENT.Pim_DigTrqTrim	target_Pim_DigTrqTrim

Name	Actual Value	Expected Value	Result
target_Pim_DigTrqTrim.k_EOLHwTrqTrim_HwNm_f32	-6.32000017	-6.32000017 ± 0.00048828125	✔
target_Pim_DigTrqTrim.k_EOLHwTrqTrimPerformed_Cnt_Lgc	1	1	✔

Test Step Call Trace ✔

Actual Function	Count	Expected Function	Count	Result
Rte_Call_Sa_DigHwTrqSENT_NvM_DigHwTrqSENTTrim_Srv_WriteBlock	1	Rte_Call_Sa_DigHwTrqSENT_NvM_DigHwTrqSENTTrim_Srv_WriteBlock	1	✔