


#### Summary

### **Overall Test Object Results (including Coverage)**



2016-01-10 Date:

Time: 16:35:38+0530




### **Selected Project Items**

Test Object "CBD UnitTest/MtrCtrl CM TrgCmdScl/TrgCmdScl Per1" Test Object "CBD\_UnitTest/MtrCtrl\_CM\_TrqCmdScl/TrqCmdScl\_SCom\_Get" Test Object "CBD\_UnitTest/MtrCtrl\_CM\_TrqCmdScl/TrqCmdScl\_SCom\_Set"

#### **Used Test Environments**


TI TMS 570 PLS UDE (Default)

### Test Case Results for Each Test Object (without Coverage)



The table above shows each test object on the x axis and the number of test cases of the respective test object on the y axis. Each bar is divided into passed, not executed and failed test cases. The test case results do not take into account any coverage result (i.e. if all test cases of a test object are passed in this table but the coverage is failed, the overall test object result will be failed).


#### Statement (C0) Coverage: Total Statements for Each Test Object






The table above shows each test object on the x axis and the number of statements of the respective test object on the y axis. Each bar is divided into reached statements (i.e. statements that have been executed during the test) and unreached statements.

#### Branch (C1) Coverage: Total Branches for Each Test Object



The table above shows each test object on the x axis and the number of branches of the respective test object on the y axis. Each bar is divided into reached branches (i.e. branches that have been executed during the test) and unreached branches.


### **Decision Coverage: Total Decision Outcomes for Each Test Object**



The table above shows test objects on the x axis and the number of possible outcomes of all decisions of the respective test object on the y axis. To achieve full DC coverage, each decision must evaluate to both true and false.

Each bar is divided into reached and unreached decision outcomes.

### MC/DC Coverage: Total Condition Combinations for Each Test Object




The table above shows test objects on the x axis and the number of condition combinations of all decisions of the respective test object on the y axis. The number of condition combinations is based on the number of boolean conditions within each decision of the test object. To achieve full MC/DC coverage, each decision requires all contained atomic conditions to evaluate to both true and false independently of all other conditions. The cumulated number of rows within such tables of condition combinations is what is displayed in this table.

Each bar is divided into reached condition combinations (i.e. combinations of boolean condition values that have been executed during the test) and unreached condition combinations.



### MCC Coverage: Total Condition Combinations for Each Test Object



The table above shows test objects on the x axis and the number of condition combinations of all decisions of the respective test object on the y axis. The number of condition combinations is based on the number of boolean conditions within each decision of the test object. To achieve full MCC coverage, each decision requires all contained atomic conditions to evaluate to all possible combinations of true and false values. The cumulated number of rows within such tables of condition combinations is what is displayed in this table.

Each bar is divided into reached condition combinations (i.e. combinations of boolean condition values that have been executed during the test) and unreached condition combinations.

#### **TEST OVERVIEW REPORT**

2016-01-10, 16:35:38+0530



### **Test Object List**

Project MtrCtrl

The following table lists all test objects with their test case and coverage results. The cumulated results for modules, folders and test collections are also displayed, the indentation within the name column indicates the parent relationship of the elements.

Please note that only test objects are numbered within the first column. This number is referenced on the x axis within the overview charts for test case and coverage results available on previous pages (if included into the report).

No.	Name	C0	C1	DC	MC/DC	MCC	Test Cases F	Result
	MtrCtrl	100 %	100 %	100 %	100 %	100 %	5 of 5 passed	~
	CBD_UnitTest	100 %	100 %	100 %	100 %	100 %	5 of 5 passed	•
	MtrCtrl_CM_TrqCmdScl	100 %	100 %	100 %	100 %	100 %	5 of 5 passed	~
1	TrqCmdScl_Per1	100 %	100 %	100 %	100 %	100 %	3 of 3 passed	•
2	TrqCmdScl SCom Get	100 %	100 %	-	-	-	1 of 1 passed	~
3	TrqCmdScl SCom Set	100 %	100 %	-	-	-	1 of 1 passed	•

© Report created by TESSY V3.1.12, report template V2.0

2016-01-10, 16:34:08+0530



TrqCmdScl\_SCom\_Set

Project MtrCtrl

 Module
 MtrCtrl\_CM\_TrqCmdScl

 Test Object
 TrqCmdScl\_SCom\_Set

### Instrumentation: Test Object Only

Statement (C0) Coverage	100 %
Branch (C1) Coverage	100 %

#### **Statistics**

Total Testcases	1	
Successful	1	✓
Failed	0	
Not Executed	0	

#### **Module Properties**

Project Root Directory	D:\Synergy_Work_Area\MtrCtrl_CM
Configuration File	D:\Synergy_Work_Area\MtrCtrl_CM\UnitTestEnv\config\TMS570_GCC_UDE_CCS4_Config.xml
Target Environment	TI TMS 570 PLS UDE (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	
File	\$(PROJECTROOT)\MtrCtrl_CM\src\Ap_TrqCmdScl.c
Compiler Options	-Dconst= -D_DATA_ACCESS= -I\$(PROJECTROOT)\StdDef\include -I\$(PROJECTROOT)\NxtrLib\include -I\$(PROJECTROOT)\MtrCtrl_CM\\utp\contract\-I\$(PROJECTROOT)\MtrCtrl_CM\\utp\contract\-I\$(PROJECTROOT)\MtrCtrl_CM\\utp\contract\-I\$(Compiler Install Path)\\u00e4\)include

Name	Text
Module 'MtrCtrl_CM_TrqCmdScl'	Name of Tester:Priti Mangalekar Code File(s) Under Test:Ap_TrqCmdScl.c Code File(s) Version: 6 Module Design Document:TorqueCmdScaling_MDD.doc Module Design Document Version: 5 Data Dictionary Version:13 Unit Test Plan Version:1
	Ontin Less Hard Version: Toda Version: This Version: Nate of Excel Macro Model Type: Excel Macro Model Version: Nexteer EPS Unit Test Tool 2.7d/ EPS Library 1.32 Total FLASH Used (Bytes): 138 Total RAM Used (Bytes): 1026 Total CALS Used (Bytes): 1026 Special Test Requirements: Test Date: 01/10/2016 Comments: "NOTE1: INLINE functions defined in globalmacro.h are not unit-tested. NOTE2: "CBD_Sandbox_dbg.map" map file is embedded for reference."

Attributes	
Name	Value
Compiler Install Path	\$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler\tms470_4.9.5
Float Precision	9
InitObjDir	<pre>\$(PROJECTROOT)\UnitTestEnv\static_build_files\obj</pre>
InitSrcDir	\$(PROJECTROOT)\UnitTestEnv\static_build_files\src
Linker File	<pre>\$(PROJECTROOT)\UnitTestEnv\static_build_files\sys_link.cmd</pre>
Makefile Template	\$(PROJECTROOT)\UnitTestEnv\config\Nexteer_ts_make_ude_ti_tms570_ps.tpl
Target Install Path	<pre>\$(ProgramFiles)\pls\UDE 3.2</pre>
Time Unit	Cycles
Timer Enabled	false
Timer Prescale	0
Timer Resolution	1
UDE Config File	<pre>\$(PROJECTROOT)\UnitTestEnv\config\TMS570_UDE_12PIN_JTAG.cfg</pre>

TrqCmdScl\_SCom\_Set

2016-01-10, 16:34:08+0530



Attributes

Name

Value

Workspace File

D:\Synergy\_Work\_Area\MtrCtrl\_CM\UnitTestEnv\config\UDE\_TMS570\_DEBUG.WSP



### Test Case 1: Boundary Test

Specification

Performance Metrics : (With "None" instrumentation and WithPS Environment)

TS1.1 TS1.2 TS1.3 552.00 Cycles 498.00 Cycles 498.00 Cycles

Description Vector Description :

TS1.1 Par1\_f32=Min TS1.2 Par1\_f32=Max TS1.3 Par1\_f32=Pos

Test Step 1.1 (Repeat Count = 1)				
Name	Input Value			
Par_f32	0.9			
Rte_Inst_Ap_TrqCmdScl tgt_Rte_Inst_Ap_TrqCmdScl				
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32			
Name	Actual Value	Expected Value	Result	
tgt_Pim_TorqueCmdSF_Uls_f32	0.899999976	0.9	~	

Test Step Call Trace				
Actual Function	Count	Expected Function	Count	Result
Rte_Call_Ap_TrqCmdScl_TrqCmdScl_WriteBlock	1	Rte_Call_Ap_TrqCmdScl_WriteBlock	1	~

Test Step 1.2 (Repeat Count = 1)				
Name	Input Value			
Par_f32	1.1			
Rte_Inst_Ap_TrqCmdScl tgt_Rte_Inst_Ap_TrqCmdScl				
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f3	32		
Name	Actual Value	Expected Value	Result	
tgt_Pim_TorqueCmdSF_Uls_f32	1.10000002	1.1	<b>✓</b>	

Test Step Call Trace					
Actual Function	Count	Expected Function	Count	Result	
Rte_Call_Ap_TrqCmdScl_TrqCmdScl_WriteBlock	1	Rte_Call_Ap_TrqCmdScl_TrqCmdScl_WriteBlock	1	~	

Test Step 1.3 (Repeat Count = 1)			
Name	Input Value		
Par_f32	0.95		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f3	32	
Name	Actual Value	Expected Value	Result
tat Pim TorqueCmdSF Uls f32	0.949999988	0.95	<b>✓</b>

Test Step Call Trace					
Actual Function	Count	Expected Function	Count	Result	
Rte_Call_Ap_TrqCmdScl_TrqCmdScl_WriteBlock	1	Rte_Call_Ap_TrqCmdScl_TrqCmdScl_WriteBlock	1	~	

2016-01-10, 16:32:38+0530





 Project
 MtrCtrl

 Module
 MtrCtrl\_CM\_TrqCmdScl

 Test Object
 TrqCmdScl\_Per1

### Instrumentation: Test Object Only

Statement (C0) Coverage	100 %
<b>Decision Coverage</b>	100 %
Branch (C1) Coverage	100 %
MCC Coverage	100 %
MC/DC Coverage	100 %

#### **Statistics**

Total Testcases	3	
Successful	3	~
Failed	0	
Not Executed	0	

### **Module Properties**

Project Root Directory	D:\Synergy_Work_Area\MtrCtrl_CM
Configuration File	D:\Synergy_Work_Area\MtrCtrl_CM\UnitTestEnv\config\TMS570_GCC_UDE_CCS4_Config.xml
Target Environment	TI TMS 570 PLS UDE (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	
File	\$(PROJECTROOT)\MtrCtrl_CM\src\Ap_TrqCmdScl.c
Compiler Options	-Dconst= -D_DATA_ACCESS= -I\$(PROJECTROOT)\StdDef\tinclude -I\$(PROJECTROOT)\NxtrLib\include -I\$(PROJECTROOT)\MtrCtrl_CM\\utp\contract\Ap_TrqCmdScl -I\$(Compiler Install Path)\include

Module 'MtrCtrl CM TrqCmdScl'	
woulde will citi_ciw_Tiqciilusu	Name of Tester:Priti Mangalekar Code File(s) Under Test:Ap_TrqCmdScl.c Code File(s) Version: 6 Module Design Document:TorqueCmdScaling_MDD.doc Module Design Document Version: 5 Data Dictionary Version:13
	Unit Test Plan Version:1 Optimization Level:Level 2 Compiler (CodeGen) Version:TMS470_4.9.5 Model Type:Excel Macro Model Version:Nexteer EPS Unit Test Tool 2.7d/ EPS Library 1.32 Total FLASH Used (Bytes):138 Total RAM Used (Bytes):0 Total CALS Used (Bytes):1026 Special Test Requirements: Test Date:01/10/2016 Comments:"NOTE1: INLINE functions defined in globalmacro.h are not unit-tested. NOTE2:""CBD_Sandbox_dbg.map"" map file is embedded for reference."

Attributes	
Name	Value
Compiler Install Path	\$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler\tms470_4.9.5
Float Precision	9
InitObjDir	\$(PROJECTROOT)\UnitTestEnv\static_build_files\obj
InitSrcDir	\$(PROJECTROOT)\UnitTestEnv\static_build_files\src
Linker File	\$(PROJECTROOT)\UnitTestEnv\static_build_files\sys_link.cmd
Makefile Template	\$(PROJECTROOT)\UnitTestEnv\config\Nexteer_ts_make_ude_ti_tms570_ps.tpl
Target Install Path	\$(ProgramFiles)\pls\UDE 3.2
Time Unit	Cycles
Timer Enabled	false

2016-01-10, 16:32:38+0530



Attributes					
Name	Value				
Timer Prescale	0				
Timer Resolution					
UDE Config File	\$(PROJECTROOT)\UnitTestEnv\config\TMS570_UDE_12PIN_JTAG.cfg				
Workspace File	D:\Synergy_Work_Area\MtrCtrl_CM\UnitTestEnv\config\UDE_TMS570_DEBUG.WSP				



#### Test Case 1: Metrics Test

Specification

Performance Metrics : (With "None" instrumentation and WithPS Environment)

1075.00 "Longest Execution Path" 979.00 "Shortest Execution Path"

Description Vector Description :

$$\label{thm:condition} \begin{split} &TS1.1 \text{ "Longest Execution Path => ((TorqueCmdSF\_Uls\_T\_f32) >= (k\_MaxTrqCmdScl\_Uls\_f32))=FALSE ((TorqueCmdSF\_Uls\_T\_f32) <= (k\_MinTrqCmdScl\_Uls\_f32))=FALSE" \\ &TS1.2 \text{ "Shortest Execution Path => ((TorqueCmdSF\_Uls\_T\_f32) >= (k\_MaxTrqCmdScl\_Uls\_f32))=TRUE" } \end{split}$$

Test Step 1.1 (Repeat Count = 1)			
Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	1.1		
k_MinTrqCmdScl_Uls_f32	0.9		
tgt_Pim_TorqueCmdSF_Uls_f32	0.98		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_M	trNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32		
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	2		
Name	Actual Value	Expected Value	Result
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	1.96000004	1.96 ± 0.0625	~

Test Step Call Trace				
Actual Function	Count	Expected Function	Count	Result
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	•

Test Step 1.2 (Repeat Count = 1)			
Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	0.98		
k_MinTrqCmdScl_Uls_f32	0.98		
tgt_Pim_TorqueCmdSF_Uls_f32	1		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_N	ltrNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrN	lm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	3.2		
Name	Actual Value	Expected Value	Result
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	3.13600016	3.136 ± 0.0625	~

Test Step Call Trace				
Actual Function	Count	Expected Function	Count	Result
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	-



#### **Test Case 2: Boundary Test**

Specification

Performance Metrics : (With "None" instrumentation and WithPS Environment)

TS2.1 1076.00 Cycles
TS2.2 1013.00 Cycles
TS2.3 995.00 Cycles
TS2.4 995.00 Cycles
TS2.5 994.00 Cycles
TS2.6 994.00 Cycles
TS2.7 1018.00 Cycles
TS2.8 990.00 Cycles
TS2.9 994.00 Cycles
TS2.10 979.00 Cycles
TS2.11 994.00 Cycles
TS2.12 1018.00 Cycles
TS2.13 990.00 Cycles
TS2.14 994.00 Cycles
TS2.15 979.00 Cycles

#### **Description** Vector Description :

TS2.1 MRFMtrTrqCmd\_MtrNm\_f32=Min
TS2.2 MRFMtrTrqCmd\_MtrNm\_f32=Max
TS2.3 MRFMtrTrqCmd\_MtrNm\_f32=Zero
TS2.4 MRFMtrTrqCmd\_MtrNm\_f32=Pos
TS2.5 MRFMtrTrqCmd\_MtrNm\_f32=Neg
TS2.6 TorqueCmdSF\_Uls\_f32=Min
TS2.7 TorqueCmdSF\_Uls\_f32=Max
TS2.8 TorqueCmdSF\_Uls\_f32=Max
TS2.9 k\_MinTrqCmdScl\_Uls\_f32=Min/Default
TS2.10 k\_MinTrqCmdScl\_Uls\_f32=Max
TS2.11 k\_MinTrqCmdScl\_Uls\_f32=Pos
TS2.12 k\_MaxTrqCmdScl\_Uls\_f32=Min
TS2.13 k\_MaxTrqCmdScl\_Uls\_f32=Min
TS2.14 k\_MaxTrqCmdScl\_Uls\_f32=Min
TS2.15 All Min
TS2.16 All Max

Test Step 2.1 (Repeat Count = 1)			✓
Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	0.91		
k_MinTrqCmdScl_Uls_f32	0.91		
tgt_Pim_TorqueCmdSF_Uls_f32	0.91		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl	_MtrNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_Mi	trNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	-8.8		
Name	Actual Value	Expected Value	Result
tgt TrgCmdScl Per1 MRFMtrTrgCmdScl MtrNm f32.value	-8.00800037	-8.008 ± 0.0625	_

Test Step Call Trace				
Actual Function	Count	Expected Function	Count	Result
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	•

Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	0.92		
k_MinTrqCmdScl_Uls_f32	0.92		
tgt_Pim_TorqueCmdSF_Uls_f32	0.92		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl	_MtrNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_M	trNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	8.8		
Name	Actual Value	Expected Value	Result
tgt TrqCmdScl Per1 MRFMtrTrqCmdScl MtrNm f32.value	8.09600067	8.096 ± 0.0625	

Test Step Call Trace				
Actual Function	Count	Expected Function	Count	Result
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	•



Test Step 2.3 (Repeat Count = 1)			
Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	0.93		
k_MinTrqCmdScl_Uls_f32	0.93		
tgt_Pim_TorqueCmdSF_Uls_f32	0.93		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_M	trNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrN	m_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	0		
Name	Actual Value	Expected Value	Result
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	0	0 ± 0.0625	~

Test Step Call Trace					
Actual Function	Count	Expected Function	Count	Result	
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~	
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	<b>✓</b>	

Test Step 2.4 (Repeat Count = 1)			
Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	0.94		
k_MinTrqCmdScl_Uls_f32	0.94		
tgt_Pim_TorqueCmdSF_Uls_f32	0.94		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_M	ltrNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrN	lm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	5.5		
Name	Actual Value	Expected Value	Result
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	5.17000008	5.17 ± 0.0625	~

Test Step Call Trace					
Actual Function	Count	Expected Function	Count	Result	
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~	
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	~	

Test Step 2.5 (Repeat Count = 1)			
Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	0.95		
k_MinTrqCmdScl_Uls_f32	0.95		
tgt_Pim_TorqueCmdSF_Uls_f32	0.95		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_M	/ltrNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_Mtrl	Nm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	-5.5		
Name	Actual Value	Expected Value	Result
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	-5.2249999	-5.225 ± 0.0625	~

Test Step Call Trace				V
Actual Function	Count	Expected Function	Count	Result
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	~

Test Step 2.6 (Repeat Count = 1)		
Name	Input Value	
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl	
k_MaxTrqCmdScl_Uls_f32	0.96	
k_MinTrqCmdScl_Uls_f32	0.96	
tgt_Pim_TorqueCmdSF_Uls_f32	0.9	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32	

2016-01-10, 16:32:38+0530



Name	Input Value		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	4.2		
Name	Actual Value	Expected Value	Result
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	4.03199959	4.032 ± 0.0625	<b>*</b>

Test Step Call Trace				
Actual Function	Count	Expected Function	Count	Result
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	<b>✓</b>

Test Step 2.7 (Repeat Count = 1)			
Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	0.97		
k_MinTrqCmdScl_Uls_f32	0.97		
tgt_Pim_TorqueCmdSF_Uls_f32	1.1		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_M	ltrNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrN	m_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	-2.2		
Name	Actual Value	Expected Value	Result
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	-2.13400006	-2.134 ± 0.0625	~

Test Step Call Trace				<b>✓</b>
Actual Function	Count	Expected Function	Count	Result
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	~

Test Step 2.8 (Repeat Count = 1)			
Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	0.98		
k_MinTrqCmdScl_Uls_f32	0.98		
tgt_Pim_TorqueCmdSF_Uls_f32	0.96		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_N	ltrNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrN	m_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	3.2		
Name	Actual Value	Expected Value	Result
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	3.13600016	3.136 ± 0.0625	~

Test Step Call Trace					
Actual Function	Count	Expected Function	Count	Result	
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~	
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	~	

Test Step 2.9 (Repeat Count = 1)			<b>✓</b>
Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	0.96		
k_MinTrqCmdScl_Uls_f32	0.9		
tgt_Pim_TorqueCmdSF_Uls_f32	0.99		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_M	ltrNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrN	lm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	1.1		
Name	Actual Value	Expected Value	Result
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	1.05599999	1.056 ± 0.0625	~

Test Step Call Trace					
Actual Function	Count	Expected Function	Count	Result	
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~	
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	•	



Test Step 2.10 (Repeat Count = 1)			<b>✓</b>
Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	0.97		
k_MinTrqCmdScl_Uls_f32	1.1		
tgt_Pim_TorqueCmdSF_Uls_f32	1		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_M	trNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrN	m_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	-1.1		
Name	Actual Value	Expected Value	Result
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	-1.06700003	-1.067 ± 0.0625	~

Test Step Call Trace				<b>✓</b>
Actual Function	Count	Expected Function	Count	Result
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	~

Test Step 2.11 (Repeat Count = 1)				
Name	Input Value			
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl			
k_MaxTrqCmdScl_Uls_f32	0.98			
k_MinTrqCmdScl_Uls_f32	0.96			
tgt_Pim_TorqueCmdSF_Uls_f32	1.1			
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_	MtrNm_f32		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_Mt	rNm_f32		
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32			
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	2.2			
Name	Actual Value	Expected Value	Result	
tgt TrqCmdScl Per1 MRFMtrTrqCmdScl MtrNm f32.value	2.15600014	2.156 ± 0.0625	~	

Test Step Call Trace					
Actual Function	Count	Expected Function	Count	Result	
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~	
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	•	

Test Step 2.12 (Repeat Count = 1)			<b>✓</b>
Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	0.9		
k_MinTrqCmdScl_Uls_f32	0.99		
tgt_Pim_TorqueCmdSF_Uls_f32	0.96		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_M	trNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrN	m_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	-2.2		
Name	Actual Value	Expected Value	Result
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	-1.98000002	-1.98 ± 0.0625	~

Test Step Call Trace				<b>✓</b>
Actual Function	Count	Expected Function	Count	Result
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	<b>✓</b>

Test Step 2.13 (Repeat Count = 1)		<b>✓</b>
Name	Input Value	
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl	
k_MaxTrqCmdScl_Uls_f32	1.1	
k_MinTrqCmdScl_Uls_f32	1	
tgt_Pim_TorqueCmdSF_Uls_f32	0.97	

2016-01-10, 16:32:38+0530



Name	Input Value		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_M	ltrNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrN	lm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	3.3		
Name	Actual Value	Expected Value	Result
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	3.29999995	3.3 ± 0.0625	~

Test Step Call Trace				<b>✓</b>
Actual Function	Count	Expected Function	Count	Result
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	~

Test Step 2.14 (Repeat Count = 1)			V
Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	0.96		
k_MinTrqCmdScl_Uls_f32	1.1		
tgt_Pim_TorqueCmdSF_Uls_f32	0.98		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_M	trNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrN	m_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	-3.3		
Name	Actual Value	Expected Value	Result
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	-3.16799998	-3.168 ± 0.0625	~

Test Step Call Trace				
Actual Function	Count	Expected Function	Count	Result
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	~

Test Step 2.15 (Repeat Count = 1)			
Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	0.9		
k_MinTrqCmdScl_Uls_f32	0.9		
tgt_Pim_TorqueCmdSF_Uls_f32	0.9		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_I	/trNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_Mtrl	Nm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	-8.8		
Name	Actual Value	Expected Value	Result
tgt TrqCmdScl Per1 MRFMtrTrqCmdScl MtrNm f32.value	-7.92000008	-7.92 ± 0.0625	~

Test Step Call Trace					
Actual Function	Count	Expected Function	Count	Result	
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~	
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	•	

Test Step 2.16 (Repeat Count = 1)			
Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	1.1		
k_MinTrqCmdScl_Uls_f32	1.1		
tgt_Pim_TorqueCmdSF_Uls_f32	1.1		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_M	/ltrNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrN	lm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	8.8		
Name	Actual Value	Expected Value	Result
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	9.68000031	9.68 ± 0.0625	~



Test Step Call Trace					
Actual Function	Count	Expected Function	Count	Result	
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~	
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	<b>✓</b>	

### Test Case 3: Path Test Specification Performance Metrics : (With "None" instrumentation and WithPS Environment)

TS3.1 TS3.2 TS3.3 1075.00 Cycles 1026.00 Cycles 1009.00 Cycles

Description Vector Description :

 $\begin{tabular}{llll} TS3.1 & (TorqueCmdSF\_Uls\_T\_f32>= k\_MaxTrqCmdScl\_Uls\_f32)=TRUE \\ TS3.2 & (TorqueCmdSF\_Uls\_T\_f32>= k\_MaxTrqCmdScl\_Uls\_f32)=FALSE \\ TS3.3 & (TorqueCmdSF\_Uls\_T\_f32<= k\_MinTrqCmdScl\_Uls\_f32)=FALSE \\ \end{tabular}$ 

Test Step 3.1 (Repeat Count = 1)			
Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	0.9		
k_MinTrqCmdScl_Uls_f32	0.9		
tgt_Pim_TorqueCmdSF_Uls_f32	1.1		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_M	ltrNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrN	m_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	1		
Name	Actual Value	Expected Value	Result
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	0.89999976	0.9 ± 0.0625	~

Test Step Call Trace				
Actual Function	Count	Expected Function	Count	Result
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	~

Test Step 3.2 (Repeat Count = 1)			✓
Name	Input Value		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
k_MaxTrqCmdScl_Uls_f32	1.1		
k_MinTrqCmdScl_Uls_f32	0.9		
tgt_Pim_TorqueCmdSF_Uls_f32	0.9		
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_M	trNm_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrN	m_f32	
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	2		
Name	Actual Value	Expected Value	Result
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	1.79999995	1.8 ± 0.0625	~

Test Step Call Trace					
Actual Function	Count	Expected Function	Count	Result	
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~	
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	<b>✓</b>	

Test Step 3.3 (Repeat Count = 1)	<b>✓</b>
Name	Input Value
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl
k_MaxTrqCmdScl_Uls_f32	1.1
k_MinTrqCmdScl_Uls_f32	0.9
tgt_Pim_TorqueCmdSF_Uls_f32	0.98
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32
tgt_Rte_Inst_Ap_TrqCmdScl.TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32	tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32

2016-01-10, 16:32:38+0530



Name	Input Value			
tgt_TrqCmdScl_Per1_MRFMtrTrqCmd_MtrNm_f32.value	2	2		
Name	Actual Value	Expected Value	Result	
tgt_TrqCmdScl_Per1_MRFMtrTrqCmdScl_MtrNm_f32.value	1.96000004	1.96 ± 0.0625	<b>*</b>	

Test Step Call Trace				V
Actual Function	Count	Expected Function	Count	Result
Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP0_CheckpointReached	1	~
Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	Rte_Call_TrqCmdScl_Per1_CP1_CheckpointReached	1	•

2016-01-10, 16:33:23+0530



TrqCmdScl\_SCom\_Get

Project MtrCtrl

 Module
 MtrCtrl\_CM\_TrqCmdScl

 Test Object
 TrqCmdScl\_SCom\_Get

### Instrumentation: Test Object Only

Statement (C0) Coverage	100 %
Branch (C1) Coverage	100 %

#### **Statistics**

Total Testcases	1	
Successful	1	~
Failed	0	
Not Executed	0	

#### **Module Properties**

Project Root Directory	D:\Synergy_Work_Area\MtrCtrl_CM
Configuration File	D:\Synergy_Work_Area\MtrCtrl_CM\UnitTestEnv\config\TMS570_GCC_UDE_CCS4_Config.xml
Target Environment	TI TMS 570 PLS UDE (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	
File	\$(PROJECTROOT)\MtrCtrl_CM\src\Ap_TrqCmdScl.c
Compiler Options	-Dconst= -D_DATA_ACCESS= -I\$(PROJECTROOT)\StdDef\(\)include -I\$(PROJECTROOT)\NxtrLib\\\)include -I\$(PROJECTROOT)\\\\)trCtrl_CM\\\\\\\)tp\\contract\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

Name	Text
Module 'MtrCtrl_CM_TrqCmdScl'	Name of Tester:Priti Mangalekar Code File(s) Under Test:Ap_TrqCmdScl.c Code File(s) Version: 6 Module Design Document:TorqueCmdScaling_MDD.doc Module Design Document Version: 5 Data Dictionary Version:13 Unit Test Plan Version:1 Optimization Level:Level 2
	Compiler (CodeGen) Version:TMS470_4.9.5 Model Type:Excel Macro Model Version:Nexteer EPS Unit Test Tool 2.7d/ EPS Library 1.32 Total FLASH Used (Bytes):138 Total RAM Used (Bytes):0 Total CALS Used (Bytes):1026 Special Test Requirements: Test Date:01/10/2016 Comments:"NOTE1: INLINE functions defined in globalmacro.h are not unit-tested. NOTE2:""CBD_Sandbox_dbg.map"" map file is embedded for reference."

Attributes	
Name	Value
Compiler Install Path	<pre>\$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler\tms470_4.9.5</pre>
Float Precision	9
InitObjDir	\$(PROJECTROOT)\UnitTestEnv\static_build_files\obj
InitSrcDir	\$(PROJECTROOT)\UnitTestEnv\static_build_files\src
Linker File	\$(PROJECTROOT)\UnitTestEnv\static_build_files\sys_link.cmd
Makefile Template	\$(PROJECTROOT)\UnitTestEnv\config\Nexteer_ts_make_ude_ti_tms570_ps.tpl
Target Install Path	\$(ProgramFiles)\pls\UDE 3.2
Time Unit	Cycles
Timer Enabled	false
Timer Prescale	0
Timer Resolution	1
UDE Config File	\$(PROJECTROOT)\UnitTestEnv\config\TMS570_UDE_12PIN_JTAG.cfg

TrqCmdScl\_SCom\_Get

2016-01-10, 16:33:23+0530



Attributes	
Name	Value
Waxlanaga File	D:\C:mover, Work Aves\MtvCtvl (M\)UnitTestEnv\cenfig\UDE EMCE70 DEDUC WCD



### Test Case 1: Boundary Test

Specification

Performance Metrics : (With "None" instrumentation and WithPS Environment)

16.00 Cycles 16.00 Cycles 16.00 Cycles TS1.1 TS1.2 TS1.3

Description Vector Description :

TS1.1 Rte\_Pim\_TorqueCmdSF\_Uls\_f32=Min TS1.2 Rte\_Pim\_TorqueCmdSF\_Uls\_f32=Max TS1.3 Rte\_Pim\_TorqueCmdSF\_Uls\_f32=Pos

Test Step 1.1 (Repeat Count = 1)			✓
Name	Input Value		
Par_f32	tgt_Par_f32		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
tgt_Pim_TorqueCmdSF_Uls_f32	0.9		
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
Name	Actual Value	Expected Value	Result
tgt_Par_f32	0.89999976	0.9	~

Test Step 1.2 (Repeat Count = 1)			✓
Name	Input Value		
Par_f32	tgt_Par_f32		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
tgt_Pim_TorqueCmdSF_Uls_f32	1.1		
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
Name	Actual Value	Expected Value	Result
tgt_Par_f32	1.10000002	1.1	~

Test Step 1.3 (Repeat Count = 1)			✓
Name	Input Value		
Par_f32	tgt_Par_f32		
Rte_Inst_Ap_TrqCmdScl	tgt_Rte_Inst_Ap_TrqCmdScl		
tgt_Pim_TorqueCmdSF_Uls_f32	0.95		
tgt_Rte_Inst_Ap_TrqCmdScl.Pim_TorqueCmdSF_Uls_f32	tgt_Pim_TorqueCmdSF_Uls_f32		
Name	Actual Value	Expected Value	Result
tgt_Par_f32	0.94999988	0.95	~