




#### Summary

#### **Overall Test Object Results (including Coverage)**








#### **Selected Project Items**

Test Collection "UnitTest"

#### **Used Test Environments**


TI TMS 570 PLS UDE (Default)

#### **Test Case Results for Each Test Object (without Coverage)**



The table above shows each test object on the x axis and the number of test cases of the respective test object on the y axis. Each bar is divided into passed, not executed and failed test cases. The test case results do not take into account any coverage result (i.e. if all test cases of a test object are passed in this table but the coverage is failed, the overall test object result will be failed).


#### Statement (C0) Coverage: Total Statements for Each Test Object



The table above shows each test object on the x axis and the number of statements of the respective test object on the y axis. Each bar is divided into reached statements (i.e. statements that have been executed during the test) and unreached statements.




#### Branch (C1) Coverage: Total Branches for Each Test Object



The table above shows each test object on the x axis and the number of branches of the respective test object on the y axis. Each bar is divided into reached branches (i.e. branches that have been executed during the test) and unreached branches.


#### **Decision Coverage: Total Decision Outcomes for Each Test Object**



The table above shows test objects on the x axis and the number of possible outcomes of all decisions of the respective test object on the y axis. To achieve full DC coverage, each decision must evaluate to both true and false.

Each bar is divided into reached and unreached decision outcomes.

#### MC/DC Coverage: Total Condition Combinations for Each Test Object




The table above shows test objects on the x axis and the number of condition combinations of all decisions of the respective test object on the y axis. The number of condition combinations is based on the number of boolean conditions within each decision of the test object. To achieve full MC/DC coverage, each decision requires all contained atomic conditions to evaluate to both true and false independently of all other conditions. The cumulated number of rows within such tables of condition combinations is what is displayed in this table.

Each bar is divided into reached condition combinations (i.e. combinations of boolean condition values that have been executed during the test) and unreached condition combinations.



# MCC Coverage: Total Condition Combinations for Each Test Object



The table above shows test objects on the x axis and the number of condition combinations of all decisions of the respective test object on the y axis. The number of condition combinations is based on the number of boolean conditions within each decision of the test object. To achieve full MCC coverage, each decision requires all contained atomic conditions to evaluate to all possible combinations of true and false values. The cumulated number of rows within such tables of condition combinations is what is displayed in this table.

Each bar is divided into reached condition combinations (i.e. combinations of boolean condition values that have been executed during the test) and unreached condition combinations.

#### **TEST OVERVIEW REPORT**

2016-11-25, 17:57:38+0530



Test Object List

Project PSADMQ\_1

# The following table lists all test objects with their test case and coverage results. The cumulated results for modules, folders and test collections are also displayed, the indentation within the name column indicates the parent relationship of the elements.

Please note that only test objects are numbered within the first column. This number is referenced on the x axis within the overview charts for test case and coverage results available on previous pages (if included into the report).

No.	Name	C0	C1	DC	MC/DC	MCC	Test Cases Result
	PSADMQ_1	100 %	100 %	100 %	100 %	100 %	5 of 5 passed
	UnitTest	100 %	100 %	100 %	100 %	100 %	5 of 5 passed
	PSADMQ	100 %	100 %	100 %	100 %	100 %	5 of 5 passed
1	<u>ComputeTunModSport</u>	100 %	100 %	100 %	100 %	100 %	2 of 2 passed
2	PSADMQ_Per1	100 %	100 %	100 %	100 %	100 %	3 of 3 passed

© Report created by TESSY V3.1.11, report template V2.0

2016-11-25, 17:55:55+0530

ComputeTunModSport



 Project
 PSADMQ\_1

 Module
 PSADMQ

 Test Object
 ComputeTunModSport

#### Instrumentation: Test Object Only

Statement (C0) Coverage	100 %
<b>Decision Coverage</b>	100 %
Branch (C1) Coverage	100 %
MCC Coverage	100 %
MC/DC Coverage	100 %

#### **Statistics**

Total Testcases	2	
Successful	2	~
Failed	0	
Not Executed	0	

#### **Module Properties**

Project Root Directory	D:\Synergy_Work_Area\PSADMQ_CF024A
Configuration File	D:\Synergy_Work_Area\PSADMQ_CF024A\UnitTestEnv\config\TMS570_GCC_UDE_CCS4_Config.xml
Target Environment	TI TMS 570 PLS UDE (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	
File	\$(PROJECTROOT)\Inputs\src\Ap_PSADMQ.c
Compiler Options	-D_DATA_ACCESS= -Dconst= -I\$(PROJECTROOT)\Inputs\utp\Contract -I\$(PROJECTROOT)\Inputs\utp\Contract\Ap_PSADMQ -I\$ (PROJECTROOT)\NxtrLib\include -I\$(PROJECTROOT)\StdDef\include -I\$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler \tms470_4.9.5\include

Comments/Descript	ion/Specification
Name	Text
Module 'PSADMQ'	**************************************
	Name of Tester:Divya Jape Code File(s) Under Test:Ap_PSADMQ.c Code File(s) Version:3 Module Design Document:PSADMQ_MDD.docx Module Design Document Version:2 Data Dictionary Version:3 Unit Test Plan Version:2 Optimization Level:Level 2 Compiler (CodeGen) Version:TMS470_4.9.5 Model Type:Excel Macro Model Version:Nexteer EPS Unit Test Tool 2.7d/EPS Library 1.32 Total FLASH Used (Bytes):358 Total RAM Used (Bytes):5 Total CALS Used (Bytes):0 Special Test Requirements:NA Test Date::1/25/2016 Comments: Note1:"CBD Sandbox dbg,map" map file is embedded for reference.
	***************************************

Attributes				
Name	Value			
Compiler Install Path	<pre>\$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler\tms470_4.9.5</pre>			
Float Precision	9			
InitObjDir	\$(PROJECTROOT)\UnitTestEnv\static_build_files\obj			
InitSrcDir	\$(PROJECTROOT)\UnitTestEnv\static_build_files\src			
Linker File	<pre>\$(PROJECTROOT)\UnitTestEnv\static_build_files\sys_link.cmd</pre>			
Makefile Template	<pre>\$(PROJECTROOT)\UnitTestEnv\config\Nexteer_ts_make_ude_ti_tms570_ps.tpl</pre>			
Target Install Path	\$(ProgramFiles)\pls\UDE 4.4			
Timer Enabled	false			
Timer Prescale	0			
Timer Resolution	1			

2016-11-25, 17:55:55+0530



ComputeTunModSport

Attributes				
Name	Value			
Timer Unit	Cycles			
UDE Config File	\$(PROJECTROOT)\UnitTestEnv\config\TMS570_UDE_12PIN_JTAG.cfg			
Workspace File	D:\Synergy_Work_Area\PSADMQ_CF024A\UnitTestEnv\config\UDE_TMS570_DEBUG.WSP			



#### **Test Case 1: Metrics Test**

Specification

Performance Metrics: (With "None" Instrumentation and "WithPS" Environment) CPU Cycles:

TS1.1 59.00 Cycles TS1.2 126.00 Cycles

Description Vector Description:

TS1.1Shortest Execution Path:

(PersSeInInpVId\_Cnt\_T\_lgc == FALSE)==> True
TS1.2Longest Execution Path:

(PersSeInInpVId\_Cnt\_T\_lgc == FALSE)==>False,

((TunReqGranted\_Cnt\_T\_lgc == TRUE)==>False &&(MultiModSwt\_Cnt\_T\_u08 == D\_TUNMODSTSTUN\_CNT\_U08)),

((TunReqGranted\_Cnt\_T\_lgc == TRUE)==>False &&(MultiModSwt\_Cnt\_T\_u08 == D\_TUNMODSTNORM\_CNT\_U08)))

Test Step 1.1 (Repeat Count = 1)			✓
Name	Input Value		
MultiModSwt_Cnt_T_u08	0		
PersSelnInpVId_Cnt_T_lgc	0		
PsaDMQ_DesiredTunPers_Cnt_M_u16	0		
PsaDMQ_PrevTunModSt_Cnt_M_u08	0		
PsaDMQ_TunModSt_Cnt_M_u08	0		
TunReqGranted_Cnt_T_lgc	0		
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	~
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	~
PsaDMQ_TunModSt_Cnt_M_u08	3	3	~

Test Step 1.2 (Repeat Count = 1)			✓
Name	Input Value		
MultiModSwt_Cnt_T_u08	0		
PersSelnInpVId_Cnt_T_lgc	1		
PsaDMQ_DesiredTunPers_Cnt_M_u16	0		
PsaDMQ_PrevTunModSt_Cnt_M_u08	3		
PsaDMQ_TunModSt_Cnt_M_u08	1		
TunReqGranted_Cnt_T_lgc	1		
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	~
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	<b>✓</b>
PsaDMQ TunModSt Cnt M u08	0	0	<b>✓</b>

#### Test Case 2: Range Test

Specification

Performance Metrics:
(With "None" Instrumentation and "WithPS" Environment)

CPU Cycles:

TS2.1 59.00 Cycles TS2.2 103.00 Cycles TS2.3 59.00 Cycles TS2.4 103.00 Cycles TS2.5 91.00 Cycles TS2.6 126.00 Cycles TS2.7 126.00 Cycles TS2.8 103.00 Cycles TS2.9 114.00 Cycles

Description Vector Description:

TS2.1All Min

IS2:2AII Max
TS2:3PersSelnInpVId\_Cnt\_T\_lgc==>Min
TS2:4PersSelnInpVId\_Cnt\_T\_lgc==>Max
TS2:5TunReqGranted\_Cnt\_T\_lgc==>Min
TS2:6TunReqGranted\_Cnt\_T\_lgc==>Max
TS2:7MultiModSwt\_Cnt\_T\_u08==>Min
TS2:8MultiModSwt\_Cnt\_T\_u08==>Max
TS2:9MultiModSwt\_Cnt\_T\_u08==>Pos

Test Step 2.1 (Repeat Count = 1)		✓
Name	Input Value	
MultiModSwt_Cnt_T_u08	0	
PersSelnInpVld_Cnt_T_lgc	0	
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	

2016-11-25, 17:55:55+0530



ComputeTunModSport

Name	Input Value		
PsaDMQ_PrevTunModSt_Cnt_M_u08	0		
PsaDMQ_TunModSt_Cnt_M_u08	0		
TunReqGranted_Cnt_T_lgc	0		
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	~
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	•
PsaDMQ_TunModSt_Cnt_M_u08	3	3	~

Test Step 2.2 (Repeat Count = 1)				
Name	Input Value			
MultiModSwt_Cnt_T_u08	2			
PersSelnInpVId_Cnt_T_lgc	1			
PsaDMQ_DesiredTunPers_Cnt_M_u16	2			
PsaDMQ_PrevTunModSt_Cnt_M_u08	3			
PsaDMQ_TunModSt_Cnt_M_u08	3			
TunReqGranted_Cnt_T_lgc	1			
Name	Actual Value	Expected Value	Result	
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	<b>✓</b>	
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	✓	
PsaDMQ_TunModSt_Cnt_M_u08	2	2	✓	

Test Step 2.3 (Repeat Count = 1)			✓
Name	Input Value		
MultiModSwt_Cnt_T_u08	1		
PersSelnInpVId_Cnt_T_lgc	0		
PsaDMQ_DesiredTunPers_Cnt_M_u16	0		
PsaDMQ_PrevTunModSt_Cnt_M_u08	2		
PsaDMQ_TunModSt_Cnt_M_u08	1		
TunReqGranted_Cnt_T_lgc	1		
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	~
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	~
PsaDMQ TunModSt Cnt M u08	3	3	<b>✓</b>

Test Step 2.4 (Repeat Count = 1)			<b>✓</b>
Name	Input Value		
MultiModSwt_Cnt_T_u08	2		
PersSelnInpVId_Cnt_T_lgc	1		
PsaDMQ_DesiredTunPers_Cnt_M_u16	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	2		
PsaDMQ_TunModSt_Cnt_M_u08	0		
TunReqGranted_Cnt_T_lgc	1		
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	~
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	<b>✓</b>
PsaDMQ TunModSt Cnt M u08	2	2	<b>✓</b>

Test Step 2.5 (Repeat Count = 1)			✓
Name	Input Value		
MultiModSwt_Cnt_T_u08	2		
PersSelnInpVId_Cnt_T_lgc	1		
PsaDMQ_DesiredTunPers_Cnt_M_u16	2		
PsaDMQ_PrevTunModSt_Cnt_M_u08	3		
PsaDMQ_TunModSt_Cnt_M_u08	1		
TunReqGranted_Cnt_T_lgc	0		
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	~
PsaDMQ_PrevTunModSt_Cnt_M_u08	3	3	<b>✓</b>
PsaDMQ_TunModSt_Cnt_M_u08	1	1	<b>✓</b>



ComputeTunModSport

Test Step 2.6 (Repeat Count = 1)			<b>✓</b>
Name	Input Value		
MultiModSwt_Cnt_T_u08	0		
PersSelnInpVId_Cnt_T_lgc	1		
PsaDMQ_DesiredTunPers_Cnt_M_u16	0		
PsaDMQ_PrevTunModSt_Cnt_M_u08	3		
PsaDMQ_TunModSt_Cnt_M_u08	1		
TunReqGranted_Cnt_T_lgc	1		
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	<b>✓</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	<b>✓</b>
PsaDMQ_TunModSt_Cnt_M_u08	0	0	<b>✓</b>

Test Step 2.7 (Repeat Count = 1)			✓
Name	Input Value		
MultiModSwt_Cnt_T_u08	0		
PersSelnInpVId_Cnt_T_lgc	1		
PsaDMQ_DesiredTunPers_Cnt_M_u16	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	0		
PsaDMQ_TunModSt_Cnt_M_u08	1		
TunReqGranted_Cnt_T_lgc	1		
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	~
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	~
PsaDMQ_TunModSt_Cnt_M_u08	0	0	~

Test Step 2.8 (Repeat Count = 1)			<b>✓</b>
Name	Input Value		
MultiModSwt_Cnt_T_u08	2		
PersSelnInpVId_Cnt_T_lgc	1		
PsaDMQ_DesiredTunPers_Cnt_M_u16	2		
PsaDMQ_PrevTunModSt_Cnt_M_u08	2		
PsaDMQ_TunModSt_Cnt_M_u08	3		
TunReqGranted_Cnt_T_lgc	1		
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	~
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	<b>✓</b>
PsaDMQ TunModSt Cnt M u08	2	2	<b>✓</b>

Test Step 2.9 (Repeat Count = 1)			<b>✓</b>
Name	Input Value		
MultiModSwt_Cnt_T_u08	1		
PersSelnInpVId_Cnt_T_lgc	1		
PsaDMQ_DesiredTunPers_Cnt_M_u16	0		
PsaDMQ_PrevTunModSt_Cnt_M_u08	3		
PsaDMQ_TunModSt_Cnt_M_u08	3		
TunReqGranted_Cnt_T_lgc	1		
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	<b>✓</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	3	3	~
PsaDMQ_TunModSt_Cnt_M_u08	3	3	~

2016-11-25, 17:56:59+0530

PSADMQ\_Per1



 Project
 PSADMQ\_1

 Module
 PSADMQ

 Test Object
 PSADMQ\_Per1

#### Instrumentation: Test Object Only

Statement (C0) Coverage	100 %
Decision Coverage	100 %
Branch (C1) Coverage	100 %
MCC Coverage	100 %
MC/DC Coverage	100 %

#### **Statistics**

Total Testcases	3	
Successful	3	~
Failed	0	
Not Executed	0	

#### **Module Properties**

Project Root Directory	D:\Synergy_Work_Area\PSADMQ_CF024A
Configuration File	D:\Synergy_Work_Area\PSADMQ_CF024A\UnitTestEnv\config\TMS570_GCC_UDE_CCS4_Config.xml
Target Environment	TI TMS 570 PLS UDE (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	
File	\$(PROJECTROOT)\Inputs\src\Ap_PSADMQ.c
Compiler Options	-D_DATA_ACCESS= -Dconst= -I\$(PROJECTROOT)\Inputs\utp\Contract -I\$(PROJECTROOT)\Inputs\utp\Contract\Ap_PSADMQ -I\$ (PROJECTROOT)\NxtrLib\include -I\$(PROJECTROOT)\StdDef\include -I\$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler \tms470_4.9.5\include

lame	Text
Module 'PSADMQ'	Name of Tester:Divya Jape Code File(s) Under Test:Ap_PSADMQ.c Code File(s) Version:3 Module Design Document:PSADMQ_MDD.docx Module Design Document Version:2 Data Dictionary Version:3 Unit Test Plan Version:3 Unit Test Plan Version:2 Optimization Level:Level 2 Compiler (CodeGen) Version:TMS470_4.9.5 Model Type:Excel Macro Model Version:Nexteer EPS Unit Test Tool 2.7d/EPS Library 1.32 Total FLASH Used (Bytes):358 Total RAM Used (Bytes):5 Total CALS Used (Bytes):0 Special Test Requirements:NA
	Test Date:11/25/2016 Comments: Note1:"CBD Sandbox dbg.map" map file is embedded for reference.

Attributes	
Name	Value
Compiler Install Path	\$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler\tms470_4.9.5
Float Precision	9
InitObjDir	\$(PROJECTROOT)\UnitTestEnv\static_build_files\obj
InitSrcDir	\$(PROJECTROOT)\UnitTestEnv\static_build_files\src
Linker File	\$(PROJECTROOT)\UnitTestEnv\static_build_files\sys_link.cmd
Makefile Template	\$(PROJECTROOT)\UnitTestEnv\config\Nexteer_ts_make_ude_ti_tms570_ps.tpl
Target Install Path	\$(ProgramFiles)\pls\UDE 4.4
Timer Enabled	false
Timer Prescale	0
Timer Resolution	1

2016-11-25, 17:56:59+0530

PSADMQ\_Per1



Attributes				
Name	Value			
Timer Unit	Cycles			
UDE Config File \$(PROJECTROOT)\UnitTestEnv\config\TMS570_UDE_12PIN_JTAG.cfg				
Workspace File	D:\Synergy_Work_Area\PSADMQ_CF024A\UnitTestEnv\config\UDE_TMS570_DEBUG.WSP			



#### **Test Case 1: Metrics Test**

Specification

Performance Metrics: (With "None" Instrumentation and "WithPS" Environment) CPU Cycles:

TS1.1 71.00 Cycles TS1.2 160.00 Cycles

Description Vector Description:

TS1.1Shortest Execution Path:

(PersSelnInpVld\_Cnt\_T\_lgc == FALSE)==> True
TS1.2Longest Execution Path:

(PersSelnInpVld\_Cnt\_T\_lgc == FALSE)==>False,

((TunReqGranted\_Cnt\_T\_lgc == TRUE)==>True &&(MultiModSwt\_Cnt\_T\_u08 == D\_TUNMODSTSTUN\_CNT\_U08))==>False,

((TunReqGranted\_Cnt\_T\_lgc == TRUE)==>True &&(MultiModSwt\_Cnt\_T\_u08 == D\_TUNMODSTNORM\_CNT\_U08))==>True

Test Step 1.1 (Repeat Count = 1)			✓
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	0		
PsaDMQ_FirstLoop_Cnt_M_lgc	0		
PsaDMQ_PrevTunModSt_Cnt_M_u08	0		
PsaDMQ_TunModSt_Cnt_M_u08	0		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	0		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	0		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	0		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	0		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	MQ_Per1_DesiredTunPers_Cnt_u16 target_PSADMQ_Per1_DesiredTunPers_Cnt_		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_Igc	target_PSADMQ_Per1_MultiModeSelected_	_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_Igc	target_PSADMQ_Per1_PersSelnInpVld_Cnt	_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_lgc	target_PSADMQ_Per1_TunReqGranted_Cn	t_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	~
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	<b>✓</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	0	0	<b>✓</b>
PsaDMQ_TunModSt_Cnt_M_u08	3	3	<b>✓</b>
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	0	0	~
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	3	3	<b>✓</b>

Test Step Call Trace			<b>✓</b>	
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	2		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	2		
PsaDMQ_TunModSt_Cnt_M_u08	0		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	1		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	0		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_Cnt_u16		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeS	Selected_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_Igc	target_PSADMQ_Per1_PersSelnIn	pVld_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_	target_PSADMQ_Per1_TunModSt_Cnt_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_TunReqGra	anted_Cnt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	•
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	•
PsaDMQ_PrevTunModSt_Cnt_M_u08	2	2	•
PsaDMQ_TunModSt_Cnt_M_u08	0	0	•
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	2	2	•
target PSADMQ Per1 TunModSt Cnt u08.value	0	0	



Test Step Call Trace				V
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

# 

Fest Step 2.1 (Repeat Count = 1)			✓
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	0		
PsaDMQ_FirstLoop_Cnt_M_lgc	0		
PsaDMQ_PrevTunModSt_Cnt_M_u08	0		
PsaDMQ_TunModSt_Cnt_M_u08	0		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	0		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	0		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value 0			
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	0		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_Cnt_u16		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_Igc	target_PSADMQ_Per1_PersSelnInpVld_Ci	nt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_lgc	target_PSADMQ_Per1_TunReqGranted_C	nt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	~
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	<b>✓</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	0	0	<b>✓</b>
PsaDMQ_TunModSt_Cnt_M_u08	3	3	<b>✓</b>
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	0	0	~
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	3	3	<b>✓</b>

Test Step Call Trace				V
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~



Test Step 2.2 (Repeat Count = 1) ✓				
Name	Input Value			
PsaDMQ_DesiredTunPers_Cnt_M_u16	2			
PsaDMQ_FirstLoop_Cnt_M_lgc	1			
PsaDMQ_PrevTunModSt_Cnt_M_u08	3			
PsaDMQ_TunModSt_Cnt_M_u08	3			
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ			
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	2			
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1			
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1			
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1			
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_Cnt_u16			
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u08			
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSelected_	Cnt_lgc		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_Igc	target_PSADMQ_Per1_PersSelnInpVId_Cnt	_lgc		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u08			
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_lgc	target_PSADMQ_Per1_TunReqGranted_Cnt	_lgc		
Name	Actual Value	Expected Value	Result	
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	~	
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	~	
PsaDMQ_PrevTunModSt_Cnt_M_u08	3	3	~	
PsaDMQ_TunModSt_Cnt_M_u08	3	3	•	
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	2	2	~	
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	3	3	<b>~</b>	

Test Step Call Trace				<b>✓</b>
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

Test Step 2.3 (Repeat Count = 1)			✓	
Name	Input Value			
PsaDMQ_DesiredTunPers_Cnt_M_u16	0			
PsaDMQ_FirstLoop_Cnt_M_lgc	1			
PsaDMQ_PrevTunModSt_Cnt_M_u08	0			
PsaDMQ_TunModSt_Cnt_M_u08	2			
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ			
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	0			
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1			
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	_lgc.value 1			
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1			
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_Cnt_u16			
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u08			
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSelect	ted_Cnt_lgc		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_lgc	target_PSADMQ_Per1_PersSelnInpVId_	target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_	target_PSADMQ_Per1_TunModSt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_lgc	target_PSADMQ_Per1_TunReqGranted	_Cnt_lgc		
Name	Actual Value	Expected Value	Result	
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	~	
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	<b>✓</b>	
PsaDMQ_PrevTunModSt_Cnt_M_u08	2	2	~	
PsaDMQ_TunModSt_Cnt_M_u08	0	0	<b>✓</b>	
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	0	0	~	
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	0	0	✓	

Test Step Call Trace				~
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

Test Step 2.4 (Repeat Count = 1)	
Name	Input Value
PsaDMQ_DesiredTunPers_Cnt_M_u16	1
PsaDMQ_FirstLoop_Cnt_M_lgc	1
PsaDMQ_PrevTunModSt_Cnt_M_u08	3
PsaDMQ_TunModSt_Cnt_M_u08	2
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ

PSADMQ\_Per1

2016-11-25, 17:56:59+0530





Name	Input Value		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	2		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_Cn	t_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u	08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_Igc	target_PSADMQ_Per1_MultiModeSelected_	Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_lgc	target_PSADMQ_Per1_PersSelnInpVId_Cnt_Igc		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_TunReqGranted_Cn	t_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	1	1	~
PsaDMQ_FirstLoop_Cnt_M_lgc	1	Ī	~
PsaDMQ_PrevTunModSt_Cnt_M_u08	3	3	~
PsaDMQ_TunModSt_Cnt_M_u08	2	2	•
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	1	1	~
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	2	2	~

Test Step Call Trace					
Acti	ual Function	Count	Expected Function	Count	Result
*non	e*	0	*** No Call Expected ***	0	~

Test Step 2.5 (Repeat Count = 1)			<b>✓</b>
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	2		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	0		
PsaDMQ_TunModSt_Cnt_M_u08	0		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	1		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	0		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_C	nt_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSelected	I_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_Igc	target_PSADMQ_Per1_PersSelnInpVld_C	nt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u0	8	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_lgc	target_PSADMQ_Per1_TunReqGranted_C	nt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	1	1	<b>~</b>
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	<b>✓</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	0	0	~
PsaDMQ_TunModSt_Cnt_M_u08	1	1	<b>✓</b>
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	1	1	~
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	1	1	<b>✓</b>

Test Step Call Trace					
Actual Function	Count	Expected Function	Count	Result	
*none*	0	*** No Call Expected ***	0	~	

Name	Input Value
PsaDMQ DesiredTunPers Cnt M u16	0
PsaDMQ FirstLoop Cnt M Igc	0
PsaDMQ_PrevTunModSt_Cnt_M_u08	1
PsaDMQ_TunModSt_Cnt_M_u08	2
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	0
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1
target_PSADMQ_Per1_PersSelnInpVld_Cnt_lgc.value	0
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	0
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_Cnt_u16
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u08
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_Igc	target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_Igc	target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc

2016-11-25, 17:56:59+0530



PSADMQ\_Per1

Name	Input Value		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_Tur	ModSt_Cnt_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_Tur	ReqGranted_Cnt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	✓
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	✓
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	✓
PsaDMQ_TunModSt_Cnt_M_u08	3	3	✓
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	0	0	✓
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	3	3	✓

Test Step Call Trace				
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

Test Step 2.7 (Repeat Count = 1)			✓
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	1		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	1		
PsaDMQ_TunModSt_Cnt_M_u08	3		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	0		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPe	ers_Cnt_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_	Cnt_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSele	ected_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_lgc	target_PSADMQ_Per1_PersSelnInpV	ld_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cr	nt_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_TunReqGrant	ed_Cnt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	1	1	<b>✓</b>
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	<b>✓</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	✓
PsaDMQ_TunModSt_Cnt_M_u08	1	1	✓
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	1	1	<b>✓</b>
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	1	1	<b>✓</b>

Test Step Call Trace				
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

Test Step 2.8 (Repeat Count = 1)			<b>✓</b>
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	2		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	3		
PsaDMQ_TunModSt_Cnt_M_u08	2		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	2		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	0		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	0		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_C	nt_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_	u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSelected	_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_Igc	target_PSADMQ_Per1_PersSelnInpVld_Cr	nt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u0	8	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_TunReqGranted_C	nt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	~
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	~
PsaDMQ_PrevTunModSt_Cnt_M_u08	3	3	~
PsaDMQ_TunModSt_Cnt_M_u08	2	2	~

2

2

target\_PSADMQ\_Per1\_DesiredTunPers\_Cnt\_u16.value

2016-11-25, 17:56:59+0530





Name	Actual Value	Expected Value	Result
target PSADMQ Per1 TunModSt Cnt u08.value	2	2	<b>✓</b>

Test Step Call Trace					
Actual Function	Count	Expected Function	Count	Result	
*none*	0	*** No Call Expected ***	0	~	

Test Step 2.9 (Repeat Count = 1)			✓
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	0		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	3		
PsaDMQ_TunModSt_Cnt_M_u08	2		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	0		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_Cn	t_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u	08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSelected_	Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_lgc	target_PSADMQ_Per1_PersSelnInpVld_Cnt	_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_TunReqGranted_Cn	t_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	~
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	<b>✓</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	2	2	~
PsaDMQ_TunModSt_Cnt_M_u08	0	0	•
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	0	0	•
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	0	0	~

Test Step Call Trace			V		
	Actual Function	Count	Expected Function	Count	Result
,	none*	0	*** No Call Expected ***	0	~

Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	0		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	1		
PsaDMQ_TunModSt_Cnt_M_u08	2		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	0		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	0		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	0		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredT	unPers_Cnt_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiMod	Swt_Cnt_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiMod	eSelected_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_lgc	target_PSADMQ_Per1_PersSeln	InpVld_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModS	St_Cnt_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_lgc	target_PSADMQ_Per1_TunReqG	Granted_Cnt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	•
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	•
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	•
PsaDMQ_TunModSt_Cnt_M_u08	2	2	•
target PSADMQ Per1 DesiredTunPers Cnt u16.value	0	0	•

Test Step Call Trace				<b>✓</b>
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

Test Step Call Trace
Actual Function

PsaDMQ\_TunModSt\_Cnt\_M\_u08

target\_PSADMQ\_Per1\_DesiredTunPers\_Cnt\_u16.value target\_PSADMQ\_Per1\_TunModSt\_Cnt\_u08.value

\*none\*



Count Result

Test Step 2.11 (Repeat Count = 1)			
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	2		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	2		
PsaDMQ_TunModSt_Cnt_M_u08	0		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	1		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_Igc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	0		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_Cn	t_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u	08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSelected_	Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVld_Cnt_lgc	target_PSADMQ_Per1_PersSelnInpVId_Cnt	_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_lgc	target_PSADMQ_Per1_TunReqGranted_Cn	t_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	~
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	<b>~</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	2	2	•
PsaDMQ_TunModSt_Cnt_M_u08	0	0	<b>~</b>
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	2	2	•
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	0	0	<b>✓</b>

Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	1		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	1		
PsaDMQ_TunModSt_Cnt_M_u08	0		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	2		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	0		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTun	Pers_Cnt_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSv	vt_Cnt_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeS	Selected_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_lgc	target_PSADMQ_Per1_PersSelnIn	pVld_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_	_Cnt_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_lgc	target_PSADMQ_Per1_TunReqGra	anted_Cnt_lgc	
Name	Actual Value	Expected Value	Resul
PsaDMQ_DesiredTunPers_Cnt_M_u16	1	1	•
PsaDMQ_FirstLoop_Cnt_M_lgc	1	Ī	•
PsaDMQ PrevTunModSt Cnt M u08	1	1	•

Count Expected Function

\*\*\* No Call Expected \*\*\*

Test Step Call Trace			<b>✓</b>	
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	

0

Test Step 2.13 (Repeat Count = 1)		
Name	Input Value	
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	
PsaDMQ_FirstLoop_Cnt_M_lgc	0	
PsaDMQ_PrevTunModSt_Cnt_M_u08	0	
PsaDMQ_TunModSt_Cnt_M_u08	3	
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ	
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	0	

PSADMQ\_Per1

PsaDMQ\_TunModSt\_Cnt\_M\_u08

target\_PSADMQ\_Per1\_DesiredTunPers\_Cnt\_u16.value

target\_PSADMQ\_Per1\_TunModSt\_Cnt\_u08.value

2016-11-25, 17:56:59+0530



Input Value target\_PSADMQ\_Per1\_MultiModeSelected\_Cnt\_lgc.value 0 target\_PSADMQ\_Per1\_PersSelnInpVId\_Cnt\_lgc.value target\_PSADMQ\_Per1\_TunReqGranted\_Cnt\_lgc.value 0 target\_Rte\_Inst\_Ap\_PSADMQ.PSADMQ\_Per1\_DesiredTunPers\_Cnt\_u16 target\_PSADMQ\_Per1\_DesiredTunPers\_Cnt\_u16 target\_Rte\_Inst\_Ap\_PSADMQ.PSADMQ\_Per1\_MultiModSwt\_Cnt\_u08 target\_PSADMQ\_Per1\_MultiModSwt\_Cnt\_u08 target\_Rte\_Inst\_Ap\_PSADMQ.PSADMQ\_Per1\_MultiModeSelected\_Cnt\_lgc target\_PSADMQ\_Per1\_MultiModeSelected\_Cnt\_lgc target\_Rte\_Inst\_Ap\_PSADMQ.PSADMQ\_Per1\_PersSelnInpVld\_Cnt\_lgc target\_PSADMQ\_Per1\_PersSelnInpVId\_Cnt\_lgc target\_PSADMQ\_Per1\_TunModSt\_Cnt\_u08  $target\_Rte\_Inst\_Ap\_PSADMQ.PSADMQ\_Per1\_TunModSt\_Cnt\_u08$  $target\_Rte\_Inst\_Ap\_PSADMQ.PSADMQ\_Per1\_TunReqGranted\_Cnt\_lgc$ target\_PSADMQ\_Per1\_TunReqGranted\_Cnt\_lgc **Expected Value** PsaDMQ\_DesiredTunPers\_Cnt\_M\_u16 n n PsaDMQ\_FirstLoop\_Cnt\_M\_lgc 1 1 PsaDMQ\_PrevTunModSt\_Cnt\_M\_u08 n 0

Test Step Call Trace				V	
Actual Function	Count	Expected Function	Count	Resi	ılt
*none*	0	*** No Call Expected ***	0		~

3

n

3

3

n

3

Test Step 2.14 (Repeat Count = 1)			✓
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	1		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	0		
PsaDMQ_TunModSt_Cnt_M_u08	2		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	1		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_	Cnt_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt	_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSelecte	d_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_lgc	target_PSADMQ_Per1_PersSelnInpVId_0	Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u	08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_TunReqGranted_	Cnt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	1	1	~
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	<b>✓</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	2	2	~
PsaDMQ_TunModSt_Cnt_M_u08	1	1	~
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	1	1	<b>✓</b>
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	1	1	✓

Test Step Call Trace				<b>✓</b>
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	

Test Step 2.15 (Repeat Count = 1)	<b>✓</b>
Name	Input Value
PsaDMQ_DesiredTunPers_Cnt_M_u16	2
PsaDMQ_FirstLoop_Cnt_M_lgc	1
PsaDMQ_PrevTunModSt_Cnt_M_u08	1
PsaDMQ_TunModSt_Cnt_M_u08	0
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	2
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	0
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	0
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_Cnt_u16
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u08
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_Igc	target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVld_Cnt_lgc	target_PSADMQ_Per1_PersSelnInpVld_Cnt_lgc
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u08

2016-11-25, 17:56:59+0530





Name	Input Value		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_lgc	target_PSADMQ_Per1_TunReqGranted_Cr	nt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	~
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	~
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	~
PsaDMQ_TunModSt_Cnt_M_u08	0	0	~
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	2	2	~
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	0	0	<b>✓</b>

Test Step Call Trace				<b>✓</b>
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

Test Step 2.16 (Repeat Count = 1)	Test Step 2.16 (Repeat Count = 1) ✓		
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	0		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	0		
PsaDMQ_TunModSt_Cnt_M_u08	3		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	2		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	0		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	0		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_0	nt_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_	u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSelected	_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_lgc	target_PSADMQ_Per1_PersSelnInpVld_Ci	nt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u0	8	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_lgc	target_PSADMQ_Per1_TunReqGranted_C	nt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	~
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	•
PsaDMQ_PrevTunModSt_Cnt_M_u08	0	0	•
PsaDMQ_TunModSt_Cnt_M_u08	3	3	•
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	0	0	~
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	3	3	<b>✓</b>

Test Step Call Trace				<b>✓</b>
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

Test Step 2.17 (Repeat Count = 1)			<b>✓</b>
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	1		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	1		
PsaDMQ_TunModSt_Cnt_M_u08	2		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	1		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	0		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers	s_Cnt_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_C	:nt_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSelect	cted_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_lgc	target_PSADMQ_Per1_PersSelnInpVld	_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt	_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_lgc	target_PSADMQ_Per1_TunReqGranted	d_Cnt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	1	1	~
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	<b>~</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	~
PsaDMQ_TunModSt_Cnt_M_u08	2	2	<b>✓</b>
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	1	1	~
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	2	2	<b>✓</b>

Test Step Call Trace
Actual Function

\*none\*



Count Result

0

Test Step Call Trace				•	•
Actual Function	Count	Expected Function	Count	Resul	1
*none*	0	*** No Call Expected ***	0	•	ř

Test Step 2.18 (Repeat Count = 1)			<b>✓</b>
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	2		
PsaDMQ_FirstLoop_Cnt_M_lgc	0		
PsaDMQ_PrevTunModSt_Cnt_M_u08	0		
PsaDMQ_TunModSt_Cnt_M_u08	0		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	2		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	0		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	0		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunP	ers_Cnt_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt	_Cnt_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSe	lected_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_Igc	target_PSADMQ_Per1_PersSelnInp\	/ld_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_0	:nt_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_lgc	target_PSADMQ_Per1_TunReqGran	ted_Cnt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	~
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	<b>✓</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	0	0	~
PsaDMQ_TunModSt_Cnt_M_u08	3	3	~
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	2	2	~
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	3	3	<b>✓</b>

Test Step 2.19 (Repeat Count = 1)			<b>✓</b>
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	0		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	1		
PsaDMQ_TunModSt_Cnt_M_u08	3		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	2		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	0		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_C	nt_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_	80µ	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSelected	_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_Igc	target_PSADMQ_Per1_PersSelnInpVId_Cr	ıt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u0	3	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_TunReqGranted_Cnt_lgc		
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	~
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	<b>~</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	~

Count Expected Function

\*\*\* No Call Expected \*\*\*

Test Step Call Trace				<b>✓</b>
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

1

0

1

0

 $target\_PSADMQ\_Per1\_DesiredTunPers\_Cnt\_u16.value$ 

target\_PSADMQ\_Per1\_TunModSt\_Cnt\_u08.value

PsaDMQ\_TunModSt\_Cnt\_M\_u08



# 

Test Step 3.1 (Repeat Count = 1)			✓
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	2		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	3		
PsaDMQ_TunModSt_Cnt_M_u08	1		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	2		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers	s_Cnt_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_C	nt_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSelect	ted_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_Igc	target_PSADMQ_Per1_PersSelnInpVld_	_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_	_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_TunReqGranted	_Cnt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	<b>✓</b>
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	<b>✓</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	~
PsaDMQ_TunModSt_Cnt_M_u08	2	2	<b>~</b>
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	2	2	~
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	2	2	✓

Test Step Call Trace				<b>✓</b>
Actual Function	Count	Expected Function	Count	Result
ComputeTunModSport	1	ComputeTunModSport	1	~

Test Step 3.2 (Repeat Count = 1)	
Name	Input Value
PsaDMQ_DesiredTunPers_Cnt_M_u16	0
PsaDMQ_FirstLoop_Cnt_M_lgc	0
PsaDMQ_PrevTunModSt_Cnt_M_u08	0
PsaDMQ_TunModSt_Cnt_M_u08	3
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ

2016-11-25, 17:56:59+0530



PSADMQ\_Per1

Name	Input Value		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	0		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1		
target_PSADMQ_Per1_PersSelnInpVld_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	0		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_Cn	t_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u	08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_Igc	target_PSADMQ_Per1_PersSelnInpVld_Cnt	_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_TunReqGranted_Cn	t_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	~
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	•
PsaDMQ_PrevTunModSt_Cnt_M_u08	0	0	•
PsaDMQ_TunModSt_Cnt_M_u08	0	0	<b>✓</b>
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	0	0	~
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	0	0	<b>✓</b>

Test Step Call Trace				V
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

Test Step 3.3 (Repeat Count = 1) ✓			
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	0		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	0		
PsaDMQ_TunModSt_Cnt_M_u08	2		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	0		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	0		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_0	Cnt_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_Igc	target_PSADMQ_Per1_MultiModeSelected	d_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_lgc	target_PSADMQ_Per1_PersSelnInpVld_C	nt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u0	80	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_lgc	target_PSADMQ_Per1_TunReqGranted_0	Cnt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	0	0	~
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	<b>✓</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	2	2	~
PsaDMQ_TunModSt_Cnt_M_u08	3	3	<b>✓</b>
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	0	0	~
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	3	3	<b>✓</b>

Test Step Call Trace				<b>✓</b>
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

Test Step 3.4 (Repeat Count = 1)	
Name	Input Value
PsaDMQ_DesiredTunPers_Cnt_M_u16	2
PsaDMQ_FirstLoop_Cnt_M_lgc	1
PsaDMQ_PrevTunModSt_Cnt_M_u08	0
PsaDMQ_TunModSt_Cnt_M_u08	3
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	2
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	0
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_Cnt_u16
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u08
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_Igc	target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc

2016-11-25, 17:56:59+0530



PSADMQ\_Per1

Name	Input Value		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_Tur	ModSt_Cnt_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_Tur	nReqGranted_Cnt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	<b>✓</b>
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	✓
PsaDMQ_PrevTunModSt_Cnt_M_u08	0	0	<b>✓</b>
PsaDMQ_TunModSt_Cnt_M_u08	3	3	✓
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	2	2	<b>✓</b>
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	3	3	<b>✓</b>

Test Step Call Trace				<b>✓</b>
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

Test Step 3.5 (Repeat Count = 1) ✓			
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	2		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	0		
PsaDMQ_TunModSt_Cnt_M_u08	3		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	2		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_	_Cnt_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cn	t_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_Igc	target_PSADMQ_Per1_MultiModeSelecte	ed_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVld_Cnt_lgc	target_PSADMQ_Per1_PersSelnInpVId_	Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u	108	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_TunReqGranted_	_Cnt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	~
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	<b>✓</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	0	0	✓
PsaDMQ_TunModSt_Cnt_M_u08	0	0	✓
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	2	2	✓
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	0	0	✓

Test Step Call Trace				V
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

Test Step 3.6 (Repeat Count = 1)			<b>✓</b>
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	1		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	1		
PsaDMQ_TunModSt_Cnt_M_u08	3		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	0		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	0		
target_PSADMQ_Per1_PersSelnInpVld_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_Cr	nt_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u	08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSelected_	_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVld_Cnt_lgc	target_PSADMQ_Per1_PersSelnInpVld_Cnt	_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_TunReqGranted_Cn	t_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	1	1	•
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	<b>✓</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	1	1	~
PsaDMQ_TunModSt_Cnt_M_u08	3	3	~

1


1

target\_PSADMQ\_Per1\_DesiredTunPers\_Cnt\_u16.value

PSADMQ\_Per1

2016-11-25, 17:56:59+0530





Test Step Call Trace				
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

Test Step 3.7 (Repeat Count = 1)			<b>✓</b>
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	2		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	2		
PsaDMQ_TunModSt_Cnt_M_u08	3		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	2		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	0		
target_PSADMQ_Per1_PersSelnInpVld_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_Cnt_u16		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_	_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_Igc	target_PSADMQ_Per1_MultiModeSelected	d_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_lgc	target_PSADMQ_Per1_PersSelnInpVld_C	nt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u0	08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_lgc	target_PSADMQ_Per1_TunReqGranted_0	Cnt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	<b>✓</b>
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	✓
PsaDMQ_PrevTunModSt_Cnt_M_u08	2	2	<b>✓</b>
PsaDMQ_TunModSt_Cnt_M_u08	3	3	✓
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	2	2	✓
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	3	3	✓

	Test Step Call Trace				V
	Actual Function	Count	Expected Function	Count	Result
,	none*	0	*** No Call Expected ***	0	•

Name	Input Value		
PsaDMQ DesiredTunPers Cnt M u16	2		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ PrevTunModSt Cnt M u08	2		
PsaDMQ TunModSt Cnt M u08	3		
Rte Inst Ap PSADMQ	target Rte Inst Ap PSADMQ		
target PSADMQ Per1 MultiModSwt Cnt u08.value	2		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	1		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_Cnt_u16		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_Igc	target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_Igc	target_PSADMQ_Per1_PersSelnI	npVld_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModS	t_Cnt_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_TunReqG	ranted_Cnt_lgc	
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	•
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	•
PsaDMQ_PrevTunModSt_Cnt_M_u08	2	2	•
PsaDMQ_TunModSt_Cnt_M_u08	2	2	•
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	2	2	•
target PSADMQ Per1 TunModSt Cnt u08.value	2	2	

Test Step Call Trace				
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

Test Step Call Trace
Actual Function

\*none\*



Count Result

Test Step 3.9 (Repeat Count = 1)			<b>✓</b>
Name	Input Value		
PsaDMQ_DesiredTunPers_Cnt_M_u16	2		
PsaDMQ_FirstLoop_Cnt_M_lgc	1		
PsaDMQ_PrevTunModSt_Cnt_M_u08	0		
PsaDMQ_TunModSt_Cnt_M_u08	0		
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ		
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	1		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	0		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	0		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_Cn	t_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_Igc	target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_Igc	target_PSADMQ_Per1_PersSelnInpVId_Cnt	_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_TunReqGranted_Cnt_lgc		
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	~
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	<b>~</b>
PsaDMQ_PrevTunModSt_Cnt_M_u08	0	0	~
PsaDMQ_TunModSt_Cnt_M_u08	3	3	<b>~</b>
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	2	2	~
target_PSADMQ_Per1_TunModSt_Cnt_u08.value	3	3	•

Test Step 3.10 (Repeat Count = 1)	
Name	Input Value
PsaDMQ_DesiredTunPers_Cnt_M_u16	2
PsaDMQ_FirstLoop_Cnt_M_lgc	1
PsaDMQ_PrevTunModSt_Cnt_M_u08	0
PsaDMQ_TunModSt_Cnt_M_u08	0
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	2
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	0
target_PSADMQ_Per1_PersSelnInpVld_Cnt_lgc.value	1
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunPers_Cnt_u16
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwt_Cnt_u08
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_lgc	target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u08
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_TunReqGranted_Cnt_lgc

Count Expected Function

\*\*\* No Call Expected \*\*\*

Actual Value	Expected Value	Result
2	2	~
1	1	~
0	0	~
2	2	~
2	2	~
2	2	~
1 2 2 2	Actual Value	Actual Value

Test Step Call Trace				<b>✓</b>
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	~

Test Step 3.11 (Repeat Count = 1)	
Name	Input Value
PsaDMQ_DesiredTunPers_Cnt_M_u16	2
PsaDMQ_FirstLoop_Cnt_M_lgc	1
PsaDMQ_PrevTunModSt_Cnt_M_u08	0
PsaDMQ_TunModSt_Cnt_M_u08	0
Rte_Inst_Ap_PSADMQ	target_Rte_Inst_Ap_PSADMQ
target_PSADMQ_Per1_MultiModSwt_Cnt_u08.value	0

2016-11-25, 17:56:59+0530



PSADMQ\_Per1

Name	Input Value		
target_PSADMQ_Per1_MultiModeSelected_Cnt_lgc.value	0		
target_PSADMQ_Per1_PersSelnInpVId_Cnt_lgc.value	1		
target_PSADMQ_Per1_TunReqGranted_Cnt_lgc.value	1		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_DesiredTunPers_Cnt_u16	target_PSADMQ_Per1_DesiredTunF	ers_Cnt_u16	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModSwt_Cnt_u08	target_PSADMQ_Per1_MultiModSwi	_Cnt_u08	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_MultiModeSelected_Cnt_lgc	target_PSADMQ_Per1_MultiModeSe	elected_Cnt_lgc	
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_PersSelnInpVId_Cnt_Igc	target_PSADMQ_Per1_PersSelnInpVId_Cnt_Igc		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunModSt_Cnt_u08	target_PSADMQ_Per1_TunModSt_Cnt_u08		
target_Rte_Inst_Ap_PSADMQ.PSADMQ_Per1_TunReqGranted_Cnt_Igc	target_PSADMQ_Per1_TunReqGranted_Cnt_lgc		
Name	Actual Value	Expected Value	Result
PsaDMQ_DesiredTunPers_Cnt_M_u16	2	2	✓
PsaDMQ_FirstLoop_Cnt_M_lgc	1	1	✓
PsaDMQ_PrevTunModSt_Cnt_M_u08	0	0	✓
PsaDMQ_TunModSt_Cnt_M_u08	0	0	<b>✓</b>
target_PSADMQ_Per1_DesiredTunPers_Cnt_u16.value	2	2	~
target PSADMQ Per1 TunModSt Cnt u08.value	0	0	✓.

Test Step Call Trace				<b>✓</b>
Actual Function	Count	Expected Function	Count	Result
*none*	0	*** No Call Expected ***	0	-