

# Real-Time Audio Interface Comparison

A Deep Behavioral Analysis of Interactive Spatial Models, Input Management, and User Flow Ergonomics across Clubhouse, X Spaces, and Discord Voice

## EXECUTIVE SCOPE & RESEARCH OBJECTIVES

This report delivers a rigorous evaluation of multi-user audio UI conventions across leading social and workspace platforms. Grounded strictly in observable production interface behavior, this analysis evaluates spatial hierarchy, state detection feedback, permission management, end-call ergonomics, and accessibility compliance to establish industry best practices for next-generation real-time audio systems.

PREPARED BY

Manahil Tahir

PROJECT REFERENCE

SM AI Intern Interview

Submission Document

PREPARED FOR

Atif Riaz

# 1. Platform Overview & Architectural Paradigms

Real-time audio interfaces have evolved into three distinct spatial models based on user intent and platform context. Understanding these foundational paradigms is necessary to evaluate control ergonomics, permission flows, and stage transitions.

## 1.1 Clubhouse: Broadcast Stage Model

Clubhouse utilizes an explicit top-down spatial hierarchy centered around a formal "Stage." The UI creates hard boundaries between speakers and listeners, requiring host intervention or explicit permission escalation (hand-raising) to transition across states.

## 1.2 X Spaces: Contextual Feed Dock

X Spaces treats live audio as a secondary overlay tied to the primary content feed. Users can listen continuously while browsing their timeline, utilizing a docked bottom bar that balances ambient background listening with active engagement.

## 1.3 Discord: Persistent Workspace Channels

Discord employs an ambient, low-friction channel model where voice rooms exist continuously within server sidebars. Joining requires a single tap without requiring a formal room host or creation overlay, prioritizing workspace collaboration.

**UX Takeaway:** The choice between a broadcast stage, feed overlay, or ambient channel directly dictates friction levels during mute toggling, speaker promotion, and room termination.


# 2. Architectural Feature Comparison Matrix

The following matrix compares core interface behaviors across all three production environments, highlighting visual hierarchy, control placement, and state management.

| UX Dimension          | Clubhouse                          | X (Twitter) Spaces                  | Discord Voice                            |
|-----------------------|------------------------------------|-------------------------------------|------------------------------------------|
| Primary Layout Model  | Modal Room / Formal Stage Grid     | Docked Feed Overlay / Sheet         | Persistent Sidebar Channel / Focus View  |
| Audience Hierarchy    | Stage, Followed by Stage, Audience | Host, Co-Hosts, Speakers, Listeners | Equal Channel Members (Role-based)       |
| Mute Toggle Placement | Bottom Right Action Bar            | Bottom Left Action Bar              | Global Sticky Footer Panel               |
| Active Speaker Cue    | Dynamic Green Ring Halo            | Pulsing Blue Ring + Waveform        | Green Border Highlight around Avatar     |
| Leave Flow Ergonomics | "Leave Quietly" (Bottom Left)      | "End" / "Leave" (Top Right 'X')     | Explicit Disconnect Icon (Global Footer) |
| Multitasking Support  | Minimized Top Bar Banner           | Minimized Floating Player Overlay   | Full In-App Navigation + Overlay         |

### 3. Speaker Detection & Real-Time Feedback Analysis

Providing clear visual cues during voice activation prevents accidental interruptions and reassures users that their audio stream is being transmitted. Production platforms utilize varied visual feedback loops to represent active input states.




#### 3.1 Qualitative Visual Feedback Mechanisms

- **Clubhouse Ring Halo:** Employs a soft green glowing ring around the speaker's avatar that expands proportionally with audio volume. This provides high visual contrast against light-mode backgrounds.
- **X Spaces Animated Waveform:** Adds small dynamic wave graphic bars directly below the speaker's avatar name. While visual, it requires closer visual inspection compared to border highlights.
- **Discord Border Highlight:** Uses a high-contrast green stroke (`#23A55A`) around the entire circular avatar asset, accompanied by a subtle voice channel icon lighting effect in the sidebar list.

### 4. Mute / Unmute Control Ergonomics

Input management is the most critical micro-interaction in multi-party audio applications. The speed and safety with which a user can toggle their microphone directly affects confidence during live participation.



#### 4.1 Comparative Ergonomics Evaluation

Discord offers superior mute usability by anchoring microphone and deafen toggles to a persistent global footer panel. In contrast, Clubhouse and X Spaces place mute buttons within modal bottom sheets that can be accidental dismissed during scrolling, increasing time-to-mute during unexpected background noise.

## 5. Room Termination & Leave UX Analysis

Designing graceful exit paths requires balancing user comfort (preventing awkward room departures) with administrative safety (preventing accidental room destruction by hosts).

### X Spaces End Session Flow

End Space for everyone?

End Space

Cancel

Figure 5.1: X Spaces Destructive Action Safeguard — Explicit confirmation modal preventing accidental broadcast termination by hosts.

### Clubhouse "Leave Quietly"



Leave quietly

Figure 5.2: Clubhouse Frictionless Departure — Psychologically reassuring leave button reduces social anxiety when exiting active stages.

**Observation:** Clubhouse's "Leave Quietly" button combines a clear icon (victory hand 🙌) with explicit copy to reduce social friction when leaving large rooms. Conversely, Discord uses a distinct phone-down red icon (📵) in its persistent bar, emphasizing quick technical disconnection.

## 6. Visual State Indicators & System Feedback

Maintaining continuous visual feedback regarding connection status, permission levels, and mute states is fundamental to user confidence during real-time streaming.

| Visual Indicator State        | Clubhouse Implementation                                | X Spaces Implementation                                   | Discord Voice Implementation                                  |
|-------------------------------|---------------------------------------------------------|-----------------------------------------------------------|---------------------------------------------------------------|
| Microphone Muted              | Red slash icon overlaid on bottom-right avatar corner   | Red microphone icon with diagonal strike on profile badge | Red slash icon in global footer + muted tag in channel list   |
| Raised Hand (Speaker Request) | Floating hand badge on avatar + host notification queue | Glowing request button + audience list status banner      | N/A (Role-based permissions or Stage channel hand raise)      |
| Connection Quality / Ping     | Implicit (Automatic degradation indicator if unstable)  | Implicit (Buffering spinner on speaker avatar)            | Explicit ping readout (e.g., green signal bars / "24ms Ping") |
| Host / Moderator Badge        | Green star icon adjacent to avatar name                 | Explicit "Host" or "Co-Host" text pill under profile      | Crown icon or distinct colored username role assignment       |

## 7. Accessibility Analysis (WCAG 2.1 Compliance)

Accessibility in live audio environments presents unique challenges, particularly regarding screen reader navigation, color contrast ratios, and visual alt-states for non-auditory users.

- **Screen Reader Traversal (VoiceOver / TalkBack):** Clubhouse stage structures can cause focus trapping when navigating between active speakers and long listener lists. Discord provides structured headers for voice channels, allowing screen readers to jump directly to active input controls.
- **Color Contrast & State Independence:** Relying solely on color change (e.g., green ring for speaking, gray for idle) fails WCAG 1.4.1 (Use of Color). X Spaces mitigates this by pairing color changes with animated soundwave graphics, ensuring non-visual state clarity.
- **Closed Captioning & Live Text Integration:** X Spaces offers reliable automated live captions directly above the action sheet. Clubhouse supports automated captions but requires manual activation in settings, adding unnecessary setup friction.

## 8. Critical UX Pain Points Identified

Direct interaction analysis across all three platforms revealed significant usability bottlenecks that degrade user experience during extended audio sessions.

### Pain Point #1: Accidental Mute Dismissal in Modal Overlays (Clubhouse / X Spaces)

Because mute buttons are positioned inside swipeable modal sheets, users frequently swipe down or dismiss the sheet while attempting to quickly unmute, hiding their input controls when needed most.

### Pain Point #2: Lack of Explicit Deafen Options in Mobile Social Rooms

Neither Clubhouse nor X Spaces provides a native "Deafen" (mute incoming audio) toggle. Users must adjust system volume buttons, which silences all phone audio rather than isolating room sound streams.

### Pain Point #3: Ambiguous Host Transfer upon Exit

In X Spaces, if a primary host inadvertently disconnects without assigning a co-host, the entire session terminates abruptly, disrupting large audiences without administrative handover.

## 9. Industry Best Practices for Real-Time Audio UX

To deliver an intuitive audio interface, product teams should adopt the following established interaction standards:

1. **Maintain Sticky Global Input Controls:** Never tuck microphone toggles, deafen switches, or disconnect actions inside dismissible modal sheets. Anchor them to a persistent, sticky footer panel.
2. **Provide Multi-Sensory State Feedback:** Pair color-based speaker rings with secondary motion cues (soundwaves or pulsing rings) to satisfy accessibility standards and support low-vision users.
3. **Implement Safe Destructive Confirmation:** Always require two-step confirmation before ending a live room for all participants, while keeping individual exit paths ("Leave Quietly") single-tap.

## 10. Strategic Design Recommendations

Based on empirical UX evaluation, the following architectural improvements are recommended for next-generation live audio implementations:

### Recommended Audio Footer Component Architecture

 **Connected to Stage (Low Latency)**  
Mic Input: Built-in Microphone (Active Pulse)



*Figure 10.1: Consolidated Sticky Control Bar — Combining explicit connection diagnostics, instant mute access, and frictionless leave functionality.*

## 11. Conclusion

Designing effective real-time audio interfaces requires balancing ambient, low-friction entry with explicit, reassuring input controls. While Discord excels in technical utility and sticky input ergonomics, Clubhouse and X Spaces offer strong spatial hierarchy for public broadcasting. Future enterprise audio systems should synthesize these approaches by pairing persistent global footers with multi-sensory feedback indicators and accessible, low-anxiety leave mechanisms.