


Random Variables

Motivation

Examples

Definitions

Visualization



What Matters

So far

coins, dice, cards, dominoes, marbles,

Often

subscribers

clicks

viewers

yield

weight

sales

time

congestion

delay

age

temperature

heart rate

GPA

tuition

assignment

income

cost

Numbers!

Random variable


Number-valued random outcome

Xtra with Numbers

Distribution

$p(x)$

View on a line




Express as function

$$p(x) = 1/x^2$$

Consider properties

Decreasing



concentrated

Random Variable

X

Perform operations

$$X+1$$

$$X^2$$

Combine variables

$$X+Y$$

Consider properties

average value of X

Two Types

Size of sample space Ω

Ω is finite

$\{1, 2, 3\}$

$\{e, \pi\}$

or countably infinite

\mathbb{N}

\mathbb{Z}

Discrete

Ω is uncountably infinite

$[0, 2]$

$(-1, 3) \cup [4, 5)$

\mathbb{R}

Continuous

Combination

$[0, 2] \cup \{e, \pi\}$

Mixed

Begin with discrete

Been There

Several past examples had number outcomes

Outcome of a die roll $\{1, \dots, 6\}$

Number of heads in 3 coin tosses $\{0, \dots, 3\}$

Values of a domino tile $\{0, \dots, 6\}$

Did not use numerical features → Use extensively

Familiar and new examples General formulation

Heads

3 fair coins

$\Omega = \{ ttt, tth, tht, thh, htt, hth, hht, hhh \}$

$|\Omega| = 8$


Equiprobable

$p = 1/8$

X

heads

x	Outcomes	$p(x)$
0	ttt	$1/8$
1	tth, tht, htt	$3/8$
2	thh, hth, hht	$3/8$
3	hhh	$1/8$



Specification

As before

Explicit

$p(1)=.1$ $p(2)=.2$ $p(3)=.3$ $p(4)=.4$

Table

x	1	2	3	4
p(x)	.1	.2	.3	.4

With numbers

Function

$p(x) = x / 10$





$x \in \{1,2,3,4\}$

Histogram

Stem plot

Plot

Graphs



Probability Mass Function

As before

pmf

$$p : \Omega \rightarrow \mathbb{R}$$

Specify Ω and p

Ω

Random variable $\rightarrow \subseteq \mathbb{R}$

Discrete \rightarrow finite or countably infinite

p

$$p(x) \geq 0 \quad \forall x \in \Omega$$

$$\sum_{x \in \Omega} p(x) = 1$$

If X is distributed according to p , we write $X \sim p$

Alternative Notation

Discrete

$$\Omega \subseteq \mathbb{R}$$

Often

$$\mathbb{Z}$$

$$\mathbb{N}$$

$$\mathbb{P}$$

$$\{1, \dots, n\}$$

$$p(x)$$

→

$$p_x$$

$$p_i$$

$$p_i \geq 0$$

$$\sum_i p_i = 1$$

Types of Discrete Distributions

Finite

$$|\Omega| = n \in \mathbb{P}$$

Infinite

$$|\Omega| = \infty = \aleph_0$$

Finite Distributions

$$|\Omega| = n$$

Specify pmf


$$p_1, p_2, \dots, p_n$$

$$\forall 1 \leq i \leq n \quad p_i \geq 0$$

$$\sum_{i=1}^n p_i = 1$$


Uniform

$$p_1 = p_2 = \dots = p_n = 1/n$$




Increasing

$$p_1 \leq p_2 \leq \dots \leq p_n$$



Decreasing

$$p_1 \geq p_2 \geq \dots \geq p_n$$



Infinite Distributions

$$|\Omega| = \infty$$

One-sided infinite

$$p_1, p_2, p_3, \dots$$

Cannot be uniform

$$p = 0 \rightarrow \sum = 0$$


$$p > 0 \rightarrow \sum = \infty$$

Cannot increase

$$p_i > 0 \rightarrow p_{i+1}, p_{i+2}, \dots > 0 \rightarrow \sum = \infty$$


Can decrease

$$\frac{1}{2}, \frac{1}{4}, \frac{1}{8}, \dots$$



$$\sum_{i=1}^n \frac{1}{2^i} = 1 - \frac{1}{2^n}$$

$$\sum_{i=1}^{\infty} \frac{1}{2^i} = 1$$



Doubly infinite

$$\dots, p_{-2}, p_{-1}, p_0, p_1, p_2, \dots$$

$$\dots, \frac{1}{8}, \frac{1}{4}, 0, \frac{1}{4}, \frac{1}{8}, \dots$$

Formal Definition

Random variable is a mapping $f : \Omega \rightarrow \mathbb{R}$

Simplify terminology, focus on math

Number-valued random experiment



Random Variables

Motivation

Numbers

Operations

Examples

Definitions

pmf

Visualization

Histogram

Plot

Stem



Cumulative
Distribution
Functions

