

**University of Pennsylvania School of Nursing
Technology Laboratory: Competency Evaluation Tool**

The purpose of these experiences is to introduce students to procedures commonly performed by advance practice nurses. At the conclusion of these laboratory experiences, it is expected that students will be able to:

1. State the clinical indications for each procedure
2. Discuss the relevant anatomy and physiology for each procedure
3. Identify contraindications for performing each procedure and/or possible complications
4. Demonstrate the correct technique for performing each procedure, including patient preparation and post-procedure care

For each procedure students will be given a specific competency evaluation tool. Students are to have each competency evaluated by a course faculty member. The following grading criteria will be used when evaluating each competency:

NO/NA: NOT OBSERVED/NOT APPLICABLE

- a. the student: does not need to perform task or procedure in this setting
- b. unable to be observed in this setting

0: DOES NOT MEET EXPECTATION

The student does not demonstrate knowledge and/or skill at the level that is expected at this time

1: INTERVENTION REQUIRED

The student demonstrates limited knowledge and/or skill at the level that is expected at this time.

2: MEETS EXPECTATION

The student demonstrates knowledge and/or skill at the level that is expected at this time.

3: EXCEEDS EXPECTATION

The student demonstrates knowledge and/or skills that exceeds expectation at this time

Technology laboratory experiences are graded Pass/Fail. A passing grade is obtained by achieving a 2.0 or greater in each of the evaluation indicators and is determined by the clinical faculty. Students must pass the technology laboratory experiences in order to pass N764.

Students must submit a copy of each competency evaluation tool to the clinical instructor at the end of each semester. It is suggested that students bring these tools to all subsequent clinical sites and every time that the skill is performed, have the preceptor evaluate this skill. Students will include these tools in the professional portfolios that will be completed in a subsequent semester.

University of Pennsylvania School of Nursing
Technology Laboratory: Airway Management/Endotracheal Intubation Competency Evaluation Tool

Student: _____

Clinical faculty: _____

NO/NA: Not observed/not applicable; 0: Does not meet expectation; 1: Support required; 2: Meets expectation; 3: Exceeds expectation

Competency	Laboratory	Clinical	Clinical	Clinical
I. State the 4 categories of clinical indications for endotracheal intubation.	2			
II. Discuss the relevant anatomy of the respiratory passages.				
III. Describe the components of a preintubation evaluation.				
a. emergent				
b. non-emergent				
c. Mallampati Classification				
IV. State risk factors that may indicate a patient with a difficult airway.				
V. Identify 4 possible complications that can occur during intubation.				
VI. Demonstrate the correct technique for performing endotracheal intubation				
a. patient evaluation				
b. set up equipment				
c. positioning of patient				
d. preoxygenation				
e. insertion of laryngoscope blade				
f. expose vocal cords				
g. insert endotracheal tube				
h. inflate cuff				
i. assess tube placement				
j. secure endotracheal tube				
VII. Demonstrate and explain the following maneuvers				
a. Sellick's				
b. BURP				
VIII. Demonstrate the correct technique for LMA insertion				
a. Patient evaluation				
b. Select appropriate size LMA				
c. Visually inspect LMA, inflate and deflate cuff to ensure proper seal and vacuum maintained				

d. With cuff deflated in a smooth, flat, wedge shape, lubricate with a water soluble lubricant.	2 			
e. Position airway – extend head, flex neck				
f. Hold LMA close to mask, place tip against inner surface of upper teeth.				
g. Press mask tip and flatten against hard palate and advance into pharynx with index finger.				
h. Press the mask into the posterior pharyngeal wall using the index finger.				
i. Grasp tube with other hand and withdraw index finger from pharynx.				
j. Inflate mask with recommended volume of air.				
k. Verify placement				
l. Secure LMA				

