

File Explorer

From Beginning C

1 CAN M

2 If mon

3 In

4 M

5 Lim

6 Re

Slide 1 of 12

WhatsApp

C++ Roast Program

manan25csu136-glitch/FOCP-II

CAN MONEY BUY HAPPINESS?

Ask Gemini

chatgpt.com/c/69f8331a-e024-8322-9762-5237b1cb710f

ChatGPT

New chat Ctrl + Shift + O

Search chats Ctrl + K

Projects

Codex

More

Recents

C++ Homework Excuse Generator

C++ Roast Program

PNP Transistor Working

Engineering Drawing Steps

Effective Communication Topics

Fourier Series Formula

PDF Name Replacement

Maths padhne ke tareeke

Cybersecurity Best Practices

Cyber Security Poster

Mosafa ka Safaiwala Horn

MANAN GANDHI

Go

Write a C++ program that:

Takes the user's name as input

Stores at least 10 roast messages in an array (each containing {name})

Randomly selects one message

Replaces {name} with the entered name

Prints the final roast message on the screen

Here's a clean, beginner-friendly C++ program that does exactly what your question asks 🙌

C++ Program

```
</ C++>

#include <iostream>
#include <string>
#include <cstdlib> // for rand() and srand()
#include <ctime>   // for time()

using namespace std;
```

+ Ask anything

ChatGPT can make mistakes. Check important info. See [Cookie Preferences](#).

27°C Mostly sunny

Search

ENG IN

11:55 04-05-2026

File Explorer

From Beginning C

1 CAN M

2 If mon

3 In

4 M

5 Lim

6 Real

Slide 1 of 12

WhatsApp

C++ Roast Program

manan25csu136-glitch/FOCP-II

CAN MONEY BUY HAPPINESS?

Ask Gemini

chatgpt.com/c/69f8331a-e024-8322-9762-5237b1cb710f

Share

ChatGPT

New chat Ctrl + Shift + O

Search chats Ctrl + K

Projects

Codex

More

Recents

C++ Homework Excuse Generator

C++ Roast Program

PNP Transistor Working

Engineering Drawing Steps

Effective Communication Topics

Fourier Series Formula

PDF Name Replacement

Maths padhne ke tareeke

Cybersecurity Best Practices

Cyber Security Poster

Mosafa ka Safaiwala Horn

MANAN GANDHI

Go

C++

```
#include <string> // for string and string<br>#include <ctime> // for time()<br><br>using namespace std;<br><br>int main() {<br>    string name;<br><br>    // Step 1: Take user input<br>    cout << "Enter your name: ";<br>    getline(cin, name);<br><br>    // Step 2: Store roast messages<br>    string roasts[10] = {<br>        "{name}, you bring everyone joy... when you leave.",<br>        "{name}, you are not stupid, just unlucky when thinking.",<br>        "{name}, if laziness were a sport, you'd come second.",<br>        "{name}, your brain has too many tabs open... and none working.",<br>        "{name}, you're like a cloud. When you go away, it's a good day.",<br>        "{name}, I would explain it... but you wouldn't get it.",<br>        "{name}, you are the reason instructions exist.",<br>        "{name}, you're not useless... you can still be a bad example.",<br>        "{name}, even Google can't understand you.",<br>        "{name}, you have something on your chin... no, the third one."<br>    };<br><br>    // Step 3: Random selection<br>    srand(time(0)); // seed random generator
```

+ Ask anything

ChatGPT can make mistakes. Check important info. See [Cookie Preferences](#).

27°C Mostly sunny

Search

ENG IN

11:56 04-05-2026

File Explorer

From Beginning C

1 CAN M

2 If mo

3 In

4 M

5 Lim

6 Re

Slide 1 of 12

WhatsApp

C++ Roast Program

manan25csu136-glitch/FOCP-II

CAN MONEY BUY HAPPINESS?

Ask Gemini

chatgpt.com/c/69f8331a-e024-8322-9762-5237b1cb710f

Share

ChatGPT

New chat

Search chats

Projects

Codex

More

Recents

C++ Homework Excuse Generator

C++ Roast Program

PNP Transistor Working

Engineering Drawing Steps

Effective Communication Topics

Fourier Series Formula

PDF Name Replacement

Maths padhne ke tareeke

Cybersecurity Best Practices

Cyber Security Poster

Mosafa ka Safaiwala Horn

MANAN GANDHI

Go

C++

```
{name}, you're like a cloud. When you go away, it's a good day.",
{name}, I would explain it... but you wouldn't get it.",
{name}, you are the reason instructions exist.",
{name}, you're not useless... you can still be a bad example.",
{name}, even Google can't understand you.",
{name}, you have something on your chin... no, the third one."
};

// Step 3: Random selection
srand(time(0)); // seed random generator
int index = rand() % 10; // random index (0-9)

string result = roasts[index];

// Step 4: Replace {name} with actual name
size_t pos = result.find("{name}");
if (pos != string::npos) {
    result.replace(pos, 6, name);
}

// Step 5: Print final message
cout << "\nFunny Roast:\n";
cout << result << endl;

return 0;
}
```

+ Ask anything

ChatGPT can make mistakes. Check important info. See [Cookie Preferences](#).

27°C Mostly sunny

Search

ENG IN

11:57 04-05-2026