

The Brigade School Revision worksheet 1 (2020-21)

Total points 20/20 ?

Class 10

Subject: Computer Applications

Part A (Marks: 4)

Email address *

mananmehtabatman@gmail.com

4 of 4 points

Name: *

Manan Y Mehta

School *

☒ TBSG

☐ TBSW

Question 1: What is output of the following code:

```
int[] x = {10, 12, 13};  
for(int i = 0; i < x.length; i++)  
System.out.print(x[i] + " ");
```





2/2

- ☒ 10 12 13
- ☐ 101213
- ☐ 12
- ☐ 13
- ☐ 10
- ☐ error.

**Question 2:**

Determine output:

`int[] a = { 2, 3, 4};``int[] b = a;``for(int i = 0; i < a.length; i++)``System.out.print(b[i] + " ");`

2/2

- ☒ 2 3 4
- ☐ 0 0 0 0
- ☐ 1 2
- ☐ 4 3 2



Part B(Marks 10)

16 of 16 points



✓ Question 3: Define array. *

1/1

An array is a structure created in the memory to represent a number of values of same data type.

Eg : int a[] = new int [5];

✓ WAP to find the sum of all the elements of a SDA. *

15/15

```
import java.util.*;
class sum_sda
{
    public static void main(String args[])
    {
        Scanner sc = new Scanner(System.in);
        System.out.println("Enter the number of elements and then the elements");
        int n=sc.nextInt();
        int a[]=new int[n];
        int sum = 0;
        int i=0;
        for (i=0;i<n;i++)
        {
            a[i]=sc.nextInt();
            sum = sum + a[i];
        }
        System.out.println("The sum is = "+sum);
    }
}
```

VARIABLE DESCRIPTION TABLE

VARIABLE'S NAME -- DATATYPE -- DESCRIPTION

sum -- int -- Stores the sum of the SDA.

a[] -- int -- SDA to store elements entered by the user.

n -- int -- Stores the number of elements.

i -- int -- Loop-variable

This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#).

Google Forms

