
CD4 T cells (n=27)
slope=-0.00536; p=0.04396
log median |λ|
donor age (years)
Banovich_Kropski_2020
Barbry_Leroy_2020
Krasnow_2020
Lafyatis_Rojas_2019_10Xv1
Lafyatis_Rojas_2019_10Xv2
Meyer_2019
Misharin_2021
Misharin_Budinger_2018
Nawijn_2021
Teichmann_Meyer_2019
OLS slope
CD8 T cells (n=44)
slope=-0.00304; p=0.09491
log median |λ|
donor age (years)
Banovich_Kropski_2020
Barbry_Leroy_2020
Jain_Misharin_2021_10Xv1
Jain_Misharin_2021_10Xv2
Krasnow_2020
Lafyatis_Rojas_2019_10Xv1
Lafyatis_Rojas_2019_10Xv2
Meyer_2019
Nawijn_2021
Teichmann_Meyer_2019
OLS slope
Classical monocytes (n=57)
slope=-0.00491; p=0.003996
log median |λ|
donor age (years)
Banovich_Kropski_2020
Barbry_Leroy_2020
Jain_Misharin_2021_10Xv2
Krasnow_2020
Lafyatis_Rojas_2019_10Xv1
Lafyatis_Rojas_2019_10Xv2
Meyer_2019
Misharin_2021
Misharin_Budinger_2018
Nawijn_2021
Teichmann_Meyer_2019
OLS slope
Non-classical monocytes (n=19)
slope=0.00254; p=0.3477
log median |λ|
donor age (years)
Banovich_Kropski_2020
Krasnow_2020
Teichmann_Meyer_2019
OLS slope