

Week 2 Incident Simulation & Evidence Collection Report

Project 5: Incident Response and Digital Forensics Playbook

Scenario: Controlled GoPhish Phishing Simulation and Digital Evidence Collection

Prepared for Week 2 Deliverables: Collected Evidence Files + Incident Timeline

1. Executive Summary

This report documents the Week 2 phase of Project 5: Incident Simulation and Evidence Collection. A phishing simulation was conducted using GoPhish hosted on a Kali Linux VM. The victim Windows 10 workstation received a simulated phishing email, clicked a tracking link, opened a fake Secure Document Portal, and submitted dummy credentials. Evidence was collected from GoPhish, Gmail/original message headers, browser history, Wireshark packet capture, Sysmon/Event Viewer, and Splunk.

The objective of this report is not only to show that the simulation happened, but to prove it through correlated evidence from email, host, network, and SIEM sources. This provides a strong foundation for Week 3 containment, eradication, and recovery activities.

Key Results

Area	Confirmed Finding
Incident type	Phishing / credential harvesting simulation
Victim endpoint	Windows 10 workstation - 192.168.92.133
Attacker / phishing server	Kali Linux / GoPhish - 192.168.92.128
Delivery channel	Gmail phishing email generated through GoPhish
User action	Email opened, link clicked, dummy credentials submitted
Network evidence	HTTP GET and POST observed between victim and phishing server
Endpoint evidence	Sysmon Event ID 3 confirmed Microsoft Edge connection to 192.168.92.128:80
SIEM evidence	Splunk indexed the Sysmon telemetry and confirmed the connection
Evidence status	Sufficient evidence collected for Week 2 documentation and Week 3 response

Evidence Handling Note

All visible emails, passwords, and submitted credentials in the screenshots are dummy lab values used for an isolated academic simulation. They were intentionally retained in the evidence screenshots to demonstrate the credential capture flow and support the investigation narrative.

2. Scope, Assumptions, and Timeline Context

The GoPhish campaign was created earlier as part of the lab setup. The incident interaction and evidence collection occurred later during the Week 2 investigation window. This explains why some screenshots show campaign preparation dates around May 2-3, while interaction, Sysmon, Splunk, and Wireshark evidence show June 27, 2026.

Timeline Category	Date / Time Context	Interpretation
Campaign preparation	May 2-3, 2026	GoPhish assets such as campaign, email template, landing page, sending profile, and target group were prepared in advance.
Incident interaction	June 27, 2026	The victim opened the email, clicked the phishing link, reached the fake portal, and submitted dummy credentials.
Evidence collection	June 27, 2026	Wireshark, Sysmon/Event Viewer, Splunk, browser history, and GoPhish results were captured and documented.
Timezone note	Tool-dependent	Timestamps are shown as captured by each tool. Small differences can occur because GoPhish, Windows, Splunk, and browser interfaces may display local or tool-specific time formats.

Lab Scope

- The simulation was performed in a controlled VMware lab environment.
- The phishing server and victim endpoint were located in the same virtual network segment: 192.168.92.0/24.
- The simulation did not involve destructive malware, ransomware encryption, or unauthorized third-party systems.
- The goal of Week 2 was to simulate the incident and collect evidence, not to complete containment and recovery. Week 3 will cover response actions.

3. Lab Environment Identification

Before analyzing the incident, both the victim and attacker machines were identified by IP address. This is important because all later evidence must consistently map to the same source and destination addresses.

System	Role	IP Address	Evidence Source
Windows 10	Victim endpoint / user workstation	192.168.92.133	ipconfig screenshot, Wireshark source IP, Sysmon source IP
Kali Linux	Attacker simulation host / GoPhish server	192.168.92.128	ip a screenshot, URL destination, Wireshark destination IP, Sysmon destination IP
GoPhish Admin UI	Phishing campaign management console	127.0.0.1:3333 on Kali	GoPhish dashboard screenshots
Phishing landing service	Fake Secure Document Portal	192.168.92.128:80	Browser URL, Wireshark HTTP traffic, Sysmon Event ID 3

```
C:\Users\hazem>ipconfig

Windows IP Configuration

Ethernet adapter Ethernet0:

    Connection-specific DNS Suffix  . : localdomain
    Link-local IPv6 Address . . . . . : fe80::803c:8a9f:2020:d06c%2
    IPv4 Address. . . . . : 192.168.92.133
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 192.168.92.2

C:\Users\hazem>
```

Figure 1. Windows 10 victim endpoint IP configuration showing IPv4 address 192.168.92.133.

```
(kali㉿kali)-[~]
└─$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 00:0c:29:4b:9d:a8 brd ff:ff:ff:ff:ff:ff
    inet 192.168.92.128/24 brd 192.168.92.255 scope global dynamic noprefixroute eth0
        valid_lft 1734sec preferred_lft 1734sec
    inet6 fe80::727a:730a:bfd2:39e5/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
```

Figure 2. Kali Linux network configuration showing eth0 address 192.168.92.128.

4. GoPhish Campaign Configuration Evidence

The following screenshots document the configuration of the phishing simulation before user interaction. This proves that the email, target group, landing page, and sending profile were intentionally created as part of a controlled lab exercise.

4.1 Sending Profile




Figure 3. GoPhish sending profile configured for Gmail SMTP delivery.

4.2 Email Template




Figure 4. GoPhish email template using the subject "Shared Document Requires Verification" and a dynamic {{.URL}} tracking link.

4.3 Landing Page Configuration




Figure 5. GoPhish landing page configured as a fake Secure Document Portal.

4.4 Target Group




Figure 6. GoPhish target group configured for the test victim user.

4.5 Campaign Record




Figure 7. GoPhish campaign list showing the active campaign record.

5. Phishing Delivery and Victim Interaction

This section shows the incident execution path from the victim perspective: receipt of the phishing email, link click, redirection to the fake portal, and credential submission.

5.1 Phishing Email Received by the Victim




Figure 8. Gmail inbox showing the phishing simulation email received by the victim user.

5.2 Fake Secure Document Portal




Figure 9. Victim browser redirected to the fake Secure Document Portal hosted at 192.168.92.128.

6. GoPhish Campaign Results

GoPhish provides direct campaign telemetry. It confirms whether the message was sent, opened, clicked, and whether data was submitted. This is the primary application-level evidence for the simulation.

6.1 Campaign Summary




Figure 10. GoPhish campaign results showing Email Sent = 1, Email Opened = 1, Clicked Link = 1, Submitted Data = 1, and Email Reported = 0.

6.2 Submitted Data Details

The screenshot displays the GoPhish web interface within a browser window. The address bar shows the URL `127.0.0.1:3333/campaigns/6`. The left sidebar contains a navigation menu with the following items: Dashboard, Campaigns, Users & Groups, Email Templates, Landing Pages, Sending Profiles, Account Settings, User Management (with an 'Admin' button), Webhooks (with an 'Admin' button), User Guide, and API Documentation. The main content area shows a timeline of events for a campaign. The first event is 'Clicked Link' at 'June 27th 2026 1:46:54 am', with details for 'Windows (OS Version: 10)' and 'Chrome (Version: 149.0.0.0)'. The second event is 'Submitted Data' at 'June 27th 2026 1:47:49 am', also with details for 'Windows (OS Version: 10)' and 'Chrome (Version: 149.0.0.0)'. Below the 'Submitted Data' event, there is a green 'Replay Credentials' button and a 'View Details' link. The details are shown in a table:

Parameter	Value(s)
email	marwanaminmohamed@gmail.com
password	12345678

Below the table, it says 'Showing 1 to 1 of 1 entries'. At the bottom right of the main content area, there are 'Previous', '1', and 'Next' buttons. The bottom of the image shows a Windows taskbar with various application icons and a system clock indicating 9:00 AM on 6/27/2026.

Figure 11. GoPhish submitted data view showing captured form parameters from the fake landing page.

7. Network Evidence - Wireshark Packet Capture

Wireshark provides packet-level validation that the victim workstation transmitted HTTP traffic to the phishing server. This evidence is particularly strong because it confirms the network path independently from GoPhish application logs.




Figure 12. Wireshark capture filtered for HTTP traffic between victim 192.168.92.133 and phishing server 192.168.92.128.

Interpretation of Wireshark Evidence

Field	Observed Value	Meaning
Source IP	192.168.92.133	Victim Windows 10 workstation
Destination IP	192.168.92.128	Kali / GoPhish phishing server
Protocol	HTTP	Unencrypted web traffic
Method	POST	Form submission to the phishing landing page
Form parameters	email, password	Dummy credential values submitted by the victim
Investigative value	High	Independent network proof of credential submission

8. Endpoint Evidence - Browser and Sysmon Logs

Endpoint evidence shows what happened on the victim machine. Browser history confirms the user visited the phishing server, while Sysmon confirms that Microsoft Edge initiated a network connection to 192.168.92.128 over HTTP port 80.

8.1 Browser History





Figure 13. Browser history showing access to 192.168.92.128 and the Secure Document Portal.

8.2 Sysmon Event ID 3 - Network Connection



The screenshot shows the Windows Event Viewer application. The left pane displays the event log hierarchy, with 'Sysmon' expanded under 'Operational'. The main pane shows a list of events filtered by 'Log: Microsoft-Windows-Sysmon/Operational; Source: ; Event ID: 3. Number of events: 40'. The details pane for 'Event 3, Sysmon' is open, showing the following information:

Network connection detected:
RuleName: -
UtcTime: 2026-06-27 05:47:50.546
ProcessGuid: {B9e6882c-629d-6a3f-c401-000000001200}
ProcessId: 8988
Image: C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe
User: DESKTOP-9EK9CLL\hazem
Protocol: tcp
Initiated: true
SourceIsIpv6: false
SourceIp: 192.168.92.133
SourceHostname: DESKTOP-9EK9CLL.localdomain
SourcePort: 50093
SourcePortName: -
DestinationIsIpv6: false
DestinationIp: 192.168.92.128
DestinationHostname: -
DestinationPort: 80
DestinationPortName: http

Log Name: Microsoft-Windows-Sysmon/Operational
Source: Sysmon
Event ID: 3
Level: Information
Logged: 6/27/2026 8:47:51 AM
Task Category: Network connection detected (rule: NetworkConnect)
Keywords:

Figure 14. Sysmon Event ID 3 showing Microsoft Edge connecting from 192.168.92.133 to 192.168.92.128:80.

8.3 Sysmon Filtering




Figure 15. Event Viewer filtering Sysmon logs for Event ID 3 network connection events.

New Search

index=main "192.168.92.128"

✓ 26 events (6/26/26 9:00:00.000 AM to 6/27/26 9:03:05.000 AM) No Event Sampling ▼

Events (26) Patterns Statistics Visualization

Timeline format ▼ Zoom Out + Zoom to Selection × Deselect

Format ▼ Show: 20 Per Page ▼ View: List ▼

< Hide Fields	All Fields	i Time	Event
SELECTED FIELDS a host 1 a source 1 a sourcetype 1		6/27/26 8:47:51.698 AM	<Event xmlns='http://schemas.microsoft.com/win/2004/08/events/event'><System><Provider Name='Microsoft-Windows-Sysmon' Guid='{5770385f-c22a-43e0-bf4c-06f5698ffbd9}' /><EventID>3...n><Level>4</Level><Task>3</Task><Opcode>0</Opcode><Keywords>0x8000000000000000</Keywords><TimeCreated SystemTime='2026-06-27T05:47:51.6986949Z' /><EventRecordID>94312</EventReco...n ProcessID='2820' ThreadID='3428' /><Channel>Microsoft-Windows-Sysmon/Operational</Channel><Computer>DESKTOP-9EK9CLL</Computer><Security UserID='S-1-5-18' /></System><EventData>a><Data Name='UtcTime'>2026-06-27 05:47:50.546</Data><Data Name='ProcessGuid'>{89e6882c-629d-6a3f-c401-000000001200}</Data><Data Name='ProcessId'>8988</Data><Data Name='Image'>s...ft\Edge\Application\msedge.exe</Data><Data Name='User'>DESKTOP-9EK9CLL\hazem</Data><Data Name='Protocol'>tcp</Data><Data Name='Initiated'>true</Data><Data Name='SourceIsIPv6'>rceip'>192.168.92.133</Data><Data Name='SourceHostname'>DESKTOP-9EK9CLL.localdomain</Data><Data Name='SourcePort'>50093</Data><Data Name='SourcePortName'></Data><Data Name='Des...><Data Name='DestinationIp'>192.168.92.128</Data><Data Name='DestinationHostname'></Data><Data Name='DestinationPort'>80</Data><Data Name='DestinationPortName'>http</Data><Eve...

Event Actions ▼

Type	Field	Value	Actions
Selected	host ▼	DESKTOP-9EK9CLL	▼
	source ▼	WinEventLog:Microsoft-Windows-Sysmon/Operational	▼
	sourcetype ▼	XmlWinEventLog:Microsoft-Windows-Sysmon/Operational	▼
Event	timestamp ▼	none	▼
Time	_time ▼	2026-06-27T08:47:51.698+03:00	
Default	index ▼	main	▼
	linecount ▼	1	▼
	punct ▼	<_="" _ . /><_=""_=""[---]"/></></></>	▼
	splunk_server ▼	DESKTOP-9EK9CLL	▼

Week 2 Evidence Collection Report | Page 20

10. Email Header and Message Analysis

Email headers and original message body were reviewed to understand sender identity, authentication status, and embedded URL indicators. This section is important because email authentication passing does not automatically mean the message content is safe.

10.1 Gmail Original Message View

Original Message

Message ID	<177765754173264731.26862.778163872272098063@kali>
Created at:	Sun, May 3, 2026 at 2:49 AM (Delivered after 2 seconds)
From:	sender.test1234555@gmail.com Using gophish
To:	marwan mazen <marwanmazen12345555@gmail.com>
Subject:	Shared Document Requires Verification
SPF:	PASS with IP 209.85.220.65 Learn more
DKIM:	'PASS' with domain gmail.com Learn more
DMARC:	'PASS' Learn more

[Download Original](#) [Copy to clipboard](#)

Delivered-To: marwanmazen12345555@gmail.com
 Received: by 2082:a17:907:e88d:b0:bbf:dab3:12f5 with SMTP id yh13csp700492e3c; Sat, 2 May 2026 16:49:16 -0700 (PDT)
 X-Received: by 2082:a05:600e:4445:1b0:48b:9ed3:1492 with SMTP id 5b1f17d1804b1-489863686d67137545e9-10-177765756440; Sat, 02 May 2026 16:49:16 -0700 (PDT)
 ARC-Record: i=1; a=rsa-sha256; t=177765756; cv=none; d=google.com; s=arc-20240605; b=F83CWCZ32BLV/RqJ9WktpAx/pfyUPJP5ESWtZ+C2PE6MSQ08AvyVtXScy2AM 84ppcMSD52cRynHmPTAH2sT2DEXwAMch+77GUyH9Q6G7XyT/VNwMQeas73xf3FA3W IL32TqirOHMTJG6z2bkWpPrR2WmH+1xLhQraQnevhDv9K5451wqfGqW/nwCDR HxG1/dJ7v8bBnTY1895tSHH1G5vciP8mbmkp1D1RqDzRvBV70HD/AIn3y8yL3Kmuu yvyLIN+H12Pdr90QJofxQ4ZBESJangPgXfReMgfyk+0Y1L3NjJ6gZHLIMBt2ZGEp hvCg==
 ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=google.com; s=arc-20240605; hto:subject:message-id:from:date:mime-version:dkim-signature; bh=A1fv2+L/LdotpelH1P58lpkSVQNZ3E6anxLqY1bnj2Mw; fh=1xkML6SE2OZ/LHPQ4A3h3dRL10B9Y3V0UFAJ1A; b=VNSKvD55rA3J9B8IfUOTVBPQ992EMagrp0dV9378K2J208CQ2uU5YgRP8 H0CLM/Ah0u6QWV65V5T0wS5J2X2Z+rehe2KdGmHELFJ3d0tOGXvD+Vw3pdyS/k/6ANVpGomQgkAMEOZK16bj2dkx2dH/DVj+CvqsblyVonnHavXnuPCqLXSP1U773hdKd H/sxSHtGtQIM8GLQWbH888x+XT8dLJ290F8CHL35POTREzh3P3J3cgvFZHQeYaoG /JwJ1H2AVSVCZ6sqCCfyIHqrq09Yb9uXt4UULEJUE+GR0H8505JkNwMCkZ08+Eu WkZw==; dara=google.com
 ARC-Authentication-Results: i=1; mx.google.com; dkim=pass header.i=@gmail.com; spf=pass (google.com: domain of sender.test1234555@gmail.com designates 209.85.220.65 as permitted sender) smtp.mailfrom=sender.test1234555@gmail.com; dmarc=pass (p=NONE sp=QUARANTINE dis=NONE) header.from=gmail.com; dara=pass header.i=@gmail.com
 Return-Path: <sender.test1234555@gmail.com>
 Received: from mail-sor-f65.google.com (mail-sor-f65.google.com [209.85.220.65]) by mx.google.com with SMTPS id ffacd0b85a97d-44acea9b2f80r497555f8f.17.2026.05.02.16.49.16 for <marwanmazen12345555@gmail.com> (Google Transport Security); Sat, 02 May 2026 16:49:16 -0700 (PDT)
 Received-SPF: pass (google.com: domain of sender.test12345555@gmail.com designates 209.85.220.65 as permitted sender) client-ip=209.85.220.65;
 Authentication-Results: mx.google.com; dkim=pass header.i=@gmail.com header.s=20251104 header.b=VYpW0Tg; spf=pass (google.com: domain of sender.test12345555@gmail.com designates 209.85.220.65 as permitted sender) smtp.mailfrom=sender.test12345555@gmail.com; dmarc=pass (p=NONE sp=QUARANTINE dis=NONE) header.from=gmail.com; dara=pass header.i=@gmail.com
 DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=gmail.com; s=20251104; t=177765756; x=1778370556; dara=google.com; h=to:subject:message-id:from:date:mime-version:from:cc:subject:reply-to; bh=A1fv2+L/LdotpelH1P58lpkSVQNZ3E6anxLqY1bnj2Mw; b=VYpW0TgUvXsdst5fJfQq/UHTCoFYmJ0HrVnJf3fVngXv8E2zt28T1+uT0Dq qhW/9LM/UzKLtSMwM5J2UQI45j6QqLsux/MBa6hYcZ6vGf3dntIBNs+E2o0RG SmlqRmbD/2x4dW1KA4DvccXJSpU/vmw+Zd110WZTn2/SP1912cfqJwUOMKA TAVmCa52rJ/fm49R0d989yJhellaHm9B0rOTY1Vf00mHd/s+dcuVGL061x60 TGLG0W4X8E37dmbmF8A2N10z+56PAIX0W0CXGwmmWkYGLs10751wu3VUKSZYWT4 5Mm==
 X-Google-DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=1e100.net; s=20251104; t=177765756; x=1778370556; h=to:subject:message-id:from:date:mime-version:x-gm-gg :x-gm-message-state:from:cc:subject:reply-to; bh=A1fv2+L/LdotpelH1P58lpkSVQNZ3E6anxLqY1bnj2Mw; b=X1P89Hb+swmNAfjeek4K3JULVvnyWmtU7fufR/2HfKskJr+oYy4zpgt178Rm7 9tAPXfje0CRO8YrHvBHK1CPQ04MDPKq78d5x6deuXKk1z1+ckxTC8LwksX5Akt a2784w218Tjms4w98qqlzC/R47L5tzyBhw3KDR/vm6dU4A315780znBUVXPa9 dR3bBwLAKGskzk/D54+U2B5IatR6BkxqTL9Xr+ateI089VQ42dN1a+4HYZACS1hb uEFDp503HlbnhQqX3J1C15+35q/ElH/D+8Gc48pxtyKlHk+H5ZYSXqEaRfaQHee Cy1w==
 X-Gm-Message-State: A0J0y9mC7J5E17CvU/C/12yU6CH9W9J5ocXpW0WwCvJYN3H YDZ1E8GyFD8c+Hm4R+ZKX+2vzChIEGdRLA2700nJEF5mHm+0vGfJmHMSA==
 X-Gm-Gen: AE80ievOu7M5yufTH4TnUjvP286QW156R2837R3CCKFHGLG65caQ05A9A6+D 2X04585YE8HJ/zCZ8/smtGLFH3ETUkREBPepu5A1kyVvswkAMTSPNf16vEtJdKZELP0lNy3 CLgmRBD1374JdyWPIW183X+639PE1EYfIuAP13B0UXSwYx4l8gmHXBLUk3hpArXaFI9MBULR 01f4994QqfBvQp/422Zn+rsZ7wCZLz5fCBf1pWtYMaU97uafG28/1neFv6j1RoZCCK1e EVLOZ2JCvSHWpGtUCv57276aMwD8H7CQHCsmbZxIDPYKeudMeQy2ud1YKZAMh75IFC 65UIdGLACCA1D7LE8nXksysucXUPW13AEM51qSKZ3PO/1zFvJLR0MDRLD3Nt8qG0115CwHr OP672e/D0+10XN25+2cva089Eep6JUB58XEN2H+U50KELNGS
 X-Received: by 2082:a05:600e:4445:1b0:48b:9ed3:1492 with SMTP id ffacd0b85a97d-44acea9b2f80r497555f8f.17.2026.05.02.16.49:15 -0700 (PDT)
 Return-Path: <sender.test1234555@gmail.com>

Figure 17. Gmail Original Message view showing SPF, DKIM, and DMARC passing for the simulated sender.

10.2 Raw Header and Body Review

```

header analysis - Notepad
File Edit Format View Help
Delivered-To: marwanmazen1234555@gmail.com
Received: by 2002:a17:907:e88d:b0:bbf:dab3:12f5 with SMTP id yh13csp700492ejc; Sat, 2 May 2026 16:49:16 -0700 (PDT)
X-Received: by 2002:a05:600c:4445:b0:488:9ed3:1492 with SMTP id 5b1f17b1804b1-48a986360b6mr67137545e9.10.1777765756440; Sat, 02 May 2026 16:49:16 -0700 (PDT)
ARC-Seal: i=1; a=rsa-sha256; t=1777765756; cv=none; d=google.com; s=arc-20240605; b=F83HCwZF32bLw/FqNj9WkoTp9Ax/pFyUPjPSE5WuTiz+C2PE6MSQo8AxyItX5cy2Am 84MppCm5Ds2cRynHMpTAH2sT2DEXw4MBch+j7GUYH9Qg6f7XyT/NVnMQeas7Z
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=google.com; s=arc-20240605; h=to:subject:message-id:from:date:mime-version:dkim-signature; bh=Alfv2+1/LDotpe1H1PS0LpkSVQnZ3E6anxLqY1bwjzM=; fh=1Xkmi6
ARC-Authentication-Results: i=1; mx.google.com; dkim=pass header.i=@gmail.com header.s=20251104 header.b=MVYPwOt8; spf=pass (google.com: domain of sender.test1234555@gmail.com designates 209.85.220.65 as permissive)
Return-Path: <sender.test1234555@gmail.com>
Received: from mail-sor-f65.google.com (mail-sor-f65.google.com. [209.85.220.65]) by mx.google.com with SMTPS id ffacd0b85a97d-44aeca9b2f0sor497555f8f.17.2026.05.02.16.49.16 for <marwanmazen1234555@gmail.com> (Client-ip=209.85.220.65; Received-SPF: pass (google.com: domain of sender.test1234555@gmail.com designates 209.85.220.65 as permitted sender) client-ip=209.85.220.65; Authentication-Results: mx.google.com; dkim=pass header.i=@gmail.com header.s=20251104 header.b=MVYPwOt8; spf=pass (google.com: domain of sender.test1234555@gmail.com designates 209.85.220.65 as permitted sender) DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=gmail.com; s=20251104; t=1777765756; x=1778370556; y=1778370556; z=1778370556; h=to:subject:message-id:from:date:mime-version:dkim-signature; bh=Alfv2+1/LDotpe1H1PS0LpkSVQnZ3E6anxLqY1bwjzM=; fh=1Xkmi6 X-Gm-Message-State: A0Ju0Yymcb7j5E1i7cuY/Cx1zyU6chB9Um9j5oxcpw0AAW2CVjYN3n0 rDzE1W6XyfiDR6c+hWArr4ZKX+2VeZch1E6uRbLLazn7oobnJEFsWWhodYGuFj8nQHM5A== X-Gm-Gg: AeB0ievwOu7MEsyuFTM4TnUjvP2aB6OM156Ru28J7tR3CBcKFHgL605ca0Qsa9A6+D 2xb4S0sYE0Mj/zCZ8//smTGIFh3EtuxRE8PVepu5A1kyVWswK4MTSPNFI6EvetJdWZE1PL01nyJ CLgmrBdIJ7x4JDYwPIW10JXd+6J9PEiEYfluaP1JB0UxSwyX41BgWnMX8U X-Received: by 2002:a05:6000:26c5:b0:43e:a73e:cc98 with SMTP id ffacd0b85a97d-44bb62fbb6amr7260883f8f.23.1777765755500; Sat, 02 May 2026 16:49:15 -0700 (PDT)
Return-Path: <sender.test1234555@gmail.com>
Received: from kali ([156.198.82.58]) by smtp.gmail.com with UTF8SMTPSA id ffacd0b85a97d-44a981defbfsm15579255f8f.17.2026.05.02.16.49.14 for <marwanmazen1234555@gmail.com> (version=TLS1_3 cipher=TLS_AES_128_GCM_SHA256)
Mime-Version: 1.0
Date: Sat, 02 May 2026 19:49:14 -0400
From: sender.test1234555@gmail.com
X-Mailer: gophish
Message-Id: <1777765754173264731.26862.778163872272098063@kali>
Subject: Shared Document Requires Verification
To: "marwan mazen" <marwanmazen1234555@gmail.com>
Content-Type: multipart/alternative; boundary=ceee5fe1d9c6213f3f27398f5bf8ecc302c9a170002af92164f88c37cb67

--ceee5fe1d9c6213f3f27398f5bf8ecc302c9a170002af92164f88c37cb67
Content-Transfer-Encoding: quoted-printable
Content-Type: text/plain; charset=UTF-8

Hello marwan,

A secure document has been shared with you and requires access verification=
before it can be viewed.

Please sign in to verify your access and continue to the document:

http://192.168.92.128?rid=3D1GhRM3H

This link may expire soon for security reasons.

If you were not expecting this document, please contact the IT/security team=
m.

Secure Document Portal
Authorized users only.
--ceee5fe1d9c6213f3f27398f5bf8ecc302c9a170002af92164f88c37cb67
Content-Transfer-Encoding: quoted-printable
Content-Type: text/html; charset=UTF-8

```


Figure 18. Raw email header/body analysis showing X-Mailer: gophish and the embedded phishing URL.

Email Analysis Finding

The email passed SPF, DKIM, and DMARC because it was sent through a valid Gmail SMTP flow. However, the content still contained a suspicious internal IP URL leading to a credential capture page. Therefore, the correct analyst conclusion is: authentication passed, but content and URL behavior indicate phishing simulation activity.

11. Attacker Infrastructure Evidence

The Kali host was checked to confirm listening web services. This supports the conclusion that the phishing infrastructure was hosted on the Kali VM.



```
kali@kali: ~  
Session Actions Edit View Help  
zsh: corrupt history file /home/kali/.zsh_history  
  
(kali@kali)~  
$ sudo ss -tulpn | grep ':80'  
[sudo] password for kali:  
tcp LISTEN 0 128 0.0.0.0:80 0.0.0.0:* users:(("gophish",pid=2297,fd=8))  
tcp LISTEN 0 128 0.0.0.0:8080 0.0.0.0:* users:(("apache2",pid=1027,fd=4),("apache2",pid=1026,fd=4),("apache2",pid=1025,fd=4),("apache2",pid=1024,fd=4),("apache2",pid=1023,fd=4),("apache2",pid=970,fd=4))  
  
(kali@kali)~  
$
```

Figure 19. Kali Linux listening services showing GoPhish on port 80 and Apache2 on port 8080.

12. Evidence Correlation Matrix

A single source of evidence is not enough for a strong DFIR report. The event is stronger because multiple independent sources support the same conclusion.

Evidence Source	What It Proves	Key Field(s)	Reliability Value
GoPhish configuration	Campaign was intentionally created for the lab	Template, landing page, target group, sending profile	Shows simulation setup
Gmail email view	Victim received the phishing email	Sender, subject, message body	Delivery evidence
Original message headers	Email source and authentication status	SPF/DKIM/DMARC PASS, X-Mailer gophish	Email forensic evidence
Browser fake portal	Victim clicked link and reached phishing page	URL 192.168.92.128, page title	User interaction evidence
GoPhish results	Email opened, link clicked, data submitted	Sent/Open/Click/Submit counters	Application-level event evidence
Wireshark	HTTP POST transmitted credentials to phishing server	192.168.92.133 -> 192.168.92.128, POST, form data	Network-level proof
Browser history	Victim visited phishing URL	192.168.92.128, Secure Document Portal	Endpoint user activity evidence
Sysmon Event ID 3	Browser process connected to phishing server	msedge.exe, destination 192.168.92.128:80	Endpoint telemetry evidence
Splunk	Centralized search confirms endpoint telemetry	index=main, 192.168.92.128	SOC/SIEM-level evidence
Kali listening ports	Phishing infrastructure hosted on Kali	GoPhish listening on port 80	Infrastructure evidence

13. Indicators of Compromise / Indicators of Activity

The following indicators were extracted from the investigation. Because this is a controlled lab simulation, they should be treated as Indicators of Activity (IOAs) for documentation and Week 3 response planning.

Indicator Type	Value	Context
Victim IP	192.168.92.133	Windows 10 endpoint that opened the phishing page
Attacker / Phishing server IP	192.168.92.128	Kali Linux GoPhish server
Phishing URL	http://192.168.92.128/?rid=iGhRM3H	Tracking URL observed in victim browser and HTTP traffic
Raw message URL representation	http://192.168.92.128?rid=3DiGhRM3H	Quoted-printable/raw message representation
Sender email	sender.test1234555@gmail.com	Configured GoPhish SMTP sender
Subject	Shared Document Requires Verification	Social engineering pretext
Victim browser process	msedge.exe	Endpoint process initiating connection
Destination port	80 / HTTP	Phishing portal web service
GoPhish admin UI	127.0.0.1:3333	Local campaign management interface on Kali
Submitted form fields	email, password	Dummy credential form parameters

14. Incident Timeline

The following timeline separates campaign preparation from the actual incident interaction and evidence collection. This prevents confusion caused by different dates in the screenshots.

Sequence	Phase	Date/Time	Event	Evidence
1	Preparation	May 2-3, 2026	GoPhish campaign assets were prepared: template, sending profile, landing page, target group, and campaign.	GoPhish configuration screenshots
2	Delivery	May 3, 2026 / prepared campaign record	Simulated phishing email existed in victim Gmail mailbox with subject Shared Document Requires Verification.	Gmail email view and original message
3	Interaction	June 27, 2026	Victim opened the email and clicked the phishing link.	GoPhish results showing Email Opened and Clicked Link
4	Landing page access	June 27, 2026	Victim browser opened the fake Secure Document Portal at 192.168.92.128.	Browser page screenshot and browser history
5	Credential submission	June 27, 2026	Victim submitted dummy email/password fields into the fake portal.	GoPhish submitted data and Wireshark HTTP POST
6	Network capture	June 27, 2026	HTTP traffic between victim 192.168.92.133 and phishing server 192.168.92.128 was captured.	Wireshark screenshot
7	Endpoint logging	June 27, 2026	Sysmon Event ID 3 recorded msedge.exe connecting to 192.168.92.128:80.	Event Viewer screenshot
8	SIEM correlation	June 27, 2026	Splunk search confirmed the Sysmon event in centralized logs.	Splunk screenshot
9	Evidence preservation	June 27, 2026	Screenshots and investigation artifacts were collected for Week 2 documentation.	Evidence matrix and screenshots

15. Analyst Findings

Finding 1 - Phishing simulation was successful

The victim received the email, opened it, clicked the link, accessed the fake portal, and submitted dummy credentials. This is supported by Gmail, GoPhish, browser, Wireshark, Sysmon, and Splunk evidence.

Finding 2 - Credentials were transmitted over HTTP

Wireshark showed the submitted email and password fields inside an HTTP POST request. This demonstrates why transmitting login data over unencrypted HTTP is unsafe: packet capture can reveal the form fields in clear text.

Finding 3 - Email authentication passed but content was still suspicious

SPF, DKIM, and DMARC passed because the sender used a valid Gmail SMTP path. However, the email still contained a suspicious URL pointing to an internal IP address and led to a credential capture portal. Therefore, sender authentication should be combined with URL filtering, content analysis, and user awareness.

Finding 4 - Endpoint and SIEM logs confirmed the network connection

Sysmon Event ID 3 showed Microsoft Edge connecting from 192.168.92.133 to 192.168.92.128 on port 80. Splunk indexed the event, showing that the activity can be detected centrally in a SOC workflow.

Finding 5 - No malware execution is proven in Week 2

The evidence supports phishing interaction and credential submission. It does not prove ransomware execution, malware persistence, or command-and-control behavior. Those should not be claimed in the Week 2 report unless supported by additional evidence.

16. Week 2 Deliverables Mapping

Week 2 Requirement	Completed Evidence	Status
Simulate an incident	GoPhish phishing campaign created and victim interaction captured.	Completed
Phishing scenario	Secure Document Portal phishing email and fake login page.	Completed
Collect logs	Sysmon/Event Viewer and Splunk logs collected.	Completed
Collect network evidence	Wireshark HTTP GET/POST traffic captured and documented through screenshots.	Completed
Collect artifacts	Email headers, browser history, GoPhish campaign data, Wireshark screenshots, Sysmon/Event Viewer, and Splunk evidence.	Completed
Incident timeline	Timeline constructed from preparation, delivery, click, submission, network capture, endpoint logs, and SIEM evidence.	Completed

17. Limitations and Quality Notes

- This was a controlled educational lab, not an uncontrolled real-world incident.
- The displayed credentials are dummy lab values intentionally retained for evidence clarity.
- The campaign was prepared earlier, while interaction and evidence collection occurred later. This is explicitly documented to avoid timestamp confusion.
- The report should not claim malware persistence, ransomware execution, or C2 activity unless additional evidence is collected.

18. Final Conclusion

The Week 2 phishing simulation was successfully executed and documented. The collected evidence clearly demonstrates the full incident chain: campaign preparation, email delivery, victim interaction, fake portal access, dummy credential submission, network transmission, endpoint logging, and SIEM correlation.

The strongest evidence is the correlation between GoPhish submitted-data logs, Wireshark HTTP POST traffic, Sysmon Event ID 3, and Splunk search results. Together, these sources prove that the victim endpoint 192.168.92.133 communicated with the phishing server 192.168.92.128 and submitted form data to the fake portal.

This evidence set satisfies the Week 2 deliverables and provides a solid foundation for Week 3 containment, eradication, root-cause analysis, and recovery documentation.